LAXATIVE MAXIMUM STRENGTH- sennosides tablet, sugar coated L.N.K. International, Inc.

Sound Body 44-348

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product,

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- each tablet contains: calcium 40 mg, magnesium 5 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Ouestions or comments?

1-800-426-9391

Principal Display Panel

SOUND**BODY**™

*Compare to the active ingredient in ex•lax®
Maximum Strength

NDC 50844-948-08

MAXIMUM STRENGTH

Laxative

Sennosides USP, 25 mg Stimulant Laxative Gentle, Dependable Constipation Relief

24 TABLETS

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by GSK Consumer Healthcare S.A., owner of the registered trademark ex•lax® Maximum Strength.

50844 REV0419C34808

Manufactured for Big Lots Stores, Inc. by **LNK INTERNATIONAL, INC.** 60 Arkay Drive, Hauppauge, NY 11788 USA

may be signs of a señous condibon. have a bowel movement occur after use of a laxative. These Stop use and ask a doctor if rectal bleeding or failure to

When using this product, do not use for a period longer

Take this product 2 or more hours before or after other any other drug. Laxatives may affect how other drugs work Ask a doctor or pharmacist before use if you are taking

change in bowel habits that persists over a period of 2 Ask a doctor before use if you have noticed a sudden

or vomiting are present unless directed by a doctor. Do not use laxative products when abdominal pain, nausea, Warnings

■ generally produces bowel movement in 6 to 12 hours USes Trelieves occasional constipation (irregularity)

Sennosides USP, 25 mg. Active ingredient (in each tablet) Purpose

COMPLETE PRODUCT INFORMATIO KEEP OUTER PACKAGE FOR Drug Facts

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) OPENED OR BLISTER IS TORN OR BROKEN ■ TAMPER EVIDENT: DO NOT USE IF ÖUTEŘ PACKAGE IŠ 🖿 each tablet contains: calcium 40 mg, magnesium 5 mg Other information

ask a doctor	children under 6 years
1 tablet once or	children 6 to under
twice daily	12 years
2 tablets once or	adults and children
twice daily	12 years and over

swallow tablet(s) whole; do not crush, break, or chew ■ swallow tablet(s) with a glass of water Directions

(1-800-222-1222) right away. medical help or contact a Poison Control Center Keep out of reach of children. In case of overdose, get betore use. If pregnant or breast-feeding, ask a health professional

Drug Facts (continued)



Sennosides USP, 25 mg Stimulant Laxative



*Compare to the active ingredient in ex•lax® Maximum Strength



NDC 50844-948-08

MAXIMUM STRENGTH

axative

Sennosides USP, 25 mg Stimulant Laxative

Gentle, Dependable Constipation Relief

24 TABLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

B-0227-348-08-R REV0419C34808

*This product is not manufactured or distributed by GSK Consumer Healthcare S.A., owner of the egistered trademark extax® Maximum of Streogh. 50844 REV0419C34808

ot & Exp. Date No print Area

Actual Size

Questions or comments? 1-800-426-9391

sucrose, talc, fitanium dioxide silicon dioxide, sodium benzoate, sodium laury sulfate, povidone, propylene glycol, propylparaben, shellac glaze, cellulose, polyetnylene glycol, polyvinyl alcohol,

magnesium stearate, methylparaben, microcrystalline dihydrate, FD&C blue #1 aluminum lake, iron oxide black camauba wax, corn starch, dibasic calcium phosphate Inactive ingredients acacia, calcium carbonate,

see end flap for expiration date and lot number

Drug Facts (continued)

Drug Facts (continued)

44-348

Manufactured for Big Lots Stores, Inc. by LNK INTERNATIONAL, INC. 60 Arkay Drive, Hauppauge, NY 11788 USA

V#733000 ITEM#022734808BLBX

sennosides tablet, sugar coated

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50844-948

Route of Administration ORAL

Active Ingredient/Active Moiety

I	Ingredient Name	Basis of Strength	Strength
I	SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients Strength **Ingredient Name ACACIA** (UNII: 5C5403N260) **CALCIUM CARBONATE** (UNII: H0G9379FGK) CARNAUBA WAX (UNII: R12CBM0EIZ) STARCH, CORN (UNII: O8232NY3SJ) **DIBASIC CALCIUM PHOSPHATE DIHYDRATE** (UNII: O7TSZ97GEP) FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM) FERROSOFERRIC OXIDE (UNII: XM0M87F357) MAGNESIUM STEARATE (UNII: 70097M6I30) METHYLPARABEN (UNII: A2I8C7HI9T) MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MJQ0SDW1A) POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59|990) POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) PROPYLPARABEN (UNII: Z8IX2SC1OH) **SHELLAC** (UNII: 46N107B710) **SILICON DIOXIDE** (UNII: ETJ7Z6XBU4) **SODIUM BENZOATE** (UNII: OJ245FE5EU) **SODIUM LAURYL SULFATE** (UNII: 368GB5141)) SUCROSE (UNII: C151H8M554) TALC (UNII: 7SEV7J4R1U) **TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

Product Characteristics			
Color	blue	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	44;348
Contains			

Packaging			
# Item Cod	e Package Description	Marketing Start Date	Marketing End Date

1 NDC:50844-948-08	2 in 1 CARTON	01/02/2003			
1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product				
Marketing Information					
Marketing	Information				
Marketing Marketing Category	Information Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		

Labeler - L.N.K. International, Inc. (038154464)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(50844-948) , pack(50844-948)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-948) , pack(50844-948)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(50844-948)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(50844-948)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(50844-948)

Revised: 7/2024 L.N.K. International, Inc.