

TOPCARE COLD AND HOT MEDICATED- menthol patch
Topco Associates LLC

Topcare Cold & Hot Medicated Patch 5 ct. Large

Active ingredient Purpose

Menthol 5%.....Topical analgesic

Uses

- temporarily relieves minor aches and pains of muscles and joints associated with:
- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with arthritis-like-conditions

Ask a doctor before use if you have
redness over the affected area

When using this product

- use only as directed
- avoid contact with eyes or mucous membranes
- do not bandage tightly
- discontinue use at least 1 hour before a bath or shower
- do not use immediately after a bath or shower

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive skin irritation occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away

Directions

- open pouch and remove patch
- carefully peel off protective backing and apply sticky side to affected area
- adults and children 12 years of age and older:
- do not wear patch for more than 8 hours

- apply to affected area no more than 3 times daily
- children under 12 years of age: consult a doctor

Other information

- store at room temperature 20-25°C (68-77°F)

Inactive ingredients


alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, sorbitan monooleate, tartaric acid, titanium dioxide

Distributed by:

Topco Associates LLC

Elk Grove Village, IL 60007

Made in China



TOPCARE COLD AND HOT MEDICATED

menthol patch

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:36800-860 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|-------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 50 mg |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| KAOLIN (UNII: 24H4NWX5CO) | |
| TARTARIC ACID (UNII: W4888I119H) | |
| DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L) | |
| SORBITAN MONOOLEATE (UNII: 06XEA2VD56) | |

| Packaging | | | | |
|-----------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:36800-860-05 | 5 in 1 BOX | 04/23/2019 | |
| 1 | | 1 in 1 PATCH; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M017 | 04/23/2019 | |

Labeler - Topco Associates LLC (006935977)

Revised: 12/2024

Topco Associates LLC