

**SEVERE SINUS CONGESTION- acetaminophen, guaifenesin, phenylephrine  
hcl tablet, film coated  
Walgreen Company**

-----  
**Walgreens 44-615-SM**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves:
  - nasal congestion
  - headache
  - sinus congestion and pressure
  - minor aches and pains
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- thyroid disease
- diabetes
- heart disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours

- children under 12 years: do not use

### ***Other information***

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

#### ***Walgreens***

#### **WALGREENS PHARMACIST RECOMMENDED†**

Compare to the active ingredients in  
Maximum Strength Mucinex®  
SINUS-MAX® Severe Congestion & Pain††

NDC 0363-6150-09

#### **Severe Sinus Congestion**

**ACETAMINOPHEN** 325 mg / PAIN RELIEVER  
**GUAIFENESIN** 200 mg / EXPECTORANT  
**PHENYLEPHRINE HCl** 5 mg / NASAL DECONGESTANT

Maximum Strength

- Relieves headache & sinus congestion
- Thins & loosens mucus
- Ages 12 & over

**20**  
CAPLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

†Our pharmacists recommend the Walgreens brand. We invite you to compare to

national brands.

††This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark

Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain.

DISTRIBUTED BY: **WALGREEN CO.**

**DEERFIELD, IL 60015**

**100% SATISFACTION GUARANTEED**

**walgreens.com**

©2021 Walgreen Co.

50844

ORG0623A61509

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**  
 \*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
 †This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain.

No print/No varnish area  
 Lot no/Exp date

**Drug Facts (continued)**  
 ■ stored at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).  
 ■ see end flap for expiration date and lot number  
 com starch, croscovidone, FD&C yellow #6

**Drug Facts (continued)**  
 aluminum hydroxide, magnesium stearate, methylcellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide  
**(Questions or comments? 1-800-426-9391)**

**Drug Facts (continued)**  
**Warnings**  
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours.  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product  
 ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.  
**Do not use**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
 ■ If you have ever had an allergic reaction to this product or any of its ingredients

**As a doctor before use if you have**  
 ■ liver disease ■ thyroid disease ■ diabetes  
 ■ heart disease ■ high blood pressure  
 ■ difficulty in urinating due to enlargement of the prostate gland  
 ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
 ■ cough that occurs with too much phlegm (mucus)

**Drug Facts (continued)**  
**Directions**  
 ■ do not take more than directed  
 ■ do not take more than 12 caplets in any 24-hour period  
 ■ adults and children 12 years and over: take 2 caplets every 4 hours  
 ■ children under 12 years: do not use

**Other information**  
 ■ each caplet contains sodium 3 mg  
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Stop use and ask a doctor if** ■ new symptoms occur  
 ■ nervousness, dizziness, or sleeplessness occur  
 ■ fever gets worse or lasts more than 3 days  
 ■ pain, nasal congestion, or cough gets worse or lasts more than 7 days  
 ■ redness or swelling is present  
 ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product do not exceed recommended dosage.**

**Drug Facts**  
 KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredients (in each caplet)**  
 Acetaminophen 325 mg ..... Pain reliever  
 Guaifenesin 200 mg ..... Expectoant  
 Pseudoephedrine HCl 5 mg ..... Nasal decongestant

**Drug Facts (continued)**  
**Uses**  
 ■ temporarily relieves ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains  
 ■ temporarily promotes nasal and/or sinus drainage  
 ■ temporarily loosens mucus (phlegm) and thin bronchial secretions to rid the bronchial passages of bothersome mucus and make coughs more productive

W3ORC1221-F  
 REV-0224

DISTRIBUTED BY: WALGREEN CO.  
 DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com  
 ©2021 Walgreen Co.

ITEM 301213 W00000-0000-0  
 1 1917 16039  
 3

REV0923VAG1509 80844

15-2201-615-09-SMHR  
 REV0923VAG1509



# Severe Sinus Congestion

ACETAMINOPHEN 325 mg / PAIN RELIEVER  
 GUAIFENESIN 200 mg / EXPECTORANT  
 PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Maximum Strength

- Relieves headache & sinus congestion
- Thins & loosens mucus
- Ages 12 & over

20 CAPLETS



ACTUAL SIZE

Walgreens 44-615

**SEVERE SINUS CONGESTION**  
 acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0363-6150 |
| <b>Route of Administration</b> | ORAL           |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b>    | <b>Strength</b> |
|---|-----------------------------|-----------------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)               | ACETAMINOPHEN               | 325 mg          |
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                   | GUAIFENESIN                 | 200 mg          |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg            |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                          |                 |
| <b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)              |                 |
| <b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)     |                 |
| <b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)   |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                    |                 |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)                          |                 |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)            |                 |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)      |                 |
| <b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)        |                 |
| <b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)                 |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                       |                 |
| <b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2) |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                          |                 |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                                  |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                      |                 |

**Product Characteristics**

|                 |        |                     |          |
|-----------------|--------|---------------------|----------|
| <b>Color</b>    | orange | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL   | <b>Size</b>         | 19mm     |
| <b>Flavor</b>   |        | <b>Imprint Code</b> | 44;615   |
| <b>Contains</b> |        |                     |          |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                              | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|---|-----------------------------|---------------------------|
| 1        | NDC:0363-6150-09 | 2 in 1 CARTON   | 06/30/2013                  |                           |
| 1        |                  | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product |                             |                           |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 06/30/2013           |                    |

**Labeler** - Walgreen Company (008965063)

### Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 038154464 | pack(0363-6150)     |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations                      |
|-------------------------|---------|-----------|--|
| LNK International, Inc. |         | 832867837 | manufacture(0363-6150) , pack(0363-6150) |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 832867894 | manufacture(0363-6150) |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 967626305 | pack(0363-6150)     |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(0363-6150) |

Revised: 4/2025

Walgreen Company