# KIEHLS SINCE 1851 ACTIVATED SUN PROTECTOR FOR FACE AND BODY BROAD SPECTRUM SPF 50 SUNSCREEN- titanium dioxide lotion L'Oreal USA Products Inc

-----

#### **Drug Facts**

#### **Active ingredient**

Titanium dioxide 11%

#### **Purpose**

Sunscreen

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

For external use only

#### Do not use

on damaged or broken skin

### When using this product

keep out of eyes. Rinse with water to remove.

### Stop use and ask a doctor if

rash occurs

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure

- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use asunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

protect the product in this container from excessive heat and direct sun

#### **Inactive ingredients**

water, dimethicone, isododecane, c12-15 alkyl benzoate, talc, alcohol denat., undecane, propanediol, styrene/acrylates copolymer, butyloctyl salicylate, phenethyl benzoate, triethylhexanoin, isohexadecane, tridecane, dimethicone/PEG-10/15 crosspolymer, PEG-9 polydimethylsiloxyethyl dimethicone, aluminum hydroxide, aluminum stearate, phenoxyethanol, stearic acid, lycium barbarum fruit extract, sodium chloride, caprylyl glycol, PEG-8 laurate, alumina, polyhydroxystearic acid, disteardimonium hectorite, propylene carbonate, tocopherol, benzoic acid, PEG-9

#### Questions or comments?

Call toll free 1-800-946-4453



## SPF 50

## For Face and Body

100% Mineral Sun Filter for Sensitive Skin

### **UVA/UVB** Protection

Water Resistant (80 minutes)

SHAKE WELL

5.0 fl. oz. - 150 ml

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poleon Control Center right away.

#### Directions

For sunscreen use:

- · shake well before use
- apply liberally 15 minutes before sun

Fmla 858166 12 Code F.L. D53722/1

# KIEHL'S SINCE 1851 LLC,

NEW YORK, NY 10014

MADE IN U.S.A.

Dist., Kiehl's Canada, Montreal H4T 1K5
106 rue Danton 92691 Levallois Perret Codex
TSA 10007 F 92667 ASNIERES CEDEX

www.kiehls.com







0

5

0

N

5

0

5 Q


9


Lift ~

S05562XX



**BACK MIRROR IMAGE** 





### **Drug Facts** (continued)

- reapply:
   after 80 minutes of swimming or sweating
   Immediately after towel drying
   at least every 2 hours
   Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spactrum SPF value of 15 or higher and other sun protection measures including: protection measures including:

  I imit time in the sun, especially from 10 a.m.-2 p.m.

  wear long-sleeved shirts, parits, hats and aunglasses
  children under 6 months of age: Ask a doctor

#### Other information

 protect the product in this container from excessive heat and direct sun

inactive ingredients
water, dimethicone, isododecane, c12-15 alkyl benzoate, talc, elcohol denat., undecane, propanedlol, styrena/acrylates copolymer, butyloctyl salicylate, phenethyl benzoate, triethylhexanoln, isohexadecane, tridecane, dimethicone/PEG-10/15 crosspolymer, PEG-9 polydimethylsiloxyethyl dimethicone, aluminum hydroxide, aluminum stearate, phenoxyethanol, stearic acid, lyclum barbarum fruit extract, sodium chloride, caprylyl glycol, PEG-8 laurate, alumina, polyhydroxystearic acid, disteardimonium hectorite, propylene carbonate, tocopherol, benzolc acid, PEG-9

Questions or comments? Call toll free 1-800-946-4453

# SINCE KIEHL'S 1851

## **ACTIVATED** SUN PROTECTOR™

TITANIUM DIOXIDE SUNSCREEN

**Broad Spectrum SPF 50** 

For Face and Body

100% Mineral Sun Filter for Sensitive Skin

**UVA/UVB** Protection

Water Resistant (80 minutes)

SHAKE WELL

5.0 fl. oz. - 150 ml

Our ultra-lightweight lotion is formulated specifically for sensitive skin. Titanium Dioxide, a 100% mineral sun filter, provides broad spectrum protection. Our non-greasy, non-pore clogging formulation, used with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun and also helps prevent sunburn. An effective antioxidant complex of Goji Berry, Einkorn Wheat and Vitamin E helps to neutralize skin-damaging free radicals. Paraben-Free. Non-Comedogenic Photo Stable. Safe for the whole family.

### **Drug Facts**

#### Active ingredient

Purpose

Titanium dioxide 11%.....Sunscreen

- helps prevent sunburn
   if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right away.

#### Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure

Fmla 858166 12 Code F.I.L D53722/1

KIEHL'S SINCE 1851 LLC, NEW YORK, NY 10014 MADE IN U.S.A. Dist., Kiehl's Canada, Montreal H4T 1K5 106 rue Danton 92691 Levallois Perret Cedex TSA 10007 F 92667 ASNIERES CEDEX

www.kiehls.com



S o

5

0

26

5 Q

9














S05562XX







### **Drug Facts** (continued)

· reapply:

- reapply:
   after 80 minutes of swimming or sweating
   immediately after towel drying
   at least every 2 hours
   Sun Protection Measures. Spending time in the sun increases your risk skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: protection measures including:

  limit time in the sun, especially from 10 a.m.-2 p.m.

  wear long-sleeved shirts, parits, hats and sunglasses
  children under 6 months of age: Ask a doctor

#### Other information

protect the product in this container from excessive heat and direct sun

inactive ingredients
water, dimethicone, isododecane, c12-15 alkyl benzoate, talc, alcohol denat, undecane, propanediol, styrene/acrylates copolymer, butyloctyl salicylate, pinenethyl benzoate, triethylhexanoln, isohexadecane, tridecane, dimethicone/PEG-10/15 crosspolymer, PEG-9 polydimethylsiloxyethyl dimethicone, aluminum hydroxide, aluminum stearate, phenoxyethanol, stearic acid, lyclum barbarum fruit extract, sodium chloride, caprylyl glycol, PEG-8 laurate, alumina, polyhydroxystearic acid, disteardimonium hectorite, propylene carbonate, foconherol, benzolc acid, PEG-9 disteardimonium hectorite, tocopherol, benzolc acid, PEG-9

Questions or comments? Call toll free 1-800-946-4453

# SINCE KIEHL'S 1851

## **ACTIVATED** SUN PROTECTOR™

TITANIUM DIOXIDE SUNSCREEN

**Broad Spectrum SPF 50** 

For Face and Body

100% Mineral Sun Filter for Sensitive Skin

**UVA/UVB** Protection

Water Resistant (80 minutes)

SHAKE WELL

5.0 fl. oz. - 150 ml

Our ultra-lightweight lotion is formulated specifically for sensitive skin. Titanium Dioxide, a 100% mineral sun filter, provides broad spectrum protection. Our non-greasy, non-pore clogging formulation, used with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun and also helps prevent sunburn. An effective antioxidant complex of Goji Berry, Einkorn Wheat and Vitamin E helps to neutralize skin-damaging free radicals. Paraben-Free. Non-Comedogenic Photo Stable. Safe for the whole family.

### **Drug Facts**

#### Active ingredient

Purpose

Titanium dioxide 11%.....Sunscreen

- helps prevent sunburn
   if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right away.

#### Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure

Fmla 858166 12 Code F.I.L D53722/1

KIEHL'S SINCE 1851 LLC, NEW YORK, NY 10014 MADE IN U.S.A. Dist., Kiehl's Canada, Montreal H4T 1K5 106 rue Danton 92691 Levallois Perret Cedex TSA 10007 F 92667 ASNIERES CEDEX

www.kiehls.com



S o

5

0

26

5 Q

9














S05562XX







### **Drug Facts** (continued)

· reapply:

- reapply:
   after 80 minutes of swimming or sweating
   immediately after towel drying
   at least every 2 hours
   Sun Protection Measures. Spending time in the sun increases your risk skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: protection measures including:

  limit time in the sun, especially from 10 a.m.-2 p.m.

  wear long-sleeved shirts, parits, hats and sunglasses
  children under 6 months of age: Ask a doctor

#### Other information

protect the product in this container from excessive heat and direct sun

inactive ingredients
water, dimethicone, isododecane, c12-15 alkyl benzoate, talc, alcohol denat, undecane, propanediol, styrene/acrylates copolymer, butyloctyl salicylate, pinenethyl benzoate, triethylhexanoln, isohexadecane, tridecane, dimethicone/PEG-10/15 crosspolymer, PEG-9 polydimethylsiloxyethyl dimethicone, aluminum hydroxide, aluminum stearate, phenoxyethanol, stearic acid, lyclum barbarum fruit extract, sodium chloride, caprylyl glycol, PEG-8 laurate, alumina, polyhydroxystearic acid, disteardimonium hectorite, propylene carbonate, foconherol, benzolc acid, PEG-9 disteardimonium hectorite, tocopherol, benzolc acid, PEG-9

# KIEHLS SINCE 1851 ACTIVATED SUN PROTECTOR FOR FACE AND BODY BROAD SPECTRUM SPF 50 SUNSCREEN

titanium dioxide lotion

**Product Information** 

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49967-595

Route of Administration TOPICAL

**Active Ingredient/Active Moiety** 

Ingredient Name Basis of Strength Strength

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 110 mg in 1 mL

**Inactive Ingredients** 

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

DIMETHICONE (UNII: 92RU3N3Y10)

ISODODECANE (UNII: A8289P68Y2)

**Packaging** 

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l		NDC:49967-	150 mL in 1 BOTTLE, PLASTIC; Type 0: Not a	06/01/2013	

**Marketing Information** 

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M020	06/01/2013	

## Labeler - L'Oreal USA Products Inc (002136794)

Establishment							
Name	Address	ID/FEI	<b>Business Operations</b>				
Cosmetic Essence, LLC		032565959	manufacture(49967-595)				

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			

L'Oreal USA, Inc. 185931458 analysis(49967-595)

Revised: 12/2024 L'Oreal USA Products Inc