

VICKS VAPOCOOL SORE THROAT- benzocaine and menthol liquid
The Procter & Gamble Manufacturing Company

VICKS VAPOCOOL SORE THROAT BENZOCAINE & MENTHOL - ORAL ANESTHETICS Spray

Drug Facts

Active ingredients

Benzocaine (5 %)
Menthol (1 %)

Purpose

Oral anesthetic
Oral anesthetic

Uses

temporarily relieves occasional minor irritation and pain due to

- sore throat
- sore mouth

Warnings

Methemoglobinemia Warning-

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert:

do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Sore Throat Warning -

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

Do not use

- for teething
- in children under 2

When using this product

do not exceed recommended dosage

Ask a doctor before use if you have

- a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

Stop use and ask a doctor if

- sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: Apply to the affected area (one spray). Gargle, swish around in the mouth, or allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a doctor.
- children under 12 years, do not use.

Other information

- do not exceed 25°C. Do not refrigerate.

Inactive ingredients

alcohol, D&C Yellow No. 10, FD&C Blue No. 1, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sucralose

Questions?

1-800-283-4879

TAMPER EVIDENT: Do not use if printed shrinkband is missing or broken.

**Made in Canada
Distributed by
Procter & Gamble,
Cincinnati, OH 45202**

PRINCIPAL DISPLAY PANEL - 177 ml Bottle Label

VICKS®

VapoCOOL

SORE THROAT

BENZOCAINE & MENTHOL - ORAL ANESTHETICS

COOLING + NUMBING

Soothes Throat Pain
Fast-acting

WINTERFROST

6 FL OZ (177 ml)



Drug Facts	
Active ingredients	Purpose
Benzocaine (5%)	Oral anesthetic
Menthol (1%)	Oral anesthetic
Uses temporarily relieves occasional minor irritation and pain due to • sore throat • sore mouth	
Warnings	
Methemoglobinemia Warning – Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: • pale, gray or blue colored skin (cyanosis) • headache • rapid heart rate • shortness of breath • dizziness or lightheadedness • fatigue or lack of energy	
Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.	
Sore Throat Warning – Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.	
Do not use • for teething • in children under 2	
When using this product do not exceed recommended dosage	
Ask a doctor before use if you have • a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days • a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting	
Stop use and ask a doctor if • sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.	
In case of overdose, get medical help or contact a Poison Control Center right away	
Directions • adults and children 12 years and over: Apply to the affected area (one spray). Gargle, swish around in the mouth, or allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a doctor. • children under 12 years, do not use.	
Other information • do not exceed 25°C. Do not refrigerate.	
Inactive ingredients alcohol, D&C Yellow No. 10, FD&C Blue No. 1, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sucralose	
Questions? 1-800-283-4879	

VICKS VAPOCOOL SORE THROAT

benzocaine and menthol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37000-928
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	5 g in 100 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	turquoise	Score	
Shape		Size	
Flavor	MENTHOL	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37000-928-06	177 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/09/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	10/09/2019	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2024

The Procter & Gamble Manufacturing Company