

INFLUAFORCE- echinacea (angustifolia), hydrastis canadensis, lomatium dissectum, myrrha, nasturtium aquaticum, tabebuia impetiginosa, propolis, bryonia (alba), eupatorium perfoliatum, ferrum phosphoricum, gelsemium sempervirens, ipecacuanha, mercurius corrosivus, pyrogenium, influenzinum liquid
BioActive Nutritional, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

Echinacea (Angustifolia) 3X, Lomatium Dissectum 3X, Myrrha 3X, Nasturtium Aquaticum 3X, Tabebuia Impetiginosa 3X, Hydrastis Canadensis 5X, Propolis 6X, Bryonia (Alba) 12X, Eupatorium Perfoliatum 12X, Ferrum Phosphoricum 12X, Gelsemium Sempervirens 12X, Ipecacuanha 12X, Mercurius Corrosivus 12X, Pyrogenium 30X, 60X, 200X, Influenzinum 10C, 30C, 200C.

INDICATIONS:

For temporary relief of minor aches and pains in muscles and joints, fever with dryness of mucous membranes and dry cough; muscular soreness and fatigue with headache.

WARNINGS:

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

INDICATIONS:

For temporary relief of minor aches and pains in muscles and joints, fever with dryness of mucous membranes and dry cough; muscular soreness and fatigue with headache.

INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

QUESTIONS:

BioActive Nutritional, Inc.
 1803 N. Wickham Rd.
 Melbourne, FL 32935
 bioactivenutritional.com

PACKAGE LABEL DISPLAY:

BIOActive Nutritional
INFLUAFORCE
HOMEOPATHIC
1 FL OZ (30 ml)



WARNINGS: If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

LOT:

Distributed by:
 BioActive Nutritional, Inc.
 1803 N. Wickham Rd.
 Melbourne, FL 32935
 bioactivenutritional.com

INFLUAFORCE
HOMEOPATHIC

ACTIVE INGREDIENTS:
 Echinacea 3X, Lomatium Dissectum 3X, Myrrha 3X, Nasturtium Aquaticum 3X, Tabebuia Impetiginosa 3X, Hydrastis Canadensis 5X, Propolis 6X, Bryonia 12X, Eupatorium Perfoliatum 12X, Ferrum Phosphoricum 12X, Gelsemium Sempervirens 12X, Ipecacuanha 12X, Mercurius Corrosivus 12X, Pyrogenium 30X, 60X, 200X, Influenzinum 10C, 30C, 200C.

INACTIVE INGREDIENTS:
 Demineralized Water,
 25% Ethanol

1 FL OZ (30 ml)

INDICATIONS:
 For temporary relief of minor aches and pains in muscles and joints, fever with dryness of mucous membranes and dry cough; muscular soreness and fatigue with headache.

DIRECTIONS:
 10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

INFLUAFORCE

echinacea (angustifolia), hydrastis canadensis, lomatium dissectum, myrrha, nasturtium aquaticum, tabebuia impetiginosa, propolis, bryonia (alba), eupatorium perfoliatum, ferrum phosphoricum, gelsemium sempervirens, ipecacuanha, mercurius corrosivus, pyrogenium, influenzzinum liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43857-0444
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
LOMATIUM DISSECTUM ROOT (UNII: 5329928G5N) (LOMATIUM DISSECTUM ROOT - UNII:5329928G5N)	LOMATIUM DISSECTUM ROOT	3 [hp_X] in 1 mL
MYRRH (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	3 [hp_X] in 1 mL

NASTURTIUM OFFICINALE (UNII: YH89GMV676) (NASTURTIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIUM OFFICINALE	3 [hp_X] in 1 mL
TABEBUIA IMPETIGINOSA BARK (UNII: 6GLA1946WX) (HANDROANTHUS IMPETIGINOSUS BARK - UNII:6GLA1946WX)	TABEBUIA IMPETIGINOSA BARK	3 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	5 [hp_X] in 1 mL
PROPOLIS WAX (UNII: 6Y8XYV2NOF) (BEE PROPOLIS EXTRACT - UNII:6Y8XYV2NOF)	PROPOLIS WAX	6 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	12 [hp_X] in 1 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	12 [hp_X] in 1 mL
FERROSFERRIC PHOSPHATE (UNII: 91GQH8I5F7) (FERROSFERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERROSFERRIC PHOSPHATE	12 [hp_X] in 1 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	12 [hp_X] in 1 mL
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	12 [hp_X] in 1 mL
MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	12 [hp_X] in 1 mL
RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	30 [hp_X] in 1 mL
INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180A (H1N1) ANTIGEN (PROIOLACTONE INACTIVATED) (UNII: 9JWN7VDQ7N) (INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180A (H1N1) HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED) - UNII:U6C4GJ6WZG)	INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180A (H1N1) ANTIGEN (PROIOLACTONE INACTIVATED)	10 [hp_C] in 1 mL
INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) ANTIGEN (PROIOLACTONE INACTIVATED) (UNII: 3DZY3Q314E) (INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED) - UNII:C2C4DA5K06)	INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) ANTIGEN (PROIOLACTONE INACTIVATED)	10 [hp_C] in 1 mL
INFLUENZA B VIRUS B/BRISBANE/60/2008 ANTIGEN (PROIOLACTONE INACTIVATED) (UNII: 293LSV29OL) (INFLUENZA B VIRUS B/BRISBANE/60/2008 HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED) - UNII:45E2IPU4MG)	INFLUENZA B VIRUS B/BRISBANE/60/2008 HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED)	10 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0444-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	02/28/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/28/2018	

Labeler - BioActive Nutritional, Inc. (624980496)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0444) , api manufacture(43857-0444) , label(43857-0444) , pack(43857-0444)

Revised: 2/2018

BioActive Nutritional, Inc.