

**4292 FIRST AID KIT- 4292 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4292: First Aid Kit (BZK wipes, triple, alcohol wipe- SF00004027)

**Triple
Active ingredients**

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

**Triple
Purpose**

First aid antibiotic

First aid antibiotic

First aid antibiotic

**Triple
Uses**

- first aid to help prevent infection in
- minor cuts
- scrapes
- burns

**Triple
Warnings**

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple***Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple***Other information***

- store at 15 ° to 25 ° C (59 ° to 77 ° F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple***Inactive ingredient***

petrolatum

Alcohol***Active ingredient***

Isopropyl alcohol 70%

Alcohol***Purpose***

First aid antiseptic

Alcohol***Uses***

- first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol***Warnings***

For external use only

Flammable, keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds

animal bites

serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

- if condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol

Directions

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol

Other information

store at room temperature 15 ° to 25 ° C (59 ° to 77 ° F)

Alcohol

Inactive ingredient

water

BZK

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK

Purpose

First aid antiseptic

BZK

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK

Directions

- tear open packet and use as a washcloth

BZK

Other information

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- do not reuse towelette

BZK

Inactive ingredient

water

BZK

Questions

1-800-430-5490

4292

SF00004027 KIT CONTENTS

2 BUTTERFLY CLOS MED

1 FIRST AID GUIDE ASHI

1 600H EMPTY BOX BLANK

LBL STOCK 6-3/8"X4"

1 LBL STOCK 3"x1-7/8"

6 BZK ANTISEPTIC WIPE, BULK

2 TRIPLE BIOTIC FOIL PACK EACH

6 WIPE ALCOHOL PREP IPA 70% (DUKAL)

10 ADH BANDAGE 3/8" X 1 1/2" DNX

20 PLASTIC BANDAGE 3/4" X 3"


1 WOVEN FINGERTIP BANDAGE 2"

1 WOVEN KNUCKLE BANDAGE

1 HEAVY FLEX LARGE PATCH 2" X 3"

Triple

Principal Display Panel



Honeywell

**TRIPLE
ANTIBIOTIC
OINTMENT**
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**
To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

Honeywell

Honeywell

Honeywell

Drug Facts	
Active ingredients (in each gram)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base)	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic
Uses	First aid to help prevent infection in:
	• minor cuts • scrapes • burns
Warnings	
For external use only.	
Allergy alert	• do not use if you are allergic to any of the ingredients
Do not use	• in the eyes
Ask a doctor before use if you have	• deep or puncture wounds • animal bites • serious burns
Stop use and ask a doctor if	• condition persists or gets worse
	• rash or other allergic reaction develops
	• you need to use longer than 1 week
Keep out of reach of children.	
	If swallowed, get medical help or contact a Poison Control Center right away.
Directions	
	• clean the affected area
	• apply a small amount of product (an amount equal to the surface area of the tip of a finger) on the area 3 to 4 times daily.
	• may be covered with a sterile bandage.
Other information	
	• stored at 20° to 25°C (68° to 77°F)
	• tamper evident sealed packets
	• do not use if packet is torn or opened
Inactive ingredient	petrolatum
Questions?	1-800-438-5439

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Re-order #231209G

Caution:

This package is for industrial use only.
Not for retail sales.

Keep this and all drugs out of the reach of children.
In case of ingestion, seek professional assistance or
contact a poison control center immediately.

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic


**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

771209G RevA

**Alcohol
Principal Display Panel**



BZK
Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.133% w/v	First aid antiseptic

Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

Warnings

For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

• irritation, redness or other symptoms develop • condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • tear open packet, unfold and use as washcloth

Other information

• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

Inactive ingredient water

Questions or comments 1-800-430-5490

4292 Kit Label
SF00004027



EMERGENT

SAFETY SUPPLY

Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4292 FIRST AID KIT

4292 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4292
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4292-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 PACKET	1.8 g
Part 2	6 POUCH	2.4 mL
Part 3	6 PACKET	8.4 mL

Part 1 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source) NDC:0498-0750

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 2 of 3

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source) NDC:0498-0143

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 3

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)			BENZALKONIUM CHLORIDE	1.3 mg in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			12/22/2017	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC