

DEXTROSE 50% SOLUTION- dextrose injection, solution
Nova-Tech, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Dextrose 50% Solution

Dosage And Administration:

The usual dose is 50 mL per 100 lbs of body weight. It should be administered intravenously only. Dosage may be repeated in 8 to 10 hours or on successive days if necessary.

Caution:

It should be warmed to body temperature and administered slowly. This product contains no preservatives. Do not use if solution is not clear. Entire contents should be used upon opening. Discard any unused portion.

FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

Active Ingredients

Dextrose H₂O.....50% w/v
Water for Injection.....q.s.

Indications:

Dextrose 50% Solution is indicated for use as an aid in the treatment of uncomplicated primary ketosis in cattle.

Store between 15°C-30°C (59°F-86°F).

TAKE TIME OBSERVE LABEL DIRECTIONS

Manufactured by:

Nova-Tech, Inc.

Grand Island, NE 68801 USA

18-801

RMS 92-325

NDC# 65207-801-50

Nova-Tech® Animal Health

Dextrose 50% Solution

Sterile Solution

Net Contents:

500 mL (16.91 fl oz)

Assembled in USA

Lot No.

Exp. Date

Indications


Dextrose 50% Solution is indicated for use as an aid in the treatment of uncomplicated primary ketosis in cattle.

Dosage & Administration

The usual dose is 50 mL per 100 lbs of body weight. It should be administered intravenously only. Dosage may be repeated in 8 to 10 hours or on successive days if necessary.

Caution

It should be warmed to body temperature and administered slowly. This product contains no preservatives. Do not use if solution is not clear. Entire contents should be used upon opening. Discard any unused portion.



NET CONTENTS: 500 mL (16.91 fl oz)

Manufactured by:

Nova-Tech, Inc. 18-801
Grand Island, NE 68801 USA RMS 92-325

Indications


Dextrose 50% Solution is indicated for use as an aid in the treatment of uncomplicated primary ketosis in cattle.

Dosage & Administration

The usual dose is 50 mL per 100 lbs of body weight. It should be administered intravenously only. Dosage may be repeated in 8 to 10 hours or on successive days if necessary.

Caution

It should be warmed to body temperature and administered slowly. This product contains no preservatives. Do not use if solution is not clear. Entire contents should be used upon opening. Discard any unused portion.



NET CONTENTS: 500 mL (16.91 fl oz)

Manufactured by:

Nova-Tech, Inc. 18-801
Grand Island, NE 68801 USA RMS 92-325

Active Ingredients

Dextrose H₂O.....50% w/v
Water for Injection.....q.s.

Store between 15°C-30°C (59°F-86°F).



Assembled in USA

TAKE TIME



OBSERVE LABEL DIRECTIONS



Lot No.

Exp. Date

Active Ingredients

Dextrose H₂O.....50% w/v
Water for Injection.....q.s.

Store between 15°C-30°C (59°F-86°F).



Assembled in USA

TAKE TIME



OBSERVE LABEL DIRECTIONS



Lot No.

Exp. Date

DEXTROSE 50% SOLUTION

dextrose injection, solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:65207-801
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE -	DEXTROSE	50 g

UNII:5SL0G7R0OK)	MONOHYDRATE	in 100 mL
------------------	-------------	-----------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65207-801-50	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/13/2020	

Labeler - Nova-Tech, Inc. (196078976)

Registrant - Nova-Tech, Inc. (196078976)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture, api manufacture

Revised: 3/2020

Nova-Tech, Inc.