ZINC SCREEN BROAD SPECTRUM SUNSCREEN SPF 40- zinc oxide lotion Taylor James Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Zinc Screen Broad Spectrum Sunscreen SPF 40

Active Ingredients Purpose

Zinc Oxide 13% Sunscreen

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if rash occurs or irritation develops and lasts.

Warnings

Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove For external use only

Apply generously and evenly 15 minutes before sun exposure

Directions

Use a water-resistant sunscreen if swimming or sweating Reapply at least every 2 hours.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit your time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses Children under 6 months of age: ask a doctor.

Inactive Ingredients

Water, Tetradecane, Cetearyl Nonanoate, Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, Isopropyl Myristate, Glycerin, Polyglyceryl-3 Diisostearate, Mica, Propanediol, Disteardimonium Hectorite, Gluconolactone, Polyglyceryl-6 Polyricinoleate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Polyhydrostearic Acid, Sodium Chloride, Magnesium Sulfate, Fructose, Octyldodecyl Oleate, Tocopherol, Cocos Nucifera (Coconut) Fruit Extract, Sodium Benzoate, Iron oxides (CI 77492), Dodecane, Hexadecane, Titanium Dioxide (CI 77891), Withania Somnifera Flower Extract, Iron Oxides (CI 77491), Vaccinium Angustifolia (Blueberry) Fruit Extract, Silica, Calcium Gluconate

Zinc Screen

100% Mineral Lotion

Broad Spectrum SPF 40 PA+++

1.7 fl. oz. / 50 ml.





100% Mineral **Sunscreen Actives**



For Sensitive Skin



Natural Finish



Non-Comedogenic & Silicone-Free

Reef-Safe Non-Irritating No Synthetic Fragrance Vegan



100% MINERAL LOTION

SPF

Broad Spectrum Sunscreen SPF 40 PA+++ 1.7 fl. oz. / 50 ml.

ZINCSCREEN 100% MINERAL LOTION

SPF 40 is a lightweight, silicone-free and skin-smoothing broad spectrum sunscreen. This non-nano zinc oxide formula is gentle enough for even the most sensitive skin and works well under makeup. Plus, the skin-brightening pink tint masks mineral actives, reducing the white cast and flashback typical of most mineral SPF.

EVERY. SINGLE. DAY.™

Since 2007, I've been on a mission to change the way the world thinks about sunscreen through Supergoop!'s clean, feel-good, innovative formulas. And because SPF is the most important thing you can do for your skin every. single. day., we've made it a point to create options for all skin types, tones and lifestyles. I hope this formula becomes a new favorite, and that it helps you do whatever it is you love in the sunshine.

Holly Thaggard,

Drug Facts

Active Ingredients Zinc Oxide 13%

Purpose

 Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

apply generously and evenly 15 minutes before sun exposure
 use a water resistant sunscreen if

- water resistant surjected swimming or sweating
 reapply at least every 2 hours.
 Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. 2 p.m.
 Wear long-sleeved shirts, pants, hats,
- and sunglasses

 Children under 6 months: Ask a doctor

Inactive Ingredients

Inactive Ingredients
Water, Tetradecane, Cetearyl Nonanoate,
Ethylhexyl Palmitate, Caprylic/Capric
Triglyceride, Isopropyl Palmitate, Isopropyl
Myristate, Glycerin, Polyglyceryl-3
Disostearate, Mica, Propanediol,
Disteardimonium Hectorite,
Gluconolactone, Polyglyceryl-6
Polyricinoleate, Brassica Campestris/
Aleurites Fordi Oil Copolymer,
Polyhydroxystearic Acid, Sodilum Chloride. Aleurites Fordi Oil Copolymer,
Polyhydroxystearic Acid, Sodium Chloride,
Magnesium Sulfate, Fructose,
Octyldodecyl Oleate, Tocopherol, Cocos
Nucilfera (Coconut) Fruit Extract, Sodium
Benzoate, Iron Oxides (C177492),
Dodecane, Hexadecane, Titanium Dioxide
(C177891), Withania Somnifera Flower
Extract, Iron Oxides (C177491), Vaccinium
Angustifolium (Blueberry) Fruit Extract,
Silica Calcium Glucorate, Silica, Calcium Gluconate

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments? Contact our Sun Specialis 877-564-7330

supergoop.com

Distributed by Taylor James, LLC San Antonio, TX 78215

Every. Single. Day.™ is a trademark of Taylor James, LLC.

ZINC SCREEN BROAD SPECTRUM SUNSCREEN SPF 40

zinc oxide lotion

Product Information HUMAN OTC DRUG NDC:75936-223 Product Type Item Code (Source) TOPICAL **Route of Administration**

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	13 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
POLYHYDRO XYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)	
PROPANEDIOL (UNII: 5965N8W85T)	
OCTYLDODECYL OLEATE (UNII: MCA43PK7MH)	
CALCIUM GLUCONATE (UNII: SQE6 VB453K)	
TETRADECANE (UNII: 03LY784Y58)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ISOPROPYL PALMITATE (UNII: 8 CRQ2TH6 3 M)	
ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS)	
WATER (UNII: 059QF0KO0R)	
MAGNESIUM SULFATE ANHYDRO US (UNII: ML30 MJ2U7I)	
WITHANIA SOMNIFERA FLOWER (UNII: 2HZ95R7082)	
HEXADECANE (UNII: F8Z00SHP6Q)	
CETEARYL NO NANO ATE (UNII: F6 ZWV2F361)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
GLYCERIN (UNII: PDC6A3C0OX)	
COCONUT (UNII: 3RT3536 DHY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
DO DECANE (UNII: 11A386X1QH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LOWBUSH BLUEBERRY (UNII: G90 PX41VP0)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46 P231IQV8)	
DISTEARDIMO NIUM HECTO RITE (UNII: X687XDK09L)	
FRUCTOSE (UNII: 6 YSS42VSEV)	

Packaging				
:	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:75936-223-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2019	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	04/30/2019		

Labeler - Taylor James Ltd. (033381850)

Establishment					
Name	Address	ID/FEI	Business Operations		
Northwest Cosmetic Labs		929572014	manufacture(75936-223)		

Revised: 4/2019 Taylor James Ltd.