

**HERKLIN LICE TREATMENT- piperonyl butoxide, pyrethrum extract  
MARCASUSA LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Herklin Lice Treatment & Prevention Kit**

**Active ingredient**

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

**Uses**

treats head, pubic (crab), and body lice

**Purpose**

Lice treatment

**Warnings**

**For external use only**

**Do not use**

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

**Ask a doctor before use if you are**

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

**When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

**Stop use and ask a doctor if**

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

**Inspect**

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

### **Treat**

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

### **Remove lice and their eggs (nits)**

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years**: ask a doctor

### **Other information**

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

### **Inactive ingredients**

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

### **Package Insert**

#### **Consumer Information - Package Insert**

English Insert

# HERKLIN<sup>®</sup>

## LICE TREATMENT

Piperonyl butoxide 4%  
Pyrethrum extract (0.33% pyrethrins)

Maximum Strength Lice Killing Shampoo  
**Kills Lice & Eliminates Nits\***

HERKLIN offers a comprehensive and effective treatment to eliminate lice and nits. Follow steps accordingly in order to eliminate the root cause. Applying treatment only takes 3 simple steps.

### DOSAGE AND USAGE

The entire family should be checked. Apply treatment to those members who show signs of live lice.



#### STEP 1: APPLY

With dry hair, apply sufficient shampoo amount to moisten all of the hair, massage then **leave for 10 minutes**, then rinse with water.



#### STEP 2: REMOVE

Remove lice and nits while hair is wet, using the included comb.



#### STEP 3: REPEAT

Repeat treatment 7-10 days later.



To treat body and pubic lice (crabs), apply in the same way in the affected areas.

### EXPERT SUPPORT



HOW-TO VIDEOS

\*Proper use of nit comb removes nits.



CONTACT AN EXPERT

TOLL FREE: (844) HERKLIN (437-5546)  
24 HOUR HOTLINE

58-253x5.0  
HER7001A0317

Spanish insert

# HERKLIN<sup>®</sup>

## LICE TREATMENT

Piperonyl butoxide 4%  
Pyrethrum extract (0.33% pyrethrins)

Shampoo contra los piojos (máxima potencia)  
**Mata los Piojos y Elimina las Liendres\***

HERKLIN ofrece un tratamiento integral y efectivo para erradicar los piojos y las liendres. Debe seguirlo al pie de la letra para eliminar de raíz el padecimiento. La aplicación es muy sencilla, con sólo 3 pasos.

### DOSIS Y MODO DE EMPLEO

Se deberá revisar a toda la familia y aplicar el tratamiento solamente a quienes se les detecten piojos vivos.



#### PASO 1: APLIQUE

Con el cabello seco, aplique suficiente cantidad asegurándose de humedecer con el shampoo todo el cabello, dar un masaje y dejar actuar **durante 10 minutos**, posteriormente enjuagar con abundante agua.



#### PASO 2: RETIRE

Retire los piojos y liendres mientras el cabello está húmedo, usando el peine incluido.



#### PASO 3: REPITA

Repita el tratamiento 7-10 días después.



Para tratar los piojos del cuerpo y del pubis (ladillas), aplicar de la misma manera en las áreas afectadas.

### APOYO DE EXPERTOS



VIDEOS DE INSTRUCCIONES

\*El uso adecuado del peine liendreras elimina las liendres.



CONTACTAR A UN EXPERTO

TOLL FREE: (844) HERKLIN (437-5546)  
LÍNEA DIRECTA DE 24 HORAS

58-253x5.0  
HER7001A0317

### RECOMMENDED APPLICATION

Hair Length	Recommended Application <sup>1</sup> for 1 Adult/Child	
<b>SHORT</b> (ear length or shorter)	DAY 1:	1 - 2 oz
	DAY 7-10:	1 - 2 oz
	<b>TOTAL:</b>	2 - 4 oz
<b>MEDIUM</b> (shoulder length)	DAY 1:	2 - 3 oz
	DAY 7-10:	2 - 3 oz
	<b>TOTAL:</b>	4 - 6 oz
<b>LONG</b> (past shoulder length)	DAY 1:	3 - 4 oz
	DAY 7-10:	3 - 4 oz
	<b>TOTAL:</b>	6 - 8 oz

<sup>1</sup>Recommended application dependent upon hair thickness

### DID YOU KNOW?

#### Head lice

- lay small white eggs (nits) on hair shaft close to scalp
- nits are most easily found on back of neck or behind ears
- disinfect hats, hair ribbons, scarves, coats, towels, and bed linens by machine washing in hot water (above 54 °C (130 °F)), then using hottest dryer cycle for at least 20 minutes
- items that cannot be washed (bedspreads, blankets, pillows, stuffed toys, etc.) should be dry-cleaned or sealed in a plastic bag for 4 weeks, then removed outdoors and shaken out very hard before using again
- items that cannot be washed, dry-cleaned, or stored may be sprayed with a product designed for this purpose
- soak all combs and brushes in hot water (above 54 °C (130 °F)) for at least 10 minutes
- vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people

#### Pubic (crab) lice

- may be transmitted by sexual contact. Sexual partners should be treated simultaneously to avoid reinfestation
- lice are very small and look like brown or grey dots on skin

- usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface
- may be present on the short hairs of groin, thighs, trunk, and underarms, and occasionally on the beard and mustache
- disinfect underwear by machine washing in hot water (above 54 °C (130 °F)), then using hottest dryer cycle for at least 20 minutes

#### Body lice

- body lice and their eggs (nits) are generally found in the seams of clothing particularly in waistline and armpit area
- body lice feed on skin then return to clothing to lay their eggs
- disinfect clothing by machine washing in hot water (above 54 °C (130 °F)), then using hottest dryer cycle for at least 20 minutes
- do not seal clothing in a plastic bag because nits can remain dormant for up to 30 days

### CANTIDAD RECOMENDADA

Largo del cabello	Cantidad recomendada <sup>1</sup> para 1 adulto/niño	
<b>CORTO</b> (hasta la oreja o más corto)	DÍA 1:	1 - 2 oz
	DÍA 7-10:	1 - 2 oz
	<b>TOTAL:</b>	2 - 4 oz
<b>MEDIO</b> (hasta el hombro)	DÍA 1:	2 - 3 oz
	DÍA 7-10:	2 - 3 oz
	<b>TOTAL:</b>	4 - 6 oz
<b>LARGO</b> (más abajo del hombro)	DÍA 1:	3 - 4 oz
	DÍA 7-10:	3 - 4 oz
	<b>TOTAL:</b>	6 - 8 oz

<sup>1</sup>Aplicación recomendada dependiendo del grosor del pelo

### ¿SABÍA QUE?

#### Piojos de la cabeza

- ponen pequeños huevos blancos (liendres) en el cabello cerca del cuero cabelludo
- las liendres se encuentran habitualmente en la parte posterior del cuello o detrás de las orejas
- desinfecte sombreros, cintas para el cabello, bufandas, abrigos, botas y ropa de cama lavándolos a máquina con agua caliente (a más de 54 °C (130 °F)), y usando el ciclo de secado más caliente al menos 20 minutos
- los artículos que no se pueden lavar (colchones, maracas, almohadones, peluches, etc.) se deben limpiar en seco o sellar en una bolsa de plástico durante 4 semanas, y luego sacar al aire libre y sacudir bien antes de volver a usar
- los artículos que no se pueden lavar, limpiar en seco o almacenar, se pueden rociar con productos diseñados para este propósito
- sumerja todos los peines y cepillos en agua caliente (a más de 54 °C (130 °F)) al menos 10 minutos
- aspire todas las alfombras, colchones, muebles tapizados y asientos de automóvil que hayan sido usados por personas afectadas

#### Piojos púbicos (ladillas)

- pueden ser transmitidos por contacto sexual. Las parejas sexuales deben ser tratadas simultáneamente para evitar reinfestaciones

- los piojos son muy pequeños y parecen puntos marrones o grises en la piel
- habitualmente causan un picor intenso y ponen pequeños huevos blancos (liendres) en la parte del vello cercana a la superficie de la piel
- pueden encontrarse en el vello corto de la ingle, los muslos, el tronco y las axilas, y ocasionalmente en la barba y el bigote
- desinfecte la ropa interior lavándola a máquina con agua caliente (a más de 54 °C (130 °F)), y usando el ciclo de secado más caliente al menos 20 minutos

#### Piojos del cuerpo

- los piojos del cuerpo y sus huevos (liendres) se suelen encontrar en las costuras de la ropa, particularmente en las zonas de la cintura y las axilas
- los piojos del cuerpo se alimentan de la piel y luego vuelven a la ropa para poner sus huevos
- desinfecte la ropa lavándola a máquina con agua caliente (a más de 54 °C (130 °F)), y usando el ciclo de secado más caliente al menos 20 minutos
- no selle la ropa en una bolsa de plástico porque las liendres pueden permanecer latentes hasta 30 días

# Principal Display Panel

## Herklin

### LICE TREATMENT 7 PREVENTION KIT

With Natural Head Lice Repellent to help prevent Lice reinfestation after shampoo treatment

con repelente de piojos natural para ayudar prevenir la reinfestacion de piojos despues del tratamiento con shampoo

### Plus NATURAL HEAD LICE REPLEELLENT TO PREVENT REINFESTATION

Kills Lice & Eliminates Nits\*

Mata Los piojos y elimina las liendres

ONLY 3 STEPS/ SOLO 3 PASOS

1 Eliminate 2 Remove 3 Control

Effective & Safe for ages 2+

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

Instrucciones en español incluidas

SHAMPOO 8 FL OZ

Natural lice repellent spray

1 NIT REMOVAL COMB

**STOP LICE FROM SPREADING • Evitar la propagación de piojos**

**HERKLIN™**  
LICE TREATMENT & PREVENTION KIT

With Natural Head Lice Repellent to help prevent lice reinfestation after shampoo treatment  
Con repelente de piojos natural para ayudar a prevenir la reinfestación de piojos después del tratamiento con shampoo

**Plus NATURAL HEAD LICE REPELLENT TO PREVENT REINFESTATION**

**HERKLIN™**  
LICE TREATMENT & PREVENTION KIT

Kills Lice & Eliminates Nits\*  
Mata los piojos y elimina las liendres\* en 3 sencillos pasos

**STEP 1: ELIMINATE • ELIMINAR**

Apply shampoo on dry hair for 10 minutes.  
Aplicar el shampoo sobre el cabello seco por 10 minutos.

**STEP 2: REMOVE • RETIRAR**

Remove lice and nits with comb provided.  
Retire los piojos y liendres con el peine incluido.

**STEP 3: CONTROL • CONTROLAR**

Use Natural Head Lice Repellent to prevent reinfestation for up to 8 hours. Its natural and safe for your children.  
Use el Natural Head Lice Repellent para prevenir la reinfestación por hasta 8 horas. Es natural y seguro para sus hijos.

**ONLY 3 STEPS / SOLO 3 PASOS:**

- 1 ELIMINATE (Shampoo)
- 2 REMOVE (Comb)
- 3 CONTROL (Control)

Effective & safe for ages 2+  
Eficaz y segura para edades de 2 años

**LICE COMB INCLUDED**  
INCLUYE PEINE CIERNEÑA

**24/7 SUPPORT**  
Ayuda las 24 horas

**BILINGUAL HOW-TO VIDEOS:**  
Videos bilingües de instrucciones:

**YouTube**

Visit **HERKLIN USA** on YouTube for step-by-step videos.  
Visita nuestro canal de YouTube para ver las instrucciones paso a paso.

**NEED HELP? MESSAGES ALERT!**  
Call (844) HERKLIN (827-5551)

**24/7 SUPPORT**

FOLLOW US / SIGUENOS EN:  
Facebook, YouTube, Instagram  
/HerklinUSA

**HerklinUSA.com**

Drug Facts	Purpose
<b>Active Ingredients:</b> Piperonyl butoxide (0.8%) Pyrethrum extract (0.05%) Limonene (0.05%)	Lice treatment
<b>Warnings:</b> Do not use on children under 2 years of age. Do not use on children with known hypersensitivity to any of the ingredients. Do not use on children with known hypersensitivity to any of the ingredients.	Lice treatment
<b>Directions:</b> Shampoo hair for 10 minutes. Rinse thoroughly with water. Repeat every 7 days until lice are gone.	Lice treatment
<b>Other information:</b> Keep out of reach of children. Do not use on children under 2 years of age.	Lice treatment

**MADE IN USA** Distributed by: **ManoUSA, LLC**  
Troy, CA, USA

**LOT NO.:** EXPRES

## HERKLIN LICE TREATMENT

piperonyl butoxide, pyrethrum extract kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:75940-182
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75940-182-08	1 in 1 CARTON; Type 0: Not a Combination Product	01/03/2014	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	0 BOTTLE	118 mL

**Part 1 of 1****LICE KILLING**

piperonyl butoxide, pyrethrum extract shampoo

**Product Information**

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PIPERONYL BUTOXIDE</b> (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	40 mg in 1 mL
<b>PYRETHRUM EXTRACT</b> (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	3.3 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>POLYQUATERNIUM-10 (400 MP.A.S AT 2%)</b> (UNII: HB1401PQFS)	
<b>AMMONIUM LAURETH-2 SULFATE</b> (UNII: 698O4Z48G6)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>PEG-25 HYDROGENATED CASTOR OIL</b> (UNII: 0ZNO9PJJ9J)	

**Product Characteristics**

<b>Color</b>	yellow (cloudy to transparent, cream to straw)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358G	02/01/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358	10/28/2010	

**Labeler** - MARCASUSA LLC (016139820)**Registrant** - Weeks & Leo Co., Inc. (005290028)**Establishment**

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(75940-182)

Revised: 4/2019

MARCASUSA LLC