

**4162 FIRST AID KIT - 4162 first aid**

**4140 FIRST AID KIT - 4140 first aid**

**Honeywell Safety Products USA, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**4140, 4162 First Aid Kit (EW, Burn Jel, PVP wipe, BZK wipe, sting relief- 6824REC, SF00004146)**

**Burn Jel**

***Active ingredient***

Lidocaine HCl 2.0%

**Burn Jel**

***Purpose***

External analgesic

**Burn Jel**

***Uses***

- temporarily relieves pain due to minor burns

**Burn Jel**

***Warnings***

**For external use only**

**Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas

**When using this product**

- avoid contact with eyes

**Stop use and ask a doctor if**

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Burn JEL**

***Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

**Burn Jel**

**Other information**

- store at room temperature - do not use if opened or torn

**Burn Jel****Inactive ingredients**

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

**Burn Jel****Questions**

1-800-430-5490

**BZK Wipe****Active ingredient**

Benzalkonium chloride 0.13% w/v

**BZK Wipe****Purpose**

First aid antiseptic

**BzK Wipe****Uses**

Antiseptic cleansing of face, hands, and body without soap and water

**BZK Wipe****Warnings****For external use only****Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**BZK Wipe****Directions**

tear open packet and use as a washcloth

## **BZK Wipe**

### ***Other information***

- store at room temperature 15<sup>0</sup> to 30<sup>0</sup> C (59<sup>0</sup> - 86<sup>0</sup> F)
- do not reuse towelette

## **BZK Wipe**

### ***Inactive ingredient***

water

## **BZK Wipe**

### ***Questions***

1-800-430-5490

## **Sting Relief**

### ***Active ingredient (in each wipe)***

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

## **Sting Relief**

### ***Purposse***

Antiseptic

Topical pain relief

## **Sting Relief**

### ***Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

## **Sting Relief**

### ***Warnings***

**For external use only**

**Flammable, keep away from open fire or flame**

### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Sting Relief**

***Directions***

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

**Sting Relief**

***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

**Sting Relief**

***Questions or Comments?***

1-800-430-5490

**PVP Wipe**

***Active ingredient***

Povidone-iodine 10% (equivalent to 1% titratable iodine)

**PVP Wipe**

***Purpose***

First aid antiseptic

**PVP Wipe**

***Uses***

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

**PVP Wipe**

***Warnings***

**For external use only.**

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition worsens or persists for more than 72 hours
- irritation and redness develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away

## **PVP Wipe**

### ***Directions***

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

## **PVP Wipe**

### ***Other information***

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

## **PVP Wipe**

### ***Inactive ingredients***

nonoxynol 9, water

## **PVP Wipe**

### ***Questions***

1-800-430-5490

## **Eyewash**

### ***Active ingredient***

Sterile Water 99%

## **Eyewash**

### ***Purpose***

Eyewash

## **Eyewash**

### ***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

## **Eyewash**

### ***Warnings***

#### **For external use only**

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

#### **Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

**Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Eyeash*****Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

**Eyewash*****Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

**Eyeash*****Questions***

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4140****SF00004146 kit contents**

2 KNUCKLE BAND 8 PER  
2 TRIANGULAR BDG, NON-STERILE  
2 INSTANT COLD PACK 4" X 6"  
2 BUFFERED EYE WASH 1 OZ BTL  
3 BANDAGE COMP, 2" OFFSET, 4 PER  
3 BANDAGE COMP, 4" OFFSET, 1 PER  
4 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER  
2 FINGERTIP BANDAGE, 10 PER  
3 BURN JEL 1/8 OZ, 6 PER  
4 PVP IODINE WIPES 10 PER  
4 PR NITRILE GLOVES BBP  
1 ANTIMCRBL ANTSPCT TWLETTS  
1 FIRST AID GUIDE ASHI  
LBL STOCK 6-3/8" X 4"  
LBL STOCK 4" X 2-7/8"

1 LBL STOCK 3"x1-7/8"  
KIT STL 36 UN WHT 01 HOR SHELF  
2 STING Relief SWAB 10

**4162**

**6824REC Kit Contents**



2 TRIANGULAR BDG, NON-STERILE  
1 INSTANT COLD PACK 4" X 6"  
1 BUFFERED EYE WASH 1 OZ BTL  
2 BANDAGE COMP, 2" OFFSET, 4 PER  
2 BANDAGE COMP, 4" OFFSET, 1 PER  
3 ADHESIVE BDG,PLSTIC,1"X3"16PER  
2 BURN JEL 1/8 OZ, 6 PER  
3 PVP IODINE WIPES 10 PER  
1 NITRILE GLOVES 2PR BBP  
1 ANTIMCRBL ANTSPTC TWLETTS  
1 FIRST AID GUIDE ASHI  
LBL STOCK 6-3/8"X4"  
LBL STOCK 4"X2-7/8"  
1 LBL STOCK 3"x1-7/8"  
1 KIT STL 24 UN WHITE 01  
1 WOVEN KNUCKLE 8'S  
1 FINGERTIP "T" 8/BX  
2 STING Relief SWAB 10

**Burn Jel**


***Principal Display Panel***



**Principal Display Panel**



**Sting Relief  
Principal Display Panel**



**PVP Wipe**  
*Principal Display Panel*

FRONT SIDE

822569 X  
Rev. \*

PVP Iodine Wipes

02-12-01X



**PVP Iodine Wipes**  
*Povidone-Iodine 10%*  
*First Aid Antiseptic*  
*10 Saturated Wipes*  
*ANSI Z308.1-2009*

Distributed by:  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

BACK SIDE

822569 X  
Rev. \*



PVP Iodine Wipes

**Drug Facts**

Active ingredient	Purpose
Povidone-iodine 10% (equivalent to 1% titrable iodine)	First aid antiseptic

**Use** first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

**Warnings** For external use only

**Do not use**  
• in or near the eyes • over large areas of the body • on individuals who are allergic or sensitive to iodine  
**Ask a doctor before use if you have**  
• deep or puncture wounds • animal bites • serious burns

**When using this product** do not use longer than one week unless directed by a doctor

**Stop use and ask a doctor if** • condition persists or gets worse • irritation or redness develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

• clean the affected area • apply wipe to affected area 1 to 3 times daily

• may be covered with a sterile bandage • discard wipe after single use

**Other information** • store at room temperature: 15-30° C (59-86° F)

• do not use if package is torn or open • do not use on individuals who are allergic or sensitive to iodine

**Inactive ingredients** nonoxonyl-9, water

**Questions or comments?** 1-800-430-5490



**Eyewash**  
**Principal Display Panel**

Honeywell

TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS  
EYESALINE

EYESALINE  
EYEWASH

LAVAGE  
OCULAIRE  
EYESALINE

Solución  
Isotónico Estéril

Sterile  
Isotonic Solution

La Solution  
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528  
64809 1 45033 117

Drug Facts (for USA only)

**Active ingredient** Sterile water 99%  
**Purpose** Eyewash  
**Uses** for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.  
**Warnings**  
**For external use only** - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.  
**Do not use**  
• if solution changes color or becomes cloudy  
• if you have open wounds in or near the eyes, get medical help right away  
**Stop use and consult a doctor if:**  
• you experience eye pain • changes in vision  
• continued redness or irritation of the eye  
• condition worsens or persists  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
• remove contacts before using • twist top to remove  
• flush the affected area as needed  
• control rate of flow by pressure on the bottle  
• if necessary, continue flushing with emergency eyewash or shower  
**Inactive ingredients** sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic  
**Questions?** Call 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #32-0045/0 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT #32-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELEL

Datos de medicamento (Para EE.UU. solamente)

**Ingrediente Activo** Agua estéril 99%  
**Propósito** Lavaojos  
**Usos** para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro.  
**Advertencias**  
**Para el uso externo sólo** - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.  
**No se use** • si la solución se enturbia o cambia de color  
• si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato  
**Deje de usar y consulte a un médico si:**  
• experimenta dolor de ojo • cambio de visión  
• rojez continuo o irritación del ojo  
• la condición empeora o persiste  
**Manténgase fuera del alcance de los niños.**  
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.  
**Instrucciones**  
• quite los lentes de contacto antes de usar la solución  
• tuerza la tapa para quitar  
• enjuague el área afectada según se necesite  
• controle el chorro haciendo presión en la botella  
• si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia  
**Ingredientes inactivos** cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico  
**¿Preguntas?** Llame al 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

**Usages**  
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.  
**Advertissements**  
**Pour usage externe seulement** - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jeter.  
**Ne pas utiliser**  
• si la solution a changé de couleur ou si elle est brouillée  
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin  
**Cesser d'utiliser la solution et consulter un médecin**  
• vous ressentez une douleur oculaire • si votre vision change  
• rougeur ou irritation persistante des yeux  
• condition empire ou persiste  
**Garder hors de la portée des enfants.**  
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.  
**Mode d'emploi**  
• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant  
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche  
**Ingédients** eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium  
**Des questions?** Faites le 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

4140 Kit Label  
SF00004146

# FIRST AID KIT



**Louisville, Kentucky**  
**(800) 428-3254**

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4162 Kit Label**  
**6824REC**

# FIRST AID KIT



Louisville, Kentucky  
(800) 428-3254

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

## 4162 FIRST AID KIT

4162 first aid kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4162
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4162-01	1 in 1 KIT	09/13/2018	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	12 PACKET	42 g
Part 2	30 POUCH	9 mL
Part 3	1 BOTTLE	30 mL
Part 4	1 PACKET	1.4 mL
Part 5	20 POUCH	8 mL

## Part 1 of 5

### BURN JEL

gel for burns gel

## Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TEA TREE OIL (UNII: VIF565UC2G)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

## Part 2 of 5

### PVP IODINE WIPE

povidone-iodine 10% swab

## Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Part 3 of 5

### EYESALINE EMERGENCY EYEWASH

purified water liquid

## Product Information

Item Code (Source)	NDC:0498-0100
--------------------	---------------

Route of Administration OPTHALMIC

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

### Part 4 of 5

#### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

### Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/22/2017	

**Part 5 of 5****STING RELIEF PAD**

ethyl alcohol, lidocaine swab

**Product Information**

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

## 4140 FIRST AID KIT

4140 first aid kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4140
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4140-01	1 in 1 KIT	09/13/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	18 PACKET	63 g
Part 2	40 POUCH	12 mL
Part 3	2 BOTTLE	60 mL
Part 4	1 PACKET	1.4 mL
Part 5	20 POUCH	8 mL

## Part 1 of 5

### BURN JEL

gel for burns gel

### Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TEA TREE OIL (UNII: VIF565UC2G)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

### Part 2 of 5

#### PVP IODINE WIPE

povidone-iodine 10% swab

### Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Part 3 of 5

### EYESALINE EMERGENCY EYEWASH

purified water liquid

## Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

## Part 4 of 5

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

## Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/22/2017	

## Part 5 of 5

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

## Product Information

Item Code (Source) NDC:0498-0733

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

**Labeler** - Honeywell Safety Products USA, Inc. (079287321)

**Registrant** - Honeywell Safety Products USA, Inc. (079287321)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		079287321	pack(0498-4162, 0498-4140)

## Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

## Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Sion Medical Biotech		532775194	manufacture(0498-0121)
----------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)

Revised: 5/2019

Honeywell Safety Products USA, Inc.