

**ANALGESIC GEL DR. COLLADO MENTHOL 4 METHYL SALICYLATE- menthol,
methyl salicylate ointment
Laboratorios Dr. Collado, S.A.**

Analgesic Gel Dr. Collado Menthol 4% Methyl Salicylate

Drug Facts

Active ingredients

Menthol 4% Methyl Salicylate 10%

Purpose

External Analgesic

Use

For the temporary relief of minor aches and pains of muscles and joints.

Warnings

For external use only.

Do not use

- on wounds or damaged skin

When using this product

- avoid contact with eyes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: Do not use, consult a doctor.

Other information

- Store in a clean dry place at temperatures less than 86°F (30°C)

Inactive ingredients

Camphor, Carbomer, Cetrimonium Chloride, Cetyl Alcohol, Ethyl Alcohol, Eucalyptus Globulus Leaf Oil, FD&C Blue No.1, Purified Water, Triethanolamine.

Questions or Comments?

+1 809-338-7361

Package Labeling:

ANALGESIC GEL DR. COLLADO®

GEL ANALGÉSICO FRIO • GEL

External Use/Usó Externo

COOLING ACTION

Menthol 4% • Methyl Salicylate 10%



NET WT. / PESO NETO 8 OZ (227 G)

Drug Facts / Información del Medicamento

Active ingredients / Ingredientes activos	Purpose / Finalidad
Menthol / Mentol 4%	} External Analgesic / Analgésico Externo
Methyl Salicylate / Salicilato de Metilo 10%	

Use / Uso

For the temporary relief of minor aches and pains of muscles and joints. / Para el alivio temporal de pequeños dolores musculares y articulares.

Warnings / Advertencias

For external use only. / Para uso externo solamente.

Do not use / No usar

■ on wounds or damaged skin / en heridas o piel lesionada

When using this product / Cuando use este producto

■ avoid contact with eyes / evite el contacto con los ojos
■ do not bandage tightly / no vendar demasiado apretado

Stop use and ask a doctor if / Deje de usarlo y consulte a un médico

■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, / si la condición empeora, o si los síntomas persisten durante más de 7 días o desaparecen y vuelven a aparecer a los pocos días.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. / Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto con el Centro de Control de Envenenamientos inmediatamente.

Directions / Modo de uso

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: Do not use, consult a doctor. / Adultos y niños mayores de 2 años: aplicar en el área afectada no más de 3 a 4 veces al día. Niños menores de 2 años: No lo utilice, consulte a su médico.

Other information / Otra información

■ Store in a clean dry place at temperatures less than 86°F (30°C). / Almacene en un lugar limpio y seco a temperaturas inferiores a 30°C (86°F).

Inactive ingredients / Ingredientes inactivos

Camphor, Carbomer, Cetrimonium Chloride, Cetyl Alcohol, Ethyl Alcohol, Eucalyptus Globulus Leaf Oil, FD&C Blue No. 1, Purified Water, Triethanolamine. / Alcanfor, Carbómero, Cloruro de Cetrimonio, Etanol, Aceite de Hoja de Eucalipto, FD&C Blue No. 1, Agua Purificada, Trietanolamina.

Questions or Comments? / ¿Preguntas o Comentarios?

+1 809-338-7361

MANUFACTURED AND
DISTRIBUTED BY: / ELABORADO
Y DISTRIBUIDO POR:
LABORATORIOS DR. COLLADO, S.A.
SANTO DOMINGO 10701
DOMINICAN REPUBLIC
PRODUCT OF THE DOMINICAN
REPUBLIC / PRODUCTO DE LA
REPÚBLICA DOMINICANA



ANALGESIC GEL DR. COLLADO MENTHOL 4 METHYL SALICYLATE

menthol, methyl salicylate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42333-000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	40 mg in 1 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALCOHOL (UNII: 3K9958V90M)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42333-000-01	227 g in 1 TUBE; Type 0: Not a Combination Product	02/02/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/02/2024	

Labeler - Laboratorios Dr. Collado, S.A. (817468001)

Revised: 2/2024

Laboratorios Dr. Collado, S.A.