

**ALLERGY RELIEF- fexofenadine hydrochloride tablet**  
**Strategic Sourcing Services, LLC**

-----  
**Fexofenadine HCl Tablets USP**

**Active ingredient (in each tablet)**

Fexofenadine HCl USP, 180 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

## Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- this product meets the requirements of USP Dissolution Test 4

## Inactive ingredients

colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide

## Questions?

call **1-888-375-3784**

## Carton Label

70 ct Container and Container carton labels



HealthMart. NDC 62011-0409-3

ORIGINAL PRESCRIPTION STRENGTH

# Allergy Relief

Fexofenadine Hydrochloride Tablets USP, 180 mg Antihistamine

24 Hour • Non-Drowsy • Indoor and Outdoor Allergies

70 Tablets  
180 mg each

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

### Drug Facts

#### Active ingredient (in each tablet)

Fexofenadine HCl USP, 180 mg

#### Purpose

Antihistamine  
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, itchy, watery eyes, sneezing, itching of the nose or throat.

**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose. When using this product:

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)
- Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** Adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours. Children under 12 years of age do not use. Adults 65 years of age and older ask a doctor. Consumers with kidney disease ask a doctor.

**Other information** Safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing. Store between 20° and 25°C (68° and 77°F). Protect from excessive moisture. This product meets the requirements of USP Dissolution Test 4.

**Inactive ingredients** colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide.

Questions? Call 1-888-375-3784

**MCKESSON**

Distributed by McKesson  
Money Back Guarantee  
www.healthmart.com/healthmartbrand  
6555 State Highway 161, Las Colinas, TX 75039

Made in India

Revised: 07/20

150080799

LOT  
EXP



### Drug Facts

#### Active ingredient (in each tablet)

Fexofenadine HCl USP, 180 mg

#### Purpose

Antihistamine

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, itchy, watery eyes, sneezing, itching of the nose or throat.

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product: do not take more than directed. Do not take at the same time as aluminum or magnesium antacids. Do not take with fruit juices (see Directions).

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

Adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours.

Children under 12 years of age do not use.

Adults 65 years of age and older ask a doctor.

Consumers with kidney disease ask a doctor.

#### Other information

Safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing. Store between 20° and 25°C (68° and 77°F). Protect from excessive moisture. This product meets the requirements of USP Dissolution Test 4.

**Inactive ingredients** colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide.

Questions? Call 1-888-375-3784

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

IMPORTANT: Read the directions and warnings before use. Keep the carton. It contains important information.

\*This product is not manufactured or distributed by Chastem, Inc. (part of the Sanofi Group), distributor of Allegra® Allergy 24 Hour Tablets. Allegra® is a registered trademark of Aventis LLC.

REV: 07/20



HealthMart.

Compare to the active ingredient in Allegra® Allergy 24 Hour Tablets\*

ORIGINAL PRESCRIPTION STRENGTH

# Allergy Relief

Fexofenadine Hydrochloride Tablets USP, 180 mg Antihistamine



HealthMart.

NDC 62011-0409-3  
Compare to the active ingredient in Allegra® Allergy 24 Hour Tablets\*

ORIGINAL PRESCRIPTION STRENGTH

# Allergy Relief

Fexofenadine Hydrochloride Tablets USP, 180 mg Antihistamine

Relief of:  
Sneezing • Runny nose • Itchy, watery eyes • Itchy nose or throat  
24 Hour • Non-Drowsy • Indoor and Outdoor Allergies



ACTUAL SIZE  
70 Tablets  
180 mg each



Actual Size



**MCKESSON**

Distributed by McKesson  
Money Back Guarantee  
www.healthmart.com/healthmartbrand  
6555 State Highway 161, Las Colinas, TX 75039

Made in India



0 52569 14392 6

LOT  
EXP

Carton

Another Quality Product  
 Distributed by McKesson  
 855 S. De Soto Highway 151  
 Irving, TX 75039  
 McKesson  
 Health Care  
 Made in India  
 Lot: 06191001001  
 Exp: 06/19



Compare to the active ingredient in Allegra® Allergy 24 Hour Tablets\*

**Health Mart.**

Compare to the active ingredient in Allegra® Allergy 24 Hour Tablets\*

NDC 62011-0401-1

**ORIGINAL PRESCRIPTION STRENGTH**

**Allergy Relief**  
 Fexofenadine Hydrochloride Tablets USP, 180 mg  
 Antihistamine

**15 Tablets**  
 180 mg each

ACTUAL SIZE

Sneezing • Runny nose • Itchy, watery eyes • Itchy nose or throat  
 Relief of:  
 24 Hour • Non-Drowsy • Indoor and Outdoor Allergies

\*This product is not manufactured or distributed by Chatterm, Inc. (part of the Sanofi Group), distributor of Allegra® Allergy 24 Hour Tablets. Allegra® is a registered trademark of Aventisub LLC.

Compare to the active ingredient in Allegra® Allergy 24 Hour Tablets\*

**Health Mart.**

Compare to the active ingredient in Allegra® Allergy 24 Hour Tablets\*

NDC 62011-0401-1

**Allergy Relief**  
 Fexofenadine Hydrochloride Tablets USP, 180 mg  
 Antihistamine

TAKE ONE TABLET TWICE DAILY FOR YOUR PROTECTION. DO NOT USE IF INDIVIDUAL BUSTER UNIT IS OR PH OR TORN. IMPROPER USE: Read the directions and warnings before use. Keep the carton. It contains important information.

**Drug Facts**

**Active ingredient (in each tablet)**  
 Fexofenadine HCl USP, 180 mg.

**Purpose**  
 Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.  
 When using this product: ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions).

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).


**Directions**  
 Adults and children 12 years of age and over: take one (1) 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours.  
 Children under 12 years of age: do not use.  
 Adults 65 years of age and older: ask a doctor.  
 Consumers with kidney disease: ask a doctor.

**Other information** ■ safety sealed; do not use if carton is opened or if individual blister units are torn or opened.  
 ■ store between 20°C and 25°C (68°F and 77°F) ■ protect from excessive moisture ■ the product meets the requirements of USP Dissolution Test 4.  
 Inactive ingredients: colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red No. 40, hypromellose, iron oxide black, magnesium stearate, menthyl polyethylene glycol, powder cellulose and titanium dioxide.

**Questions?** Call 1-888-375-3794



## Container Label



NDC 62011-0409-2

**ORIGINAL PRESCRIPTION STRENGTH**

### Allergy Relief

**30 Tablets**      **24 Hour • Non-Drowsy**  
180 mg each      **Indoor and Outdoor Allergies**

**Drug Facts**  
**Active ingredient (in each tablet)**      Antihistamine  
 Fexofenadine HCl USP, 180 mg.

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have** kidney disease. Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions)

**Directions**  
 (Continued On Back Of Label)

**MCKESSON**  
 Another Quality Product  
 Distributed by McKesson  
 6555 State Highway 161  
 Irving, TX 75039  
**Money Back Guarantee**  
 healthmart.com

150077782

LOT      EXP  
**PEEL HERE** →

Revised: 06/19

**Drug Facts (continued)**  
**Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children **12 years of age and over** take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours ■ children under 12 years of age do not use ■ adults **65 years of age and older** ask a doctor ■ consumers with kidney disease ask a doctor

**Other information** ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture ■ this product meets the requirements of USP Dissolution Test 4

**Inactive ingredients** colloidal crosscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide.

**Questions?** Call 1-888-375-3784



NDC 62011-0409-2

**ORIGINAL PRESCRIPTION STRENGTH**

### Allergy Relief

**30 Tablets**      **24 Hour • Non-Drowsy**  
180 mg each      **Indoor and Outdoor Allergies**

**Drug Facts**  
**Active ingredient (in each tablet)**      Antihistamine  
 Fexofenadine HCl USP, 180 mg.

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have** kidney disease. Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions)

**Directions**  
 (Continued On Back Of Label)

**MCKESSON**  
 Another Quality Product  
 Distributed by McKesson  
 6555 State Highway 161  
 Irving, TX 75039  
**Money Back Guarantee**  
 healthmart.com

150077782

LOT      EXP  
**PEEL HERE** →

Revised: 06/19



NDC 62011-0409-2

**ORIGINAL PRESCRIPTION STRENGTH**

### Allergy Relief

**30 Tablets**      **24 Hour • Non-Drowsy**  
180 mg each      **Indoor and Outdoor Allergies**

**Drug Facts**  
**Active ingredient (in each tablet)**      Antihistamine  
 Fexofenadine HCl USP, 180 mg.

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have** kidney disease. Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions)

**Directions**  
 (Continued On Back Of Label)

**MCKESSON**  
 Another Quality Product  
 Distributed by McKesson  
 6555 State Highway 161  
 Irving, TX 75039  
**Money Back Guarantee**  
 healthmart.com

150077782

LOT      EXP  
**PEEL HERE** →

Revised: 06/19



NDC 62011-0409-2

**ORIGINAL PRESCRIPTION STRENGTH**

### Allergy Relief

**30 Tablets**      **24 Hour • Non-Drowsy**  
180 mg each      **Indoor and Outdoor Allergies**

**Drug Facts**  
**Active ingredient (in each tablet)**      Antihistamine  
 Fexofenadine HCl USP, 180 mg.

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have** kidney disease. Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions)

**Directions**  
 (Continued On Back Of Label)

**MCKESSON**  
 Another Quality Product  
 Distributed by McKesson  
 6555 State Highway 161  
 Irving, TX 75039  
**Money Back Guarantee**  
 healthmart.com

150077782

LOT      EXP  
**PEEL HERE** →

Revised: 06/19

**Drug Facts (continued)**  
**Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children **12 years of age and over** take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours ■ children under 12 years of age do not use ■ adults **65 years of age and older** ask a doctor ■ consumers with kidney disease ask a doctor

**Other information** ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture ■ this product meets the requirements of USP Dissolution Test 4

**Inactive ingredients** colloidal crosscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide.

**Questions?** Call 1-888-375-3784

# ALLERGY RELIEF

fexofenadine hydrochloride tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62011-0409
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Fexofenadine Hydrochloride</b> (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	Fexofenadine Hydrochloride	180 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>magnesium stearate</b> (UNII: 70097M6I30)	
<b>mannitol</b> (UNII: 3OWL53L36A)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSE 2910 (6 MPA.S)</b> (UNII: 0WZ8WG20P6)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>polyethylene glycol 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

## Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	194;R
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0409-2	1 in 1 CARTON	09/09/2019	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:62011-0409-1	3 in 1 CARTON	09/09/2019	
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

3	NDC:62011-0409-3	70 in 1 CARTON	08/06/2020	
3		70 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076502	09/09/2019	

**Labeler** - Strategic Sourcing Services, LLC (116956644)

Revised: 12/2021

Strategic Sourcing Services, LLC