#### OXYGEN- oxygen gas Dennis Welding Supply, Inc.


Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### **OXYGEN COMPRESSED LABEL**

OXYGEN COMPRESSED USP UN 1072 OXYGEN-2 WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER APPLICATIONS RX ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION. WARNING: HIGH PRESSURE GAS VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS)

OXYGEN, REFRIGERATED LIQUID					
US	$\overline{\mathbf{Q}}$				
UN10	0XYGEN 2 2 73 75 KEEP CONTAINER IN UPRIGHT POSITION. 1				
	S:				
LOT #:					
WARNING	For emergency use only when administered by property trained				
WARNING:	For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, <b>R</b> , <b>only</b> .				



# DENNIS WELDING SUPPLY, INC.

MONTGOMERY, AL 36104 334-264-6444

47136

res

### **OXYGEN REFRIGERATED LIQUID LABEL**

OXYGEN REFRIGERATED LIQUID U.S.P. UN 1073 CRYOGENIC LIQUID PRODUCED BY AIR LIQUEFACTION OXYGEN-2 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. WARNING: CAUTION FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION. DO NOT REMOVE THIS PRODUCT LABEL

WARNING: UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER LONG DURATION, WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. KEEP OIL, GREASE, AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET. IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.



res

$\mathbf{O}$	XYGEN				
Эху	ygen gas				
P	roduct Informat	ion			
Product Type			HUMAN PRESCRIPTION DRUG	ltem Code (Source)	NDC:53720-001
Route of Administration		tion	RESPIRATORY (INHALATION)		
A	ctive Ingredient	/Active Moi	ety		
Ingredient Name			ient Name	Basis of Strength	Strength
02	<b>KYGEN</b> (UNII: S88TT	14065) (OXYGE	CN - UNII:S88TT14065)	OXYGEN	99 L in 100 L
#	Item Code		Package Description	Marketing Start Date	Marketing End Dat
1	NDC:53720-001-01	170 L in 1 CYLI	NDER; Type 0: Not a Combination Product	0 1/0 1/1964	
2	NDC:53720-001- 02		NDER; Type 0: Not a Combination Product	0 1/0 1/19 6 4	
3	NDC:53720-001- 03	426 L in 1 CYL	NDER; Type 0: Not a Combination Product	0 1/0 1/19 6 4	
4	NDC:53720-001- 04	671 L in 1 CYLI	NDER; Type 0: Not a Combination Product	0 1/0 1/19 6 4	
4 5			NDER; Type 0: Not a Combination Product INDER; Type 0: Not a Combination Product		
-	04 NDC:53720-001-	3235 L in 1 CYI			
5	04 NDC:53720-001- 05 NDC:53720-001-	3235 L in 1 CYI 6900 L in 1 CY Product	INDER; Type 0: Not a Combination Product	± 0 1/0 1/19 6 4	
5 6	04 NDC:53720-001- 05 NDC:53720-001- 06 NDC:53720-001-	3235 L in 1 CYI 6900 L in 1 CY Product 9815 L in 1 CYI Product	INDER; Type 0: Not a Combination Product	<ul> <li>a 0 1/0 1/1964</li> <li>o 1/0 1/1964</li> <li>o 1/0 1/1964</li> </ul>	

<b>10</b> NDC:53720-001-10	172000 L in 1 DEWAR; Type 0: Not a Combination Product	0 1/0 1/19 6 4						
<b>11</b> NDC:53720-001-11	198200 L in 1 DEWAR; Type 0: Not a Combination Product	0 1/0 1/19 6 4						
Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
unapproved medical gas	(	0 1/0 1/19 6 4						

Labeler - Dennis Welding Supply, Inc. (034051037)

Registrant - Dennis Welding Supply, Inc. (034051037)

## Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Dennis Welding Supply, Inc.		034051037	manufacture(53720-001)

Revised: 2/2020

Dennis Welding Supply, Inc.