# 4155 FIRST AID KIT- 4155 first aid Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

4155 First Aid Kit (Triple, Ammonia Inh, EW, Burn Jel, BZK wipe, antihistamine- SF00000981)

# Active ingredient

Ammonia 15%

#### **Purpose**

Respiratory stimulant

#### Uses

to prevent or treat fainting

### **Warnings**

For external use only

#### Do not use

• if you have asthma or emphysema

#### Stop use and ask a doctor if

• condition persists

#### Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

#### **Directions**

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

## Other information

store at room temperature away from light

#### **Inactive ingredients**

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

# **Questions or Comments**

1-800-430-5490

#### **Burn Jel**

# Active ingredient

Lidocaine HCl 2.0%

# Burn Jel *Purpose*

External analgesic

#### Burn Jel

#### Uses

• temporarily relieves pain due to minor burns

#### **Burn Jel**

**Warnings** 

## For external use only

#### Do not use

• on large areas of the body, particularly over raw surfaces or blistered areas

# When using this product

• avoid contact with eyes

# Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

# Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

#### **Burn JEl**

#### Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

#### **Burn Jel**

#### Other information

• store at room temperature - do not use if opened or torn

#### **Burn Jel**

#### **Inactive ingredients**

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

# Burn Jel Questions

### Triple

## Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

# Triple *Purpose*

First aid antibiotic

First aid antibiotic

First aid antibiotic

# Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

# Triple

**Warnings** 

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

#### Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

## Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

## Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Triple**

#### Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

# Triple

# Other information

- store at 15  $^{0}$  to 25  $^{0}$  C (59  $^{0}$  to 77  $^{0}$  F)
- tamper evident sealed packets
- do not use if packet is torn or opened

### **Triple**

# Inactive ingredient

petrolatum

# Triple

Questions?

1-800-430-5490

# **BZK Wipe**

Active ingredient

Benzalkonium chloride 0.13% w/v

# **BZK Wipe**

Purpose

First aid antiseptic

# **BzK Wipe**

Uses

Antiseptic cleansing of face, hands, and body without soap and water

# **BZK Wipe**

**Warnings** 

## For external use only

#### Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

## Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

# **BZK Wipe**

#### Directions

tear open packet and use as a washcloth

#### **BZK Wipe**

### Other information

- store at room temperature 15  $^{0}$  to 30  $^{0}$  C (59  $^{0}$  86  $^{0}$  F)
- do not reuse towelette

# **BZK Wipe** *Other information*

water

# BZK Wipe Questions

1-800-430-5490

#### Antis hitamine

Active ingredient (in each tablet)

Diphenhydramine HCl (25 mg)

#### **Antihis tamine**

#### **Purpose**

Antihistamine

#### **Antihis tamine**

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

- runny nose
- sneezing
- itchy, watery eyes, itching of the nose or throat

#### Antihis tamine

#### **Warnings**

#### Do not use

• with any other product containing diphenhydramine, even one used on the skin

## Ask a doctor before use if you have

- glaucome
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

#### Ask a doctor before use

- if child is taking a sedative or tranquilizer
- When using this product
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

## If pregnant or breast-feeding

• ask a health professional before use

# Keep out of the reach of children

# **Antihis tamine**

#### Directions

take every 4 to 6 hours

do not take more than 6 doses in 24 hours

adults and children 12 years of age and over 25 mg to 50 mg (1 to 2 tablets) not to exceed 300 mg in 24 hours

children 6 to under 12 years of age 12.5 mg\*\* to 25 mg (1 tablet) not to exceed 150mg in 24 hours or as directed by a doctor

children under 6 years of age ask a doctor

\*\*12.5 mg dosage strength is not available in this package do not attempt to break tablets

#### Antihis tamine

#### **Inactive ingredients**

carnuba wax, colloidal silicon dioxide, croscarmellose sodium D and C red no. 27 lake, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, stearic acid, titanium dioxide

# Eyewas h Active ingredient

Sterile Water 99%

# Eyewas h Purpose

Eyewash

# eyewas h

Uses

for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

# Eyewash *Warnings*

## For external use only-

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

#### Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

#### Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

## Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

# Eyewash

#### Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

## **Eyewash**

#### **Inactive ingredients**

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

## Eyewas h Questions

1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

#### 4155

#### SF00000981 Kit Contents

1 TRIPLE ANTIBIOTIC 10 PER

1 AMMONIA INHALANTS 10 PER


2 TRIANGULAR BDG, NON-STERILE

- 1 GAUZE COMPRESS, 1728 SQ IN 1
- 1 GAUZE BANDAGE, 2" X 6 YD,2 PER
- 1 INSTANT COLD PACK 4" X 6"
- 4 ADHESIVE BDG,PLSTIC,1"X3"16PER
- 1 1 OZ EYE WASH W/PADS & STRIPS
- 1 BURN JEL 1/8 OZ, 6 PER
- 3 ANTIMCRBL ANTSPTC TWLETTS
- 1 FIRST AID GUIDE ASHI
- 1 SCISSOR BDGE 4" RED PLS HDL
- 1 KIT TWEEZER 3 1/2" SLANTED
- 1 BANDAGE COMP 2" W/TELFA PAD 4
- 2 BANDAGE COMP 4" W/TELFA PAD 1
- LBL STOCK 6-3/8"X4"
- 1 LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"
- 1 KIT STL 24 UN WHITE 01
- 1 WOVEN KNUCKLE 8'S
- 1 ADHS TAPE .5"X2.5YD 2
- 1 GAUZE PADS 3"X3" 4/BX
- 1 ANTIHISTAMINE BULK 1/PKK


# **Principal Display Panel**

796006 Rev. E (page 3 of 3)

796353 Rev. E Unit Carton Printing Plate for "B" size cartor




Triple Principal Display Panel




BZK Wipe Principal Display Panel

S	Honeywell	
lette		02-16-35MD
оме	5.	Antiseptic Towelettes
Antiseptic Towelettes		Benzalkonium chloride First aid antiseptic
tise		Six-Saturated Towelettes
An	Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917	



Antihis tamine Principal Display Panel



Eyewassh Principal Display Panel

**LAVAOJOS EYESALINE** 

Solución

Isotónico Estéril

**EYESALINE EYEWASH** 

**LAVAGE OCULAIRE EYESALINE** 

La Solution Isotonique Stérile

Isotonic Solution 16 fl. oz. (473 mL)

Sterile



Drug Facts (for USA only) Active ingredient Uses for flushing the eye to remove loose foreign material, air pollutants, Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard. Do not use

if solution changes color or becomes cloudy
if you have open wounds in or near the eyes, get medical help right away Stop use and consult a doctor if:

Questions? Call 1-800-430-5490

Directions

remove contacts before using • twist top to remove

flush the affected area as needed

control rate of flow by pressure on the bottle

if necessary, continue flushing with emergency eyewash or shower Inactive ingredients

#32-000454-0000

RÉAPPROVISIONNEMENT

NUEVO PEDIDO /

REORDER

#32-004510 Rev. J

Purpose

PEEL / PELAR / PELER

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo Agua estéril 99% .......

sodium phosphate dibasic, sodium phosphate monobasic

Propósito

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Usos para el lavado de ojo para quitar las particulas sueltas y extrañas, los contaminantes aeros, o agua de cloruro

Advertencias
Para el uso externo sólo - Obtenga tratamiento médico
inmediato para todas las heridas abiertas en o cerca de los ojos.
Para evitar la contaminación, no toque la punta del envase con
inguna superficie. No vuelva a usar. Vez abierto, descarte.

No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato

de inmediato

Deje de usar y consulte a un médico si:

• experimenta dolor de ojo
• cambio de visión
• rojez continuo o irritación del ojo
• la condición empecra o persiste

Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones

- quitese los lentes de contacto antes de usar la solución
- tuerza la tapa para quitar
- enjuague el área afectada según se necesite
- controle el chorro haciendo presión el la botella
- si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia

Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico.

¿Preguntas? Llame al 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

#### Information

Usages
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmospheriques où de l'eau chlorée.

Advertissements

Pour usage externs seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser

si la solution a changé de couleur ou si elle est brouillée

si vous avez des plaies ouvertes aux yeux ou à proximité,
consultez immédiatement un médecin

Cesser d'utiliser la solution et consulter un médecin

• vous ressentez une douleur oculaire • si votre vision change

• rougeur ou inflation persistante des yeux

• condition empire ou persiste

Garder hors de la portée des enfants.
En cas d'ingestion, communiquer immédiatement avec un médecir ou avec un centre antipoison.

Mode d'emploi

• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • incer la zone touchée selon les besoins • ajuster le debt d'écoulement de la solution en partier le confirment de la solution en contenant si mécessaire, continuer de rincer avec unesolution de rinçage oculaire d'urgence ou une douche

Ingrédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

4155 Kit Label SF00000981



# Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

# 4155 FIRST AID KIT

4155 first aid kit

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0498-4155

# **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:0498-4155-01	1 in 1 KIT	0.9/13/20.18	

## **Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	10 AMPULE	3 mL
Part 2	6 PACKET	21 g
Part 3	1 BOTTLE	30 mL
Part 4	10 PACKET	9 g
Part 5	3 PACKET	4.2 mL

# Part 1 of 5

## **AMMONIA INHALENT**

ammonia inhalent inhalant

-		T (	. •
UMO	duct	Intor	mation
110	uucı	IIIIVI	mauvn

Item Code (Source) NDC:0498-3334

Route of Administration RESPIRATORY (INHALATION)

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AMMO NIA</b> (UNII: 5138Q19F1X) (AMMO NIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

# **Inactive Ingredients**

Ingredient Name Strength

ALCOHOL (UNII: 3K9958V90M)

#### **Packaging**

	0 0			
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date

1 NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

# Part 2 of 5

## **BURN JEL**

gel for burns gel

#### **Product Information**

Item Code (Source) NDC:0498-0
-------------------------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Active ingredient/Active wrotety			
Ingredient Name	Basis of Strength	Strength	
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE -	LIDOCAINE HYDROCHLORIDE	2 g	

UNII:98PI200987)	ANHYDROUS	in 100 g
------------------	-----------	----------

Inactive Ingredients		
Ingredient Name	Strength	
TEA TREE OIL (UNII: VIF565UC2G)		
DIAZO LIDINYL UREA (UNII: H5RIZ3MPW4)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
EDETATE DISO DIUM (UNII: 7FLD91C86K)		
GLYCERIN (UNII: PDC6A3C0OX)		
TROLAMINE (UNII: 9O3K93S3TK)		
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)		
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
OCTOXYNOL-9 (UNII: 7JPC6 Y25QS)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		

l	Packaging					
l	#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
l	1 NI	OC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	09/19/2018		

# Part 3 of 5

# EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information	
Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients	
Ingredient Name	Strength

SODIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)

SODIUM PHO SPHATE, MO NO BASIC, MO NO HYDRATE (UNII: 593YOG76RN)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

l	Packaging				
l	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
l	1 NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/20 18	

# Part 4 of 5

# TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

<b>Product Information</b>	
Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO 52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEO MYCIN	3.5 mg in 1 g

Inactive Ingredients			
Ing	gredient Name	Strength	
PETROLATUM (UNII: 4T6H12BN9U)			

Product Characteristics			
Color white Score			
Shape		Size	
Flavor		Imprint Code	
Contains			

# Packaging

	#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
l	1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	09/19/2018		

# Part 5 of 5

# ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

<b>Product Information</b>	
Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>BENZALKO NIUM CHLO RIDE</b> (UNII: F5UM2KM3W7) (BENZALKO NIUM - UNII:7N6 JUD5X6 Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

P	ackaging			
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part333E	12/22/2017			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		09/13/2018			

# Labeler - Honeywell Safety Products USA, Inc. (079287321)

# Registrant - Honeywell Safety Products USA, Inc. (079287321)

Establishment			
Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture (0498-3334)

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		079287321	pack(0498-4155)

Establishment			
Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203, 0498-0750)

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment					
Name	Address	ID/FEI	Business Operations		
Changzhou Maokang Medical		421317073	manufacture(0498-0501)		

Revised: 5/2019 Honeywell Safety Products USA, Inc.