

**4152 FIRST AID KIT- 4152 first aid
Honeywell Safety Products USA, Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4152: First Aid Kit (Triple, Burn Jel, BZK wipe, antiseptic hand gel, sting relief- SF00001774)

**Burn Jel
Active ingredient**

Lidocaine HCl 2.0%

**Burn Jel
Purpose**

External analgesic

**Burn Jel
Uses**

- temporarily relieves pain due to minor burns

**Burn Jel
Warnings**

For external use only

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

**Burn Jel
Directions**

- adults and children 2 years of age and older; apply to affected area not more than 3

to 4 times daily

- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

- store at room temperature - do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

Triple

Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Triple

Questions?

1-800-430-5490

BZK Wipe
Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe
Purpose

First aid antiseptic

BzK Wipe
Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe
Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe
Directions

tear open packet and use as a washcloth

BZK Wipe
Other information

- store at room temperature 15 ° to 30 ° C (59 ° - 86 ° F)
- do not reuse towelette

BZK Wipe
Inactive ingredient

water

BZK Wipe
Questions

1-800-430-5490

Sting Relief
Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief
Purpose

Antiseptic

Topical pain relief

Sting Relief
Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief
Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting Relief

Questions or Comments?

1-800-430-5490

Hand Sanitizer

Active ingredient

Ethyl alcohol 62%

Hand Sanitizer

Purpose

Antiseptic handwash

Hand Sanitizer

Uses

- for hand washing to decrease bacteria on skin
- recommended for repeated use

Hand Sanitizer

Warnings

For external use only

Flammable, keep away from fire or flame

When using this product

- do not use in the eyes
- discontinue use if irritation and redness develops. If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hand Sanitizer

Directions

wet hands thoroughly with product and allow to dry without wiping

Hand Sanitizer

Other information

- store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)

Hand Sanitizer

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water, triisopropanolamine

Hand Sanitizer

Questions or Comments?

1-800-275-3433 info@waterjel.com www.waterjel.com

4152

SF00001774 Kit Contents

- 1 TRIPLE ANTIBIOTIC 10 PER
- 1 GAUZE BANDAGE, 4" X 6 YD
- 1 TRIANGULAR BDG, NON-STERILE
- 1 GAUZE PADS, 3" X 3", 4 PER
- 1 ADH TAPE, .5" X 2.5 YD, 2 PER
- 1 FORCEPS & SCISSORS, 1 EA
- 1 RESCUE BLANKET 1 PER
- 1 BURN JEL 1/8 OZ, 6 PER
- 1 ANTIMCRBL ANTSPTC TWLETTS
- 1 ADH BDG, CLOTH, 1"X3", 16 PER
- 1 FIRST AID GUIDE ASHI
- 1 HAND SANITIZER 0.9G WJ 25/BX
- 1 BANDAGE COMP 4" W/TELFAPAD 1
- LBL STOCK 6-3/8"X4"
- 1 LBL STOCK 6-3/8"X4"

LBL STOCK 4"x2-7/8"

1 LBL STOCK 3"x1-7/8"

2 PR LRG NITRILE GLVES ZIP BAG

1 KIT STL 16 UN (VERTICAL)

1 COLD PACK UNIT 4"x6" BULK

2 ZIP LOCK BAG 5 X 8" 2 MIL


1 STING Relief WIPES 10

Burn Jel

Principal Display Panel



Principal Display Panel



BZK Wipe Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.133% w/v	First aid antiseptic

Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

Warnings
For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

• irritation, redness or other symptoms develop • condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



Directions • tear open packet, unfold and use as washcloth

Other information
• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

Inactive ingredient water

Questions or comments 1-800-430-5490

Sting Relief
Principal Display Panel



**Hand Sanitizer
Principal Display Panel**



INSTANT

Hand Sanitizer

**Antiseptic Gel
With Vitamin E & Aloe**

***Kills 99.9% of Germs
Without Water***

240mL - (8 fl oz)



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4152 FIRST AID KIT				
4152 first aid kit				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4152	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4152-01	1 in 1 KIT	09/13/2018	
Quantity of Parts				
Part #	Package Quantity		Total Product Quantity	
Part 1	6 PACKET		21 g	
Part 2	10 PACKET		9 g	
Part 3	1 PACKET		1.4 mL	
Part 4	10 POUCH		4 mL	
Part 5	25 PACKAGE		22.5 mL	

Part 1 of 5

BURN JEL

gel for burns gel

Product Information

Item Code (Source) NDC:0498-0203

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 2 of 5

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source) NDC:0498-0750

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 3 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/22/2017	

Part 4 of 5

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source) NDC:0498-0733

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

Part 5 of 5

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (118768815)

Revised: 1/2024

Honeywell Safety Products USA, Inc.