

**4147 FIRST AID KIT- 4147 first aid kit**  
**4131 FIRST AID KIT- 4131 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**0498-4131, 4147: First Aid Kit (BZK wipes, FABC, sting relief- SF00004176, SF00003982)**

**First Aid Burn Cream**  
***Active ingredient***

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

**First Aid Burn Cream**  
***Purpose***

First aid antiseptic

External analgesic

**First Aid Burn Cream**  
***Uses***

- prevent skin infection
- for temporary relief of pain associated with minor burns

**First Aid Burn Cream**  
***Warnings***

**For external use only**

**Do not use**

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

**First Aid Burn Cream*****Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

**First Aid Burn Cream*****Other information***

- tamper evident sealed packets
- do not use if packet is opened or torn

**First Aid Burn Cream*****Inactive ingredients***

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

**First Aid Burn Cream*****Questions***

1-800-430-5490

**BZK Antiseptic Wipe*****Active ingredient***

Benzalkonium chloride 0.13%

**BZK*****Purpose***

First aid antiseptic

**BZK*****Uses***

Antiseptic cleansing of face, hands, and body without soap and water

## **BZK**

### ***Warnings***

**For external use only**

## **BZK**

### **Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

### **Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **BZK**

### ***Directions***

- .tear open packet and use as a washcloth

## **BZK**

### ***Other information***

- store at room temperature 15 ° to 30 ° C (59 ° - 86 °F)
- do not reuse towelette

## **BZK**

### ***Inactive ingredients***

water

## **BZK**

### **Questions**

1-800-430-5490

## **Sting Relief**

### ***Active ingredient***

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

## **Sting Relief**

### ***Purpose***

Antiseptic

Topical pain relief

## **Sting Relief**

### ***Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

## **Sting Relief**

### ***Warnings***

#### **For external use only**

**Flammable**, keep away from open fire or flame

#### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

#### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Sting Relief**

### ***Directions***

- **adults and children 2 years and older:** Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

## **Sting Relief**

### ***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

## **Sting relief**

### ***Questions or Comments***

1-800-430-5490

**4131****SF00004176 kit contents**

2 FIRST AID BURN CREAM 6 PER  
1 TRIANGULAR BDG, NON-STERILE  
2 ADH TAPE, .5" X 2.5 YD, 2 PER  
1 GAUZE COMPRESS, 1728 SQ IN 1  
1 FORCEPS & SCISSORS, 1 EA  
2 GAUZE PADS, 2" X 2", 6 PER  
1 GAUZE BANDAGE, 2" X 6 YD, 2 PER  
1 INSTANT COLD PACK 4" X 6"  
1 BANDAGE COMP, 4" OFFSET, 1 PER  
2 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER  
1 BANDAGE COMBO PACK  
1 STING RELIEF WIPES 10 PER BOX  
2 NITRILE GLOVES 2PR BBP  
2 ANTIMCRBL ANTSPTC TWLETTS  
1 FIRST AID GUIDE ASHI  
1 CPR FILTERSHIELD 77-100  
LBL STOCK 6-3/8" X 4"  
LBL STOCK 4" X 2-7/8"  
1 LBL STOCK 3" X 1-7/8"  
1 KIT STL 24 UN WHITE 01

**4147****SF00003982 Kit Contents**

1 GAUZE BAND 1" X 6 YD, 4 PER  
1 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER  
1 ANTIMCRBL ANTSPTC TWLETTS  
1 ADHESIVE TAPE W/P 1/2" X 5 YD  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
1 ABD COMBINE PAD 5" X 9"  
1 SCISSOR BDGE 4" RED PLS HDL

LBL STOCK 6-3/8"X4"

1 LBL STOCK 3"x1-7/8"

2 PR LRG NITRILE GLVES ZIP BAG

6 FIRST AID CREAM 1.0GR PKT EACH

1 KIT, PP 16 UNIT FA

1 SAFETEC STING RELIEF WIPES BULK



1 TRI BNDG NON WOVEN 40"X40"X56"

4 GAUZE PADS 3"X3" 12PLY



1 WOVEN FINGERTIP BANDAGE 2"

1 WOVEN KNUCKLE BANDAGE

**First Aid Burn Cream  
Principal Display Panel**



## Principal Display Panel



## Sting Relief Principal Display Panel



Honeywell

825366 Rev B

Honeywell

032043P

Honeywell

032043P

### Sting Relief Wipes



Use for:  
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches  
Saturated Wipes

100 wipes

### Sting Relief Wipes



Use for:  
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches  
Saturated Wipes

100 wipes

#### Drug Facts

Active Ingredients	Purpose
Ethyl alcohol 50.0%	First aid antiseptic
Lidocaine HCl 2.0%	Topical anesthetic

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

#### Warnings

For external use only.

Flammable, keep away from fire or flame.

**Do not use** • over large areas of the body • in eyes • over raw or blistered areas

**Stop use and ask a doctor** • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed get medical help or contact Poison Control center right away.

#### Directions

• adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.

• children under 2 years of age: consult a doctor.

#### Inactive Ingredients

benzalkonium chloride, menthol, purified water

#### Questions or comments?

1-800-430-5490

Distributed by  
Honeywell Safety  
Products, USA, Inc.  
Smithfield, WI 02917

www.honeywellsafety.com

USA  
1-800-430-5490  
0-401-343-4400



Made in USA  
Packaged in Mexico

4131 Kit Label  
SF00004176

# First Aid Kit



UCSanDiego

Provided and Maintained by Environment, Health and Safety, 534-3660

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4147 Kit Label**  
**SF00003982**



***National Fuel***

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4147 FIRST AID KIT**

4147 first aid kit kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4147
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4147-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	1 POUCH	0.4 mL
Part 2	6 PACKET	5.4 g
Part 3	1 PACKET	1.4 mL

**Part 1 of 3**

## STING RELIEF PAD

ethyl alcohol, lidocaine swab

### Product Information

**Item Code (Source)** NDC:0498-0733

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

## Part 2 of 3

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

### Product Information

**Item Code (Source)** NDC:0498-0903

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

### Part 3 of 3

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

**Product Information****Item Code (Source)** NDC:0498-0501**Route of Administration** TOPICAL**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		12/21/2017	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		10/18/2018	

**4131 FIRST AID KIT**

4131 first aid kit kit

**Product Information****Product Type** HUMAN OTC DRUG **Item Code (Source)** NDC:0498-4131**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:0498-4131-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018
---	------------------	---	------------

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	4 mL
Part 2	12 PACKET	10.8 g
Part 3	2 PACKET	2.8 mL

### Part 1 of 3

#### STING RELIEF PAD

ethyl alcohol, lidocaine swab

### Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		12/22/2017	

other

12/23/2017

**Part 2 of 3****FIRST AID BURN**

benzalkonium chloride, lidocaine hydrochloride cream

**Product Information**

<b>Item Code (Source)</b>	NDC:0498-0903
---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

### Part 3 of 3

## ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

### Product Information

**Item Code (Source)** NDC:0498-0501

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Revised: 1/2024

Honeywell Safety Products USA, INC