

**ANTIPLAQUE SOLUTION- cetylpyridinium chloride mouthwash**  
**Sage Products LLC**

-----  
**Antiplaque Solution**

***Active ingredient***

ANTIPLAQUE:  
Cetylpyridinium chloride .05%

***Purpose***

Antigingivitis/antiplaque

***Uses***

Aids in the removal and prevention of plaque that leads to gingivitis.

***Warnings***

**Stop use and ask a dentist if:**

- Gingivitis, bleeding or redness persists for more than 2 weeks.
- You have painful or swollen gums, pus from the gum line, loose teeth or increasing spacing between the teeth. These may be signs or symptoms of periodontitis, a serious form of gum disease.

**Keep out of reach of children under 6 year of age.** If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- **Before opening**, turn package over, burst solution packet with thumbs.
- Peel lid to open.
- Remove Mouth Moisturizer and Applicator Swab.
- Attach Toothbrush to suction line.
- Clean teeth and oral cavity for approximately one minute.
- To suction, place thumb over port.
- To clear tubing, rinse with sterile saline or appropriate solution.
- Discard Toothbrush. Reattach Covered Yankauer to suction line.
- Place Mouth Moisturizer on Applicator Swab.
- Apply as needed to lips and inside mouth.
  
- Adults and children 12 years of age and older: use two times daily or as directed by a dentist. Do not swallow the solution.
- Children ages 6 to 12 years: supervise use.
- Children under 6 years of age: do not use.


- Use a bite block when performing oral care on patients with altered levels of consciousness or those who cannot comprehend commands.
- Ensure foam is intact after use. If not, remove any particles from oral cavity.

### ***Inactive ingredients***

Water, sorbitol, peppermint flavor, potassium sorbate, polysorbate 80, polysorbate 20, citric acid, FD&C Blue #1

### ***Questions***

Call toll-free 800-323-2220



cetylpyridinium chloride mouthwash

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53462-275
<b>Route of Administration</b>	BUCCAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CETYLPYRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P) (CETYLPYRIDINIUM - UNII:CUB7JI0JV3)	CETYLPYRIDINIUM CHLORIDE	0.5 mg in 1 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>PEPPERMINT</b> (UNII: V95R5KMY2B)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:53462-275-60	7 mL in 1 PACKET; Type 0: Not a Combination Product	01/09/2009	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M022	01/09/2009	

**Labeler** - Sage Products LLC (054326178)

Revised: 12/2025

Sage Products LLC