

**TUSSIN DM COUGH AND CHEST CONGESTION- dextromethorphan hbr,  
guaifenesin liquid**

**ASSURED / DOLLAR TREE (Greenbrier International, Inc.)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchitis tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- do not take more than 6 doses in any 24-hour period
- keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adult and children 12 years and over: 10 mL every 4 hours
- children under 12 years : do not use

## **Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

## **Inactive ingredients**

citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

## **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

## **Principal Display Panel**

Compare to active ingredients in Robitussin® Peak Cold Cough & Chest Congestion DM\*

Adult Tussin Cough & Chest Congestion DM

Dextromethorphan HBr 20 mg - Cough Suppressant

Guaifenesin 200 mg - Expectorant

- Alcohol Free
- Non-Drowsy

Relieves Cough, Chest Congestion & Mucus

Ages 12+

FL OZ (mL)

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Cough+Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY  
 GREENBRIER INTERNATIONAL, INC.  
 500 VOLVO PARKWAY, CHESAPEAKE

**Package Label**

**COMPARE TO ACTIVE INGREDIENTS IN  
 ROBITUSSIN® PEAK COLD  
 Cough + Chest Congestion DM\***

**ASSURED** NDC 33992-0385-4

**ADULT**

## Tussin Cough & Chest Congestion DM

Dextromethorphan HBr 20 mg  
 - Cough Suppressant  
 Guaifenesin 200 mg - Expectorant  
 • Alcohol Free • Non-Drowsy

Relieves Cough,  
 Chest Congestion & Mucus

**AGES 12 +**      **4 FL OZ  
 (118 mL)**

**Drug Facts**

**Active ingredients (in each 10 mL)**      **Purposes**  
 Dextromethorphan HBr 20 mg.....Cough suppressant  
 Guaifenesin 200 mg.....Expectorant

**Uses** ■ temporarily relieves cough due to minor throat and  
 bronchial irritation as may occur with a cold  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to  
 drain bronchial tubes

**Warnings**  
**Do not use** if you are now taking a prescription monoamine oxidase  
 inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional  
 conditions, or Parkinson's disease), or for 2 weeks after stopping the  
 MAOI drug. If you do not know if your prescription drug contains an  
 MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ cough that lasts or is chronic such as occurs with  
 smoking, asthma, chronic bronchitis or emphysema


\*This product is not manufactured or distributed by Pfizer Consumer Healthcare,  
 distributor of Robitussin® Peak Cold Cough+Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
 SAFETY SEAL AROUND BOTTLE OR  
 UNDER CAP IS BROKEN OR MISSING.**

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

DISTRIBUTED BY  
 GREENBRIER INTERNATIONAL, INC.  
 500 VOLVO PARKWAY, CHESAPEAKE, VA 23320

PLD-A325C LB004167



6 39277 34071 9

**Drug Facts (continued under label)    PEEL HERE** →

**Drug Facts (continued)**

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back, or is accompanied by fever, rash,  
 or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**  
 In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ do not take more than 6 doses in any 24-hour period    ■ keep dosing cup with product  
 ■ measure only with dosing cup provided. Do not use any other dosing device.    ■ mL = milliliter  
 ■ this adult product is not intended for use in children under 12 years of age  
 ■ adults and children 12 years and over: 10 mL every 4 hours  
 ■ children under 12 years: do not use

**Other information** ■ store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup,  
 menthol, purified water, saccharin sodium, sodium benzoate

**Questions or comments?** Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Assured Tussin DM Cough & Chest Congestion Liquid**

<b>TUSSIN DM COUGH AND CHEST CONGESTION</b>			
dextromethorphan hbr, guaifenesin liquid			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:33992-0385
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	

<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33992-0385-4	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/30/2016	04/30/2024

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/30/2016	04/30/2024

**Labeler** - ASSURED / DOLLAR TREE (Greenbrier International, Inc.) (610322518)

Revised: 1/2023

ASSURED / DOLLAR TREE (Greenbrier International, Inc.)