4135 FIRST AID KIT- 4135 first aid Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4135 First Aid Kit (Triple, Ammonia Inh, EW, PVP Wipes, BZK wipe- SF00001642)

Active ingredient

Ammonia 15%

Purpose

Respiratory stimulant

Uses

to prevent or treat fainting

Warnings

For external use only

Do not use

• if you have asthma or emphysema

Stop use and ask a doctor if

• condition persists

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Other information

store at room temperature away from light

Inactive ingredients

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Questions or Comments

1-800-430-5490

PVP

Active ingredient

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

PVP

Purpose

First aid antisepti

PVP

Uses

• first aid to help prevent the risk of infection in minor cuts, scrapes, and burn

PVP

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have

- deep or puncture wounds,
- animal bites
- serious burns

When using this product

• do not use longer than one wek unless directed by a doctor

Stop use and ask a doctor if

- conditions persists or gets worse
- irritation and redness develops

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away

PVP

Directioons

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

Other information

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

PVP

Inactive ingredients

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

PVP

Questions and Comments?

1-800-430-5490

Triple

Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple *Purpose*

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites

serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15 0 to 25 0 C (59 0 to 77 0 F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Triple

Questions?

1-800-430-5490

BZK Wipe

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe

Purpose

First aid antiseptic

BzK Wipe

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe *Warnings*

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe

Directions

tear open packet and use as a washcloth

BZK Wipe

Other information

- store at room temperature 15 0 to 30 0 C (59 0 86 0 F)
- do not reuse towelette

BZK Wipe

Other information

water

BZK Wipe

Questions

1-800-430-5490

4135

SF00001642 Kit Contents

1 3/4 X 3 PLAS 100/BOX

1 TRIPLE ANTIBIOTIC 10 PER

2 INSTANT COLD PACK 4" X 6"

1 1 OZ EYE WASH W/PADS & STRIPS

4 PVP IODINE WIPES 10 PER


1 ANTIMCRBL ANTSPTC TWLETTS

- 1 ADHESIVE TAPE W/P 1/2"X 5 YD
- 1 FIRST AID GUIDE ASHI
- 6 GAUZE CLEAN-WRAP BDGE N/S 2"
- 2 ABD COMBINE PAD 5" X 9"
- 1 GZE PADS STERILE 2"X 2" 25'S
- 1 SCISSOR BDGE 4" RED PLS HDL
- 1 KIT TWEEZER 3 1/2" SLANTED
- LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"
- 1 ZIP BAG FOR 50 ECONO
- 1 KIT STL BULK MEDIUM
- 1 TRI BNDG NON WOVEN 40"X40"X56"


Principal Display Panel

796006 Rev. E (page 3 of 3)

Principal Display Panel



Triple Principal Display Panel



BZK Wipe Principal Display Panel

loneywell	
02-	-16-35MD
Antiseptic To	welettes
	nium chloride aid antiseptic
Six-Satural	ted Towelettes
stributed by negwell Safety oducts USA, Inc. nithfield, RI 02917	

47001083 Rev B	Antiseptic Towelettes	Honeywell
	Drug Facts	\neg
	Active Ingredient Purp o Benzalkonium chloride 0.133% w/v First aid antisep	
	Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds	
	Warnings For external use only	
	When using this product • do not use in the eyes or apply over large areas of the body	
	Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns	
	Stop use and consult a doctor if irritation, redness or other symptoms develop condition persists or gets worse	
	Do not use • longer than 1 week unless directed by doctor	18
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	× .
	Directions • tear open packet, unfold and use as washcloth	
	Other Information • store at room temperature 15° -30° C(59° -86° F) • do not reuse towelette	
	Inactive ingredient water	

4135 Kit Label SF00001642



Red Rooster® – Professional Tools
Toll Free (866) 725-3627
www.redroosterag.com

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4135 FIRST AID KIT

4135 first aid kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0498-4135

Packaging

	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ľ	1 NDC:0498-4135-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	4 AMPULE	1.2 mL
Part 2	40 POUCH	12 mL
Part 3	1 BOTTLE	30 mL
Part 4	10 PACKET	9 g
Part 5	1 PACKET	1.4 mL

Part 1 of 5

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

Item Code (Source) NDC:0498-3334

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMO NIA (UNII: 5138 Q 19 F1X) (AMMO NIA - UNII:5138 Q 19 F1X)	AMMO NIA	0.045 g in 0.3 mL

Inactive Ingredients

Ingredient Name Strength

ALCOHOL (UNII: 3K9958V90M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1 NDC:0498-3334-00 0.3 mL in 1 AMPULE; Type 0: Not a Combination Product

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 2 of 5

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source) NDC:0498-0121

Route of Administration TOPICAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Streng	th Strength
PO VIDO NE-IO DINE	(UNII: 85H0HZU99M) (IODINE - UNII:9679TC07	7X4) IODINE	10 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
NONOXYNOL-9 (UNII: 48Q180SH9T)		
WATER (UNII: 059QF0KO0R)		

ı	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information	
Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety			
Ingredient Name Basis of Strength Strength			
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
SO DIUM PHO SPHATE, MO NO BASIC, MO NO HYDRATE (UNII: 593YO G76RN)		
SO DIUM CHLO RIDE (UNII: 451W47IQ8X)		

	Packaging				
1	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 4 of 5

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information		
Item Code (Source)	NDC:0498-0750	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g		
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO 52I)	BACITRACIN	400 [iU] in 1 g		
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g		

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

	Packaging				
l	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

Part 5 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Treate ingredient reacty				
Ingredient Name	Basis of Strength	Strength		
(BENZALKONIUM CHLORIDE	1.3 mg in 1 mL		

Inactive Ingredients

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

Packaging

	#	# Item Code Package Description		Marketing Start Date	Marketing End Date
l	1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/22/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (079287321)

Registrant - Honeywell Safety Products USA, Inc. (079287321)

Establishment

Litablishinch						
Name	Address	ID/FEI	Business Operations			
James Alexander		040756421	manufacture(0498-3334)			

T	1 1	•				
Esta	h	16	h	m	Δ	nt

20 tu ono milient						
Name	Address	ID/FEI	Rusiness Operations			

Honeywell Safety Products USA, Inc	079287321	pack(0498-4135)

Establishment					
Name	Address	ID/FEI	Business Operations		
Water-Jel Technologies		155522589	manufacture(0498-0750)		

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment					
Name	Address	ID/FEI	Business Operations		
Changzhou Maokang Medical		421317073	manufacture(0498-0501)		

Establishment					
Name	Address	ID/FEI	Business Operations		
Sion Biotext Medical		532775194	manufacture(0498-0121)		

Revised: 5/2019 Honeywell Safety Products USA, Inc.