

TRIZCHLOR FLUSH- chlorhexidine gluconate solution
Dechra Veterinary Products

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

TrizChlor® Flush

For support of healthy skin for animals with conditions responsive to chlorhexidine.

Active Ingredients: 0.15% Chlorhexidine Gluconate, USP

Also Contains: Water; TrizEDTA® (Tromethamine, USP; Disodium EDTA, USP)

Directions for Use: SHAKE WELL BEFORE EACH USE. For use as an ear flush: apply to the ear canal and gently, but firmly, massage the base of the ear. For use on skin: squeeze flush over affected area. Use a cotton ball to remove excess solution.

Repeat as necessary or as directed by your veterinarian. Close cap tightly.

Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets.

Human Warning: Wash hands after use. Rare but serious allergic reactions have been reported with exposure to chlorhexidine gluconate.

Store at room temperature.

Available through licensed veterinarians.
Made in the USA.

Manufactured for:

Dechra Veterinary Products
7015 College Blvd.,
Overland Park, KS 66211
866.933.2472
www.dechra-us.com

TPW REV09/20

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Label

SHAKE WELL BEFORE USING

TrizCHLOR®

Flush

0.15% Chlorhexidine Gluconate, USP

Formulated for dogs, cats and horses

Antimicrobial, antibiofilm

4 fl. oz. (118 mL)

SHAKE WELL BEFORE USING SHAKE WELL BEFORE USING SHAKE WELL BEFORE USING

TrizCHLOR[®]

Flush
0.15% Chlorhexidine Gluconate, USP
Formulated for dogs, cats and horses
Antimicrobial, antibiofilm



4 fl. oz. (118 mL)



For support of healthy skin for animals with conditions responsive to chlorhexidine.

Active Ingredients: 0.15% Chlorhexidine Gluconate, USP

Also Contains: Water; TrizEDTA[®] (Tromethamine, USP; Disodium EDTA, USP)

Directions for Use: SHAKE WELL BEFORE EACH USE. For use as an ear flush: apply to the ear canal and gently, but firmly, massage the base of the ear. For use on skin: squeeze flush over affected area. Use a cotton ball to remove excess solution.

Repeat as necessary or as directed by your veterinarian. Close cap tightly.

Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets.

Human Warning: Wash hands after use. Rare but serious allergic reactions have been reported with exposure to chlorhexidine gluconate.

Store at room temperature.

Available through licensed veterinarians.
For Veterinary Use Only.

Manufactured for:
Dechra Veterinary Products
7015 College Blvd.
Overland Park, KS 66211
(866) 933-2472
www.dechra-us.com



3 17033 24904 8

TPW REV07/23-V

TRIZCHLOR FLUSH

chlorhexidine gluconate solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17033-249
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	1.5 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17033-249-04	118 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		06/01/2016	

Labeler - Dechra Veterinary Products (362142734)

Revised: 4/2024

Dechra Veterinary Products