

HYDROCORTISONE- anti-itch ointment
Cardinal Health

CR-1138 Hydrocortisone Acetate 1% Ointment, NDC 70000-0489-1

Active Ingredient

Hydrocortisone Acetate

Purpose

Antipruritic (Anti-Itch)

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumak, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine and anal itching

Warnings

For external use only

If pregnant or breast-feeding,

ask a health professional before use

Do not use

- in the eyes
- for diaper rash
- for external genital or feminine itching if you have a vaginal discharge
- more than the recommended daily dosage unless directed by a doctor
- this product in the rectum by using finger or any mechanical device

Stop use and ask a doctor if

condition worsens or if symptoms persist more than 7 days or clear up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days, or if bleeding occurs near anus when used for anal itching

If swallowed, get medical help or contact a poison control center (1-800-222-1222) right away.

Directions

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: consult a doctor.

- When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: consult a doctor before using for anal itching.

Other Information

- Store at room temperature
- Avoid excessive heat

Inactive Ingredients

Liquid Paraffin, Sorbitan Sesquioleate, White Soft Paraffin

Questions and comments?

1-888-396-2739

Label

Drug Facts

Active Ingredient

Hydrocortisone Acetate 1%

Purpose

Antipruritic (Anti-Itch)

Uses For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching.

Warnings

For external use only

■ **Pregnant or breast-feeding**, ask a health professional before use.

Do not use ■ in the eyes ■ for diaper rash ■ for external genital or feminine itching if you have a vaginal discharge ■ more than the recommended daily dosage unless directed by a doctor ■ this product in the rectum by using finger or any mechanical device or applicator.

Stop use and ask a doctor if

■ condition worsens or if symptoms persist more than 7 days or clear up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days, or if bleeding occurs near anus when used for anal itching.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ **Adults and children 2 years of age and older:** Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: consult a doctor.

■ **When used for anal itching,** cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: consult a doctor before using for anal itching.

Other Information

■ Store at room temperature ■ Avoid excessive heat

Inactive Ingredients

Liquid Paraffin, Sorbitan Sesquioxide, White Soft Paraffin

Questions and comments?



Return to place of purchase if not satisfied.
100% Money Back Guarantee
All LEADER™ Brand Products Have A
trademarks or registered trademarks of Cardinal Health.
© 2019 Cardinal Health. All Rights Reserved. CARDINAL HEALTH,
the Cardinal Health logo, LEADER, and the Leader logo are

CardinalHealth™
DUBLIN, OH 43017
www.leader.com
1-800-200-6315
Essential to Care™ since 1979
Made in India

1 OZ (28.4 g)

100% Money Back Guarantee

Relieves Itches and Rashes Due To:
Eczema, Psoriasis, Seborrheic Dermatitis,
Poison Ivy, Oak and Sumac, Insect Bites, External Genital,
Feminine, and Anal Itching, Soaps, Detergents, Cosmetics, Jewelry

Hydrocortisone Ointment
Maximum Strength
Hydrocortisone Acetate, 1% | Anti-Itch

NDC 70000-0489-1

LEADER
TM



HYDROCORTISONE

anti-itch ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0489
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0489-1	72 in 1 CASE	02/01/2019	
1		1 in 1 BOX		
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/01/2019	

Labeler - Cardinal Health (063997360)

Revised: 11/2024

Cardinal Health