

**4304 FIRST AID KIT- 4304 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**4304 First Aid Kit (ammonia inh, EW, Burn Sray, BZK wipe, triple, ASA- SF00004362)**

**Eyesaline**

***Active ingredient***

Sterile Water 99%

**Eyesaline**

***Purpose***

Eyewash

**Eyesaline**

***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

**Eyesaline**

***Warnings***

**For external use only-**

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

**Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

**Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Eyesaline**

***Directions***

- remove contacts before using
- twist top to remove

- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

## **Eyesaline**

### ***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

## **Eyesaline**

### ***Questions***

1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

## **Burn Spray**

### ***Active ingredient***

Benzethonium chloride 0.2% w/w

Benzocaine 10% w/w

Menthol 0.33% w/w

## **Burn Spray**

### ***Purpose***

Benzethonium chloride 0.2% w/w

Benzocaine 10% w/w

Menthol 0.33% w/w

## **Burn Spray**

### **Uses**

for the temporary relief of pain and itching and helps protect against infection in:

- minor cuts and scrapes
- burns
- sunburn
- insect bites
- minor skin irritations

## **Burn Spray**

### ***Warnings***

#### **For external use only**

#### **Flammable**

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120 °F

#### **Do not use**

- in or near the eyes or other mucous membranes

- in case of serious burns
- in case of deep or puncture wounds
- for prolonged period of time
- on large portion of the body

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

**Keep out of the reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Burn Spray**

***Directions***

- clean the affected area
- shake can well before using
- hold 4 - 6 inches from surface and spray area until wet
- may be covered with a sterile bandage, if bandaged let dry first
- for adult institutional use only
- not intended for use on children

**Burn Spray**

***Other information***

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating or inhaling the contents may be harmful or fatal

**Burn Spray**

***Inactive ingredients***

dipropylene glycol, isobutane, n-butane, propane

**Ammonia**

***Active ingredient***

Ammonia 15%

**Ammonia**

***Purpose***

Respiratory stimulant

**Ammonia**

***Uses***

- to prevent or treat fainting

**Ammonia**

## **Warnings**

### **For external use only**

### **Do not use**

- if you have breathing problems such as asthma or emphysema

### **Stop use and ask a doctor if**

- condition persists

### **Keep out of reach of children**

If swallowed get medical help or contact a Poison Control Center right away.

## **Ammonia**

### **Directions**

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

## **Ammonia**

### **Other information**

- store at room temperature away from light

## **Ammonia**

### **Inactive ingredients**

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

## **Ammonia**

### **Questions or Comments?**

1-800-430-5490

## **BZK**

### **Active ingredient**

Benzalkonium chloride 0.13% w/v

## **BZK**

### **Purpose**

First aid antiseptic

## **BZK**

### **Uses**

Antiseptic cleansing of face, hands, and body without soap and water

## **BZK**

### **Warnings**

## **For external use only**

### **Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

### **Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **BZK**

### ***Directions***

- tear open packet and use as a washcloth

## **BZK**

### ***Other information***

- store at room temperature 15<sup>0</sup> to 30<sup>0</sup> C (59<sup>0</sup> - 86<sup>0</sup> F)
- do not reuse towelette

## **BZK**

### ***Inactive ingredient***

water

## **BZK**

### ***Questions***

1-800-430-5490

## **Triple**

### ***Active ingredient (each gram contains)***

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

## **Triple**

### ***Purpose***

First aid antibiotic

First aid antibiotic

First aid antibiotic

## **Triple**

### ***Uses***

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

## **Triple**

### ***Warnings***

#### **For external use only**

**Allergy alert** do not use if you are allergic to any of the ingredients

#### **Do not use**

- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- a deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

#### **Keep out of the reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Triple**

### ***Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Triple**

### ***Other information***

- store at 15<sup>0</sup> to 25<sup>0</sup> C (59<sup>0</sup> to 77<sup>0</sup> F)
- tamper evident sealed packets
- do not use if packet is torn or opened

## **Triple**

### ***Inactive ingredient***

petrolatum

## **Triple**

## **Questions**

1-800-430-5490

## **Aspirin**

### **Active ingredient**

Aspirin 325 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

## **Aspirin**

### **Purpose**

Pain reliever/fever reducer

## **Aspirin**

### **Uses**

temporarily reduces fever and relieves minor aches and pains associated with:

- a cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual periods

## **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

## **Stomach bleeding warning:**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher

- if you are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

## **Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug for diabetes, gout or arthritis

**Stop use and ask a doctor if**

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- ringing in the ears or loss of hearing occurs
- any new symptoms appear

**If pregnant or breast-feeding,**

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last three months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

In case of overdose, get medical help or contact Poison Control Center right away.

**Aspirin*****Directions***

- drink a full glass of water with each dose
- adults and children 12 years of age and older: take 1 or 2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24
- children under 12 years of age consult a doctor

**Aspirin*****Other information***

- store at room temperature 15° - 30°C (59° - 86°F)
- TAMPER EVIDENT PACKETS
- DO NOT USE IF OPEN OR TORN

**Aspirin*****Inactive ingredients***

corn starch, croscarmellose sodium\*, hypromellose\*, microcrystalline cellulose\*, mineral oil\*, polyethylene glycol\*, povidone, propylene glycol, silicon dioxide, stearic acid\*, titanium ...



## **Aspirin**

### **Questions or comments?**


1-800-430-5490

## **4304**

### **SF00004326 Kit Contents**

1 1X3 PLASTIC 100/BOX  
1 FINGERTIP "T" WOVEN 40/BOX  
1 1X3 WOVEN SING 50/BOX  
1 SWIFT KNUCKLE 40/BX  
1 AMMONIA INHALANTS 10 PER  
1 INSTANT COLD PACK 4" X 6"  
1 ELASTIC TAPE 1" X 5YD  
1 O/H TAPE ADHESIVE TRI-CUT  
1 O/H PUMP BURN RELIEF 2 OZ ID G  
1 FIRST AID GUIDE ASHI  
4 GAUZE CLEAN-WRAP BDGE N/S 2"  
1 BLOODSTOPPER  
1 GZE PADS STERILE 4"X 4" 10'S  
1 GZE PADS STERILE 2"X 2" 25'S  
1 CO-FLEX BANDAGE 2"X 5YDS TAN  
1 COTTON TIPS 100 PER VIAL  
1 ANTISEPTIC WIPES BZK CHL 20'S  
1 ASPIRIN IND PK 5 GR 2/ENV 250  
1 TRIPLE BIOTIC .5 GRAM PKT 20  
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE  
1 SCISSOR BDGE 4" RED PLS HDL  
1 KIT TWEEZER 3 1/2" SLANTED  
1 F A KIT EMPTY BLANK 140  
1 TONGUE BLADES SR WRAPPED 6'S  
1 LBL STOCK 6-3/8"X4"  
1 LBL STOCK 4"X2-7/8"  
1 LBL STOCK 3"x1-7/8"  
2 PR LRG NITRILE GLVES ZIP BAG  
2 TRI BNDG NON WOVEN 40"X40"X56"  
10 NON ADHERENT PAD 2" X 3"  
1 RED BIO BAGS 2/BX

# Eyesaline Principal Display Panel



## eyesaline®

**LAVAOJOS  
EYESALINE**

Solución  
Isotónica Estéril

**EYESALINE  
EYEWASH**

Sterile  
Isotonic Solution


**LAVAGE  
OCULAIRE  
EYESALINE**

La Solution  
Isotonique Stérile

**16 fl. oz. (473 mL)**

TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

NPN: 80057528



3 64809 1 45033 117

**Drug Facts (for USA only)**

<b>Active ingredient</b> Sterile water 99%	<b>Purpose</b> Eyewash
<b>Uses</b> for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.	
<b>Warnings</b> <b>For external use only</b> - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.	
<b>Do not use</b> • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away	
<b>Stop use and consult a doctor if:</b> • you experience eye pain      • changes in vision • continued redness or irritation of the eye • condition worsens or persists	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • remove contacts before using      • twist top to remove • flush the affected area as needed • control rate of flow by pressure on the bottle • if necessary, continue flushing with emergency eyewash or shower	
<b>Inactive ingredients</b> sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic	
<b>Questions?</b> Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

REORDER (NUEVO PEDIDO) REAPPROVISIONNEMENT #32-00454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER

### Datos de medicamento (Para EE.UU. solamente)

<b>Ingrediente Activo</b> Agua estéril 99%	<b>Propósito</b> Lavaojos
<b>Usos</b> para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro	
<b>Advertencias</b> <b>Para el uso externo sólo</b> - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. <b>No se use</b> • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato	
<b>Deje de usar y consulte a un médico si:</b> • experimenta dolor de ojo      • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste	
<b>Manténgase fuera del alcance de los niños.</b> En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
<b>Instrucciones</b> • quite los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia	
<b>Ingredientes inactivos</b> cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
<b>¿Preguntas?</b> Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

### Information

<b>Usages</b> Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
<b>Advertissements</b> <b>Pour usage externe seulement</b> - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les. <b>Ne pas utiliser</b> • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin
<b>Cesser d'utiliser la solution et consulter un médecin</b> • vous ressentez une douleur oculaire      • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste
<b>Garder hors de la portée des enfants.</b> En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
<b>Mode d'emploi</b> • enlever les verres de contact avant l'utilisation      • dévisser le bouchon pour l'enlever      • rincer la zone touchée selon les besoins      • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
<b>Ingédients</b> eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
<b>Des questions?</b> Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

# Burn Spray Principal Display Panel

SHAKE WELL BEFORE USING

# Honeywell BURN SPRAY

Water soluble  
**Benzethonium chloride**  
Topical antiseptic  
**Benzocaine**  
Topical anesthetic  
**Menthol**  
Topical anesthetic

Provides antiseptic treatment  
and helps relieve the pain of minor burns  
and sunburn.

**CAUTION: FLAMMABLE**  
Contents under pressure  
Read warning on back panel.

NET WT. 3 OZ (85gm.)

47.0306

Cat. No. 201005

## DRUG FACTS

### Active ingredients

	Purpose
Benzethonium chloride 0.2% w/w	Topical antiseptic
Benzocaine 1.0% w/w	Topical anesthetic
Menthol 3.3%	Topical anesthetic

**Uses** • for the temporary relief of pain and itching and helps to protect against infection in  
• minor cuts and scrapes • burns • sunburn • insect bites • minor skin irritations

### Warnings

#### For external use only

**Flammable** • keep away from fire or flame • contents under pressure  
• do not puncture or incinerate container • do not expose to temperatures above 120°F

**Do not use** • in or near eyes or other mucus membranes • in case of serious burns  
• in case of deep or puncture wounds • for a prolonged period of time  
• on large portion of the body

#### Stop use and ask a doctor if:

• conditions worsens or symptoms persist for more than 7 days  
• condition clears up and recurs within a few days  
• redness, swelling or irritation occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean the affected area • shake can well before using

• hold 4-6 inches from surface and spray area until wet  
• may be covered with a sterile bandage. If bandaged, let dry first  
• for adult institutional use only • not intended for use on children

### Other information

• avoid inhaling • use only as directed  
• intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

**Inactive ingredients** dipropylene glycol, isobutane, n-butane, propane

**Questions or comments?** 1-800-430-5490





Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

**Honeywell**

**Ammonia**  
*Principal Display Panel*

796006 Rev. E Unit Carton Printing Plate for "A" size carton.



796006 Rev. E (page 3 of 3)

**Principal Display Panel**

47001083  
Rev B

**Antiseptic Towelettes**

**Honeywell**

**02-16-35MD**

---

**Antiseptic Towelettes**

---

**Benzalkonium chloride**  
**First aid antiseptic**

---

**Six-Saturated Towelettes**

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917


47001083  
Rev B

**Antiseptic Towelettes**

**Honeywell**

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Benzalkonium chloride 0.133% w/v	First aid antiseptic
<b>Uses</b> • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds	
<b>Warnings</b> For external use only	
<b>When using this product</b> • do not use in the eyes or apply over large areas of the body	
<b>Ask a doctor before use</b> • in case of deep or puncture wounds, animal bites, or serious burns	
<b>Stop use and consult a doctor if</b>	
• irritation, redness or other symptoms develop • condition persists or gets worse	
<b>Do not use</b> • longer than 1 week unless directed by doctor	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • tear open packet, unfold and use as washcloth	
<b>Other Information</b>	
• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette	
<b>Inactive ingredient</b>	water
<b>Questions or comments</b>	1-800-430-5490

**Triple  
Principal Display Panel**



**Aspirin**  
**Principal Display Panel**



4304 Kit Label  
SF0004362

7722-01 Rev C.pdf 1 9/5/2018 2:18:46 PM

7722-01 Rev C

**Drug Facts (in each tablet)**  
**Aspirin 325mg (NSAID)**  
 Pain reliever / fever reducer

**Warnings**  
 Nonsteroidal anti-inflammatory drug  
 Aspirin 325mg (NSAID)  
 Use temporarily reduces fever and relieves minor aches and pains associated with:  
 - cold - headache - toothache - menstrual aches - backache - minor pain of arthritis  
 - premenstrual and menstrual periods

**Key Message:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, changes in behavior with nausea and vomiting occur. Consult a doctor because these symptoms could be an early sign of Reye's Syndrome, a rare but serious illness.

**ASPIRIN 325 MG**  
**(NSAID)**  
**Pain Reliever / Fever Reducer**

**25 Packets (2 Tablets per Packet)**  
**Total quantity 50 Tablets**

**ASPIRIN 325 MG**  
**25 Packets (2 Tablets per Packet)**  
**Total quantity 50 Tablets**

35222AA

6 9635153168 2

Disturbed by  
 Honeywell Safety  
 Products USA, Inc.  
 Smithfield, RI 02917

**Drug Facts (continued)**  
**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:  
 • hives • facial swelling • asthma (wheezing) • shock

**Stomach bleeding warning:** This product contains an NSAID which may cause severe stomach bleeding. The chance is higher if you:  
 • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed

**Do not use** if you are allergic to aspirin or any other pain reliever/fever reducer

**Ask a doctor before use if** - stomach bleeding warning applies to you - you have a history of stomach problems such as heartburn - you have high blood pressure, heart disease, liver cirrhosis, or kidney disease - you are taking a diuretic - you have asthma

**Ask a doctor or pharmacist before use if you are** taking a prescription drug for diabetes, gout or arthritis

**Stop and ask a doctor if** - you experience any of the following signs of stomach bleeding:  
 • feel faint • vomit blood • have bloody or black stools • have stomach pain that does not get better  
 • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days  
 • redness or swelling is present in the painful area • ringing in the ears or loss of hearing occurs  
 • any new symptoms appear

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

**Drug Facts (continued)**  
**Directions** - drink a full glass of water with each dose  
 • adults and children 12 years of age and older: take 1 - 2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24 hours  
 • children under 12 years of age: consult a doctor

**Other information** - Store at room temperature 15° - 30° C (59° - 86° F)  
 • **TAKE PER EVENING PACKETS. DO NOT USE IF OPEN OR TORN.**

**Inactive ingredients** - corn starch, croscarmellose sodium, hypromellose, microcrystalline cellulose, mineral oil, polyethylene glycol, povidone, propylene glycol, silicon dioxide, stearic acid, titanium dioxide

**Questions or comments?** 1-800-430-5490

**ASPIRIN 325 MG**  
**25 Packets (2 Tablets per Packet)**  
**Total quantity 50 Tablets**



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

## 4304 FIRST AID KIT

4304 first aid kit kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4304
--------------	----------------	--------------------	---------------



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4304-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE, SPRAY	59 mL
Part 3	20 PACKET	10 g
Part 4	10 AMPULE	3 mL
Part 5	20 PACKET	28 mL
Part 6	125 PACKET	250

**Part 1 of 6****EYESALINE EMERGENCY EYEWASH**

purified water liquid

**Product Information**

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

## Part 2 of 6

### BURN RELIEF

lidocaine hydrochloride spray

#### Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/18/2018	

## Part 3 of 6

# TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

## Product Information

Item Code (Source) NDC:0498-0750

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

## Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-36	0.5 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

## Part 4 of 6

# AMMONIA INHALENT

ammonia inhalent inhalant

## Product Information

<b>Item Code (Source)</b>	NDC:0498-3334
<b>Route of Administration</b>	RESPIRATORY (INHALATION)

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M)	

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		09/18/2018	

**Part 5 of 6**

**ANTISEPTIC TOWELETTE**

benzalkonium chloride liquid

<b>Product Information</b>	
<b>Item Code (Source)</b>	NDC:0498-0501
<b>Route of Administration</b>	TOPICAL

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/21/2017	

## Part 6 of 6

### ASPIRIN

aspirin tablet

## Product Information

Item Code (Source)	NDC:0498-0114
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)	
MINERAL OIL (UNII: T5L8T28FGP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

## Product Characteristics

Color	white (white)	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	FR21
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0114-01	2 in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	09/18/2018	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

**Labeler** - Honeywell Safety Products USA, INC (079287321)

**Establishment**

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

**Establishment**

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4304)

**Establishment**

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	manufacture(0498-0114)

**Establishment**

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0750, 0498-0221)

**Establishment**

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

**Establishment**

Name	Address	ID/FEI	Business Operations
Changzhou Mao kang Medical		421317073	manufacture(0498-0501)