

WALGREENS LICE ELIMINATION- piperonyl butoxide, pyrethrum extract

Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens Lice Killing Shampoo Kit

Active ingredient

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

Uses

treats head, pubic (crab), and body lice

Purpose

Lice treatment

Warnings

For external use only

Do not use

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years**: ask a doctor

Other information

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Package Insert

1-2-3 Tratamiento Sistemático Para La Eliminación De Piojos Con Peine Equipo Completo De Eliminación De Piojos

PASO 1: SHAMPOO



PASO 2: PEINAR



PASO 3: CLARO



• **SHAMPOO:** Para peinar la zona afectada, primero se debe lavar el cabello con el champú. Después, se debe aplicar el champú en la zona afectada y masajear suavemente.

• **PEINAR:** Después de lavar el cabello, se debe peinar con el peine para eliminar los piojos y sus huevos. Se debe peinar con cuidado y lentamente.

• **CLARO:** Después de peinar, se debe aplicar el acondicionador para suavizar el cabello y facilitar el peinado.

Indicaciones de Uso

Longitud del Cabello	Cantidad de Shampoo	Cantidad de Peine	Cantidad de Acondicionador
Corto	1/2 oz (14.3 ml)	1/2 oz (14.3 ml)	1/2 oz (14.3 ml)
Mediano	1 oz (28.3 ml)	1 oz (28.3 ml)	1 oz (28.3 ml)
Largo	1 1/2 oz (42.5 ml)	1 1/2 oz (42.5 ml)	1 1/2 oz (42.5 ml)

• **Indicaciones de Uso:** Este producto se debe utilizar en el cabello limpio y húmedo.

Indicaciones de Uso

Longitud del Cabello	Cantidad de Shampoo	Cantidad de Peine	Cantidad de Acondicionador
Corto	1/2 oz (14.3 ml)	1/2 oz (14.3 ml)	1/2 oz (14.3 ml)
Mediano	1 oz (28.3 ml)	1 oz (28.3 ml)	1 oz (28.3 ml)
Largo	1 1/2 oz (42.5 ml)	1 1/2 oz (42.5 ml)	1 1/2 oz (42.5 ml)

1. **SHAMPOO:** Para peinar la zona afectada, primero se debe lavar el cabello con el champú. Después, se debe aplicar el champú en la zona afectada y masajear suavemente.
2. **PEINAR:** Después de lavar el cabello, se debe peinar con el peine para eliminar los piojos y sus huevos. Se debe peinar con cuidado y lentamente.
3. **CLARO:** Después de peinar, se debe aplicar el acondicionador para suavizar el cabello y facilitar el peinado.
4. **REVISIÓN DIARIA:** Después de aplicar el tratamiento, se debe revisar el cabello diariamente para detectar cualquier piojo o huevo que pueda haber quedado.

1. **SHAMPOO:** Para peinar la zona afectada, primero se debe lavar el cabello con el champú. Después, se debe aplicar el champú en la zona afectada y masajear suavemente.
2. **PEINAR:** Después de lavar el cabello, se debe peinar con el peine para eliminar los piojos y sus huevos. Se debe peinar con cuidado y lentamente.
3. **CLARO:** Después de peinar, se debe aplicar el acondicionador para suavizar el cabello y facilitar el peinado.
4. **REVISIÓN DIARIA:** Después de aplicar el tratamiento, se debe revisar el cabello diariamente para detectar cualquier piojo o huevo que pueda haber quedado.

- Lista de Verificación**
- Aplicar el champú en la zona afectada.
 - Peinar con cuidado y lentamente.
 - Aplicar el acondicionador para suavizar el cabello.
 - Revisar el cabello diariamente para detectar cualquier piojo o huevo.

SEGUNDO TRATAMIENTO

Después de aplicar el tratamiento, se debe esperar 7 días antes de aplicar el segundo tratamiento. Este producto se debe aplicar en el cabello limpio y húmedo.

REVISIÓN DIARIA

Después de aplicar el tratamiento, se debe revisar el cabello diariamente para detectar cualquier piojo o huevo que pueda haber quedado.

Preguntas más Frecuentes

• **¿Cuánto tiempo tarda en hacer efecto el tratamiento?** El tratamiento comienza a hacer efecto inmediatamente después de ser aplicado.

• **¿Puedo usar este producto si tengo el cabello teñido?** Sí, este producto es seguro para usar en el cabello teñido.

• **¿Puedo usar este producto si tengo la piel sensible?** Sí, este producto es seguro para usar en la piel sensible.

• **¿Puedo usar este producto si tengo el cabello muy largo?** Sí, este producto es seguro para usar en el cabello muy largo.

• **¿Puedo usar este producto si tengo el cabello muy seco?** Sí, este producto es seguro para usar en el cabello muy seco.

• **¿Puedo usar este producto si tengo el cabello muy graso?** Sí, este producto es seguro para usar en el cabello muy graso.

• **¿Puedo usar este producto si tengo el cabello muy fino?** Sí, este producto es seguro para usar en el cabello muy fino.

• **¿Puedo usar este producto si tengo el cabello muy oscuro?** Sí, este producto es seguro para usar en el cabello muy oscuro.

• **¿Puedo usar este producto si tengo el cabello muy claro?** Sí, este producto es seguro para usar en el cabello muy claro.

Consumer Information - Package Insert English insert

1-2-3 LICE TREATMENT SYSTEM WITH COMB

Complete Lice Elimination Kit

STEP 1: LICE KILLING SHAMPOO

Shampoo kills lice on contact



STEP 2: COMB-OUT SPRAY

Hair spray & comb gently removes lice eggs



This product should be used AFTER Lice Killing Shampoo.

STEP 3: HOME SPRAY

Spray kills lice, bedbugs and ticks on bedding & furniture



NOTE:

- Use **care** to protect eyes from treatment and prevent clothes from getting wet.
- Avoid lice killing shampoo from getting on **DEEP HAIR** or other affected areas.
- Washing the hair **after** the treatment, makes it **more effective**.
- Additionally, lice can fall from heads when immersed in water, making a difference for the active ingredients to penetrate them.

Usage Guidelines

Hair Length	Approximate Amount For 1 Adult Child
Short	For Application: 1.0 - 1.0 oz For Rinse: 1.0 - 1.0 oz
Medium	For Application: 2.0 - 2.0 oz For Rinse: 2.0 - 2.0 oz
Long	For Application: 3.0 - 4.0 oz For Rinse: 3.0 - 4.0 oz

1

- Apply shampoo to dry hair or other affected areas. For head lice, first apply behind ears and to back of neck.

2

- Leave product to remain for 10 minutes, out of hair.

3

- Add warm water and massage to form a lather.
- Rinse thoroughly.

4

- For head lice, comb dry hair and comb out nits.
- Proceed to Step 2.

A second treatment must be done in 7 to 10 days to kill any newly hatched lice.

NOTE:

- A **specialist** (not comb included) or any other lice-treated comb, must be used to remove lice eggs from hair.
- Before starting, have on hand:
 - Lice comb
 - Hair spray or hair gel
 - Small basket or paper bowl
 - Hair comb for parting and detangling hair
 - Showering cap
- For children, find a distraction to keep the combing process fun. Books, TV, games.
- Comb out damp hair with a regular wide-toothed comb to take out nits and tangles.

Usage Guidelines

Hair Length	Approximate Amount For 1 Adult Child
Short	For Application: 1.0 - 1.0 oz For Rinse: 1.0 - 1.0 oz
Medium/Long	For Application: 2.0 - 2.0 oz For Rinse: 2.0 - 2.0 oz

1

- Part hair to top. Comb-Out Spray to one section of hair. Do not apply to entire head at once, spray only ONE QUICKLY.
- Massage thoroughly until all strands of hair in the section are covered with the spray.
- Hold the comb with the teeth facing you.

2

- Lift a 1/2" to 1" wide strand of hair, place comb as close to scalp as possible and comb with a firm, steady motion away from scalp, from the roots to the ends of the hair strand. Lice eggs are found near the roots of the hair so it is important to get the teeth very close to the scalp.
- Rinse each strand of hair after combing.
- Place comb away from the head.
- Clean comb often. Wipe egg(s) if necessary with tissue and discard in a plastic bag. Wash comb and discard to prevent lice from coming back.

3

- Rinse the 1/2" wide strand you just finished combing with a bottle of hair gel.
- Lift up another 1/2" wide strand with spray and repeat the combing procedure.
- When one section with spray has been combed and rinsed, spray and comb another head has been combed and rinsed. Repeat hair spray every 1 to 2 hours.

4

- Repeat the hair spray during combing and rinsing. Use 8 Egg Comb-Out Spray as needed. Repeat during combing. Shampoo with water.
- After combing, thoroughly rock for lice eggs into shampoo. Repeat combing if necessary. If finished, you may also wash with regular shampoo.
- Check hair for any lice eggs once they are rinsed.
- If infestation continues, see a doctor for other treatments.

- Use Lice Killing & Mite Spray for Bed and Your Eggs on mattresses, furniture, and other household items. Regular disinfectant spray will not kill lice and their eggs.
- After spraying the infested area, rearrange and vacuum, dispose of the vacuum cleaner bags after use.
- Repeat disinfecting, washable fabrics, towels, sheets, and bed items in hot water. Dry in dryer heat for at least 20 minutes.
- Dry clean non-washables.
- Personal items and pet items may be disinfected by soaking in hot water (above 130°F/50°C) for at least 10 minutes.
- Place stuffed toys in plastic bags and seal them for 4 weeks.

Checklist

- Hair and scalp condition
- Clothes, shoes, accessories
- Bedding
- Towels
- Stuffed animals, toys
- Headphones
- Hats
- Hairbrushes
- Hair clips
- Hair ties
- Hairnets
- Hair rollers
- Hair spray
- Hair cream
- Hair gel
- Hair oil
- Hair conditioner
- Hair serum
- Hair wax
- Hair pomade
- Hair mousse
- Hair spray
- Hair cream
- Hair gel
- Hair oil
- Hair conditioner
- Hair serum
- Hair wax
- Hair pomade
- Hair mousse

SECOND TREATMENT

Repeat the same procedure in 7-10 days for

STEP 1: CLEAN and STEP 2: COMB

There may be some eggs that were not combed after the first treatment. These eggs will hatch and need to be killed with the second treatment.

DAILY CHECKING

To prevent reinfestation

Comb infested strands through combing for at least 2 weeks. If you see eggs or nits, repeat Step 1. Check other family members for head lice. Shampoo hair in the bath to help prevent lice from coming back. Repeat Step 1 with dry conditioner or leave with which they have come into contact.

Frequently Asked Questions

1. HEAD LICE

- Lice spread with eggs that hatch after 6-10 days.
- Infested hair may include combs, caps, bangs, and bed items to help eradicate lice and remove nits (eggs). Use any before step can be of best results.
- Lice that come to school/daycare. Adults, children, and pets should be checked for lice. Wash and disinfect items that come in contact with lice. Lice can live up to 48 hours on surfaces.

2. BODY LICE

- Lice that live on the body, especially in the hair of the head, neck, and armpits.
- Lice that live on the body, especially in the hair of the head, neck, and armpits.
- Lice that live on the body, especially in the hair of the head, neck, and armpits.

3. BODY LICE

- Lice that live on the body, especially in the hair of the head, neck, and armpits.
- Lice that live on the body, especially in the hair of the head, neck, and armpits.
- Lice that live on the body, especially in the hair of the head, neck, and armpits.

4. BODY LICE

- Lice that live on the body, especially in the hair of the head, neck, and armpits.
- Lice that live on the body, especially in the hair of the head, neck, and armpits.
- Lice that live on the body, especially in the hair of the head, neck, and armpits.

Spanish

Lice Killing Shampoo

Drug Facts (continued)

- Hair should remain **dry** after rinsing with shampoo.
- If hair dries during combing, dampen **lightly** with water.
- For best use, part hair into sections. Do one section at a time starting at top of head. Longer hair may take 1 to 2 hours.
- If it is to be used on areas of the head, there exists a risk to skin as possible (see comb with a view, over moisture away from scalp).
- Do not back comb or brush hair after rinsing.
- Wash comb after, clean the comb with soap and discard in a plastic bag. Soak and discard in plastic bag from combing.
- After combing, thoroughly check for lice. Repeat combing if necessary.
- Check comb for any lice that may be missed.
- A second treatment must be done in 7 to 10 days to kill any newly hatched lice.
- If infestation persists, see a doctor for other treatments.
- **Use in Kids under 2 years:** Ask a doctor.

Other Information

- Do not freeze.
- Store at controlled room temperature, 20°C to 25°C (68°F to 77°F).
- See package insert for additional information.

Active Ingredients

pyrethrum extract 0.01%, piperonyl butoxide 0.01%, pyrethrum extract 0.01%, piperonyl butoxide 0.01%

Home Spray

Exposure to temperatures above 100°F may cause burning.

INDICATIONS/PURPOSE

For the elimination of lice from the scalp in persons treated with this kit.

Directions

Do Not Use on Humans

Do Not Use on Humans

Do not use on children under 2 years of age. Do not use on children or pets to be treated. Do not use on children or pets to be treated. Do not use on children or pets to be treated. Do not use on children or pets to be treated.

Warnings

• Do not use on children under 2 years of age.

Caution

• Do not use on children under 2 years of age.

Keep Out of Reach of Children

CAUTION

• Do not use on children under 2 years of age.

Walgreens

STEP 1: LICE KILLING SHAMPOO
Shampoo kills all kinds of lice on contact.

STEP 2: COMBING SPRAY
Hair spray and comb gently remove lice eggs.

STEP 3: HOME SPRAY
Spray kills lice, bedbugs and mites on bedding and furniture.

Walgreens

Compare to RID® Lice Killing Shampoo active ingredients!

Complete Lice Elimination Kit

1-2-3 LICE TREATMENT SYSTEM WITH COMB

MAXIMUM STRENGTH

Step 1 Lice Killing Shampoo
Step 2 Lice & Egg Combing Spray
Step 3 Home Spray

KEEP OUT OF REACH OF CHILDREN CAUTION

See back and side panels for additional information FOR EXTERNAL USE ONLY

See top panel for step details.

SHAMPOO: 4 FL OZ (118 mL)
COMBING SPRAY: 2 FL OZ (59 mL)
HOME SPRAY: NET WT 5 OZ (142 g)
1 NIT REMOVAL COMB INCLUDED

Walgreens

Lice Killing Shampoo

Drug Facts

Active Ingredients

Pyrethrum extract 0.01%, piperonyl butoxide 0.01%, pyrethrum extract 0.01%, piperonyl butoxide 0.01%

Warnings

• Do not use on children under 2 years of age.

Caution

• Do not use on children under 2 years of age.

Keep Out of Reach of Children

CAUTION

• Do not use on children under 2 years of age.

WALGREENS LICE ELIMINATION

piperonyl butoxide, pyrethrum extract kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-3255

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-3255-01	1 in 1 CARTON; Type 0: Not a Combination Product	01/03/2014	

Quantity of Parts			
Part #	Package Quantity	Total Product Quantity	
Part 1	1 BOTTLE	118 mL	

Part 1 of 1

LICE KILLING

piperonyl butoxide, pyrethrum extract shampoo

Product Information**Route of Administration** TOPICAL**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	40 mg in 1 mL
PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	3.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYQUATERNIUM-10 (400 MP.A.S AT 2 %) (UNII: HB1401PQFS)	
AMMONIUM LAURETH-2 SULFATE (UNII: 698O4Z48G6)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
PEG-25 HYDROGENATED CASTOR OIL (UNII: 0ZNO9PJJ9J)	

Product Characteristics

Color	yellow (cloudy to transparent, cream to straw)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358G	02/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358	10/28/2013	

Labeler - Walgreens (008965063)**Registrant** - Weeks & Leo Co., Inc. (005290028)

Establishment

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(0363-3255)

Revised: 2/2018

Walgreens