

NIGHTTIME SLEEP AID- diphenhydramine hcl solution
L.N.K. International, Inc.

Convenience Valet 44-002A

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic beverages.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?

1-877-507-6516 (M-F 8AM - 4:30PM CST)

Principal Display Panel

**24/7 Life
by 7-ELEVEN™**

**Nighttime
Sleep Aid**

Diphenhydramine HCl 50 mg per 30 mL / Nighttime Sleep-Aid
Non-Habit Forming / Not For Colds or For Pain

Ages 12 Years
and Over

compare to **Vicks®**
ZzzQuil® Nighttime
Sleep-Aid active ingredient*

6 FL OZ (177 mL)

Berry Flavor

**TAMPER EVIDENT: DO NOT USE IF PRINTED
NECK WRAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by The Procter & Gamble Company.
Vicks® and ZzzQuil® are trademarks of The Procter & Gamble Company.
50844 REV0223B00245 5643L-SE-07-23

Satisfaction Guaranteed
1-800-255-0711

DISTRIBUTED BY 7-ELEVEN, INC.
IRVING, TX 75063 WWW.7-ELEVEN.COM

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® and ZzzQuil® are trademarks of The Procter & Gamble Company. 50844 REV0223B00245 5643L-SE-07-23

Satisfaction Guaranteed
1-800-255-0711

DISTRIBUTED BY 7-ELEVEN, INC.
IRVING, TX 75063 WWW.7-ELEVEN.COM

PEEL HERE FOR MORE DRUG FACTS

24/7life BY 7-ELEVEN™

Nighttime Sleep Aid

Diphenhydramine HCl 50 mg per 30 mL / Nighttime Sleep-Aid
Non-Habit Forming / Not For Colds or For Pain

Ages 12 Years and Over

compare to Vicks® ZzzQuil® Nighttime Sleep-Aid active ingredient*

6 FL OZ (177 mL)

Berry Flavor

No Print / No Varnish Area

Drug Facts

Active ingredient (in each 30 mL) Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

Purpose

Uses ■ for relief of occasional sleeplessness
■ reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use ■ for children under 12 years of age
■ with any other product containing diphenhydramine, even one used on skin

0 52548 68976 6

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic beverages.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Other information

- each 30 mL contains: sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?
1-877-507-6516 (M-F 8AM - 4:30PM CST)

Convenience Valet 44-002A

NIGHTTIME SLEEP AID

diphenhydramine hcl solution

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:50844-250 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | | | |
|--|------------------|--|----------------------|--------------------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | | DIPHENHYDRAMINE HYDROCHLORIDE | 50 mg in 30 mL | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | | | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S) | | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | | | | |
| TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K) | | | | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | | | |
| SUCROSE (UNII: C151H8M554) | | | | |
| XANTHAN GUM (UNII: TTV12P4NEE) | | | | |
| | | | | |
| Product Characteristics | | | | |
| Color | purple | Score | | |
| Shape | | Size | | |
| Flavor | BERRY | Imprint Code | | |
| Contains | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:50844-250-45 | 177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 07/20/2019 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | | M010 | 07/20/2019 | |

Labeler - L.N.K. International, Inc. (038154464)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|--|
| LNK International, Inc. | | 967626305 | manufacture(50844-250) , pack(50844-250) |