

**CARECELLA VELVET COVER BB CREAM- octinoxate, titanium dioxide, zinc oxide cream
General Bio Co., Ltd.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Carecella Velvet Cover BB Cream

Directions

Apply the adequate amount onto the entire face at the last stage of your skin care routine.

Apply liberally 15 minutes before sun exposure.

Use a water-resistant sunscreen if swimming or sweating.

Children under 6 months of age: ask a doctor

Warnings

For external use only

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

Do not use when skin is red, inflamed, irritated, or painful

When using this product

do not apply on other parts of the body

do not use on damaged or broken skin

avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water

do not apply directly to wound or open cut

Stop use and ask a doctor if

Rash or irritation on skin develops and lasts

Inactive Ingredients

Water, Cyclopentasiloxane, Butylene Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Ethylhexyl Palmitate, Sorbitan Sesquioleate, Caprylic/Capric Triglyceride, Arbutin, Dimethicone, Dipropylene Glycol, CI 77492, Sodium Chloride, 1,2-Hexanediol, Beeswax, Disteardimonium Hectorite, Magnesium Aluminum Silicate, CI 77491, Hydroxyacetophenone,

Dimethicone/Vinyl Dimethicone Crosspolymer, CI 77499, PEG-10 Dimethicone Crosspolymer, Ozokerite, Aluminum Hydroxide, Triethoxycaprylylsilane, Lavandula Angustifolia (Lavender) Oil, Adenosine, Allantoin, Panthenol,

Chamomilla Recutita (Matricaria) Flower Extract,

Gentiana Lutea Root Extract, Artemisia Absinthium Extract, Portulaca Oleracea Extract, Acer Saccharum (Sugar Maple) Extract, Caprylyl Glycol.

Uses

Helps prevent sunburn

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Purpose

Sunscreen

Active Ingredient

Octinoxate (7.5%) ----- Sunscreen

Titanium Dioxide (4.2%) ----- Sunscreen

Zinc Oxide (7%) ----- Sunscreen

Carecella Velvet Cover BB Cream

케어셀라 벨벳 커버 비비크림

사이즈	37×37×170mm
원 단	로얄 아이보리지
색 상	9180C ■ Black
코팅	무광라미코팅

케어셀라 벨벳 커버 비비크림 VELVET COVER BB CREAM

미백·주름개선·자외선차단
기능성 화장품

[효능·효과] 피부의 미백에 도움을 준다. 피부의 주름 개선에 도움을 준다. 자외선으로부터 피부를 보호한다 (SPF50+, PA+++)

[용법·용량] 본 품 적당량을 취해 피부에 골고루 펴 바르십시오.

[사용방법] 기초 손질의 마지막 단계에서 적당량을 취해 피부결을 따라 얼굴 전체에 골고루 펴 바르십시오.

[전성분] 징제수, 사이클로펜타실록세인, 티타늄 디옥사이드, 에틸헥실에톡시산-쿠에이트, 징크옥사이드, 부틸렌글라이콜, 세틸피이피피자-10/1, 디메티콘, 에틸헥실팔미테이트, 솔비탄세스퀴에이트, 카프릴릭/카프릴트라이글리세리드, 알부틴, 디아미노, 디아프로필판글라이콜, 황색산화철, 스톱클로라이드, 1,2-헥산다이올, 비즈왁스, 디아스테아디에모늄헥토라이드, 미그네슘알루미늄실리케이트, 적색산화철, 하이드록시사이테페논, 디아메티콘비닐다이메티콘크로스폴리머, 흑색산화철, 피이피-10, 디아미노크로스폴리머, 오조카라이드, 알루미놀하이드록사이드, 트라이에톡시카르실릴실리케이트, 라벤더오일, 아데노신, 갈란토인, 판테놀, 마트리카리아꽃추출물, 겐티아나뿌리추출물, 산속수출물, 쇠비름추출물, 설랑단풍수출물, 카르필릴글라이콜

[사용 시의 주의사항] 1) 화장품 사용 시 또는 사용 후 직사광선에 의하여 사용부위가 붉은 반점, 부어 오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우 전문의 등과 상담할 것 2) 상처 및 화상 부위에는 사용을 자제할 것 3) 보라 및 칙색 시의 주의 사항 4) 어린이의 손이 닿지 않는 곳에 보관할 것 5) 직사광선에 피해서 보관할 것 6) 알부틴은 '인체적용시험자료'에서 규격과 경미한 가려움이 보고된 예가 있음



[Product Name] CareCella Velvet Cover BB Cream

Drug Facts

Activate Ingredients	Purpose
Octinoxate (7.5%) -----	Sunscreen
Titanium Dioxide (4.2%) -----	Sunscreen
Zinc Oxide (7%) -----	Sunscreen

Uses

• Helps prevent sunburn

Warning

For external use only
Skin Cancer/Skin Aging Alert : Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

Do not use when skin is red, inflamed, irritated, or painful

When using this product

• do not apply on other parts of the body
• do not use on damaged or broken skin
• avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water
• do not apply directly to wound or open cut

Stop use and ask a doctor if

• Rash or irritation on skin develops and lasts

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• Apply the adequate amount onto the entire face at the last stage of your skin care routine.
• Apply liberally 15 minutes before sun exposure.
• Use a water-resistant sunscreen if swimming or sweating.
• Children under 6 months of age : ask a doctor
• Reapply at least every 2 hours. - Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 am to 2 pm; and wear long-sleeve shirts, pants, hats, and sunglasses.

Other Information

• Avoid storing product in direct sunlight.

Inactive Ingredients

Water, Cyclopentasiloxane, Butylene Glycol, Cetyl PEG-PPG-10/1 Dimethicone, Ethylhexyl Palmitate, Sorbitan Sesquiolate, Caprylyl Glycol, Triglycerides, Albutin, Dimethicone, Dipropylene Glycol, CI 77492, Sodium Chloride, 1,2-Hexanediol, Beeswax, Distardimonium Lecithin, Magnesium Aluminum Silicate, CI 77491, Hydroxyacetophenone, Dimethicone/Vinyl Dimethicone Crosspolymer, CI 77499, PEG-10, Dimethicone Crosspolymer,

ISO 22716

BUREAU VERITAS
Certification





벨벳베비 37/37/170

CARECELLA VELVET COVER BB CREAM

octinoxate, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69422-1003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	2.1 g in 50 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.5 g in 50 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.75 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:69422-1003-2	1 in 1 BOX	05/10/2019	
1	NDC:69422-1003-1	50 g in 1 TUBE; Type 0: Not a Combination Product		

케어셀라 벨벳 커버 비비크림

사이즈	37×37×170mm
원 단	로얄 아이보리지
색 상	9180C ■ Black
코팅	무광라미코팅

케어셀라
벨벳 커버 비비크림
VELVET COVER BB CREAM

미백·주름개선·자외선차단
기능성 화장품

[효능·효과] 피부의 미백에 도움을 준다. 피부의 주름 개선에 도움을 준다. 자외선으로부터 피부를 보호한다 (SPF50+, PA+++)

[용법·용량] 본 품 적당량을 취해 피부에 골고루 펴 발라 준다.

[사용방법] 기초 손질의 마지막 단계에서 적당량을 취해 피부결을 따라 얼굴 전체에 골고루 펴 바릅니다.

[전성분] 정제수, 사이클로펜타실록세인, 티타늄 디옥사이드, 에틸헥실메톡시산-에이트, 징크옥사이드, 부틸렌글라이콜, 세발피아지피피자-10/1-다이메티콘, 에틸헥실글리세리드, 솔비탄세스퀴올레이트, 카프릴릭/카프릭트리아글리세라이드, 알부민, 다이메티콘 디프로필렌글라이콜, 황색산화철, 소듐클로라이드, 1,2-헥산다이올, 비즈왁스, 다이스테아디에모놀렉토라이드, 미그네슘알루미늄닐라게이트, 적색산화철, 하이드록시메틸셀룰로스, 다이메티콘폴리실록산, 메티콘크로스폴리머, 흑색산화철, 피아지-10다이메티콘크로스폴리머, 오조게라이트, 알부민헥사이드록사이드, 트라이에톡시카프릴알실레이트, 라세다오일, 아데노신, 알란토인, 멘티올, 이트라라리(아미추솔), 겐티아나뿌리추출물, 산수추출물, 수비름추출물, 설당단추추출물, 카프릴글라이콜

[사용 시의 주의사항] 1) 화장품 사용 시 모든 사용 후 직사광선에 의하여 사용부위가 붉은 반점, 부어 오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우 전문의 등과 상담할 것 2) 상처가 있는 부위 등에는 사용을 자제할 것 3) 보관 및 취급 시의 주의 사항 가 어린이의 손이 닿지 않는 곳에 보관 할 것 나) 직사광선을 피해서 보관할 것 4) 알부민은 '인체적용시험자료'에서 구진과 경미한 가려움 이 보고된 예가 있음

[화장품제조업자] (주)하나코스
강원도횡성군 내면 덕송로 160
[화장품책임판매자] 제니칼(비이오)주
전라북도 남원시 송문면 용무사로 254

General Bio Co.,Ltd.
MADE IN KOREA



독립 디어티스트
피부자극 테스트 완료



'B Corp'은 비즈니스를 통해 사회 환경적 문제를 해결하고, 사회적 공평성의 영감을 끼치는 기업임을 확대하기 위하여 2007년 US Lab(미국 비영리 조직)이 만든 글로벌 사회적 기업 인증 제도입니다.



본 제품에 이상이 있을 경우 공정거래
위원회 고지* 소비자 분쟁해결 기준*에
의해 보상해 드립니다.
소비자상담실 : 02-555-6009

지름홈페이지(www.gcoop.com)
하단 소비자상담센터 이용

CareCella

케어셀라 벨벳 커버 비비크림

CareCella
VELVET COVER
BB CREAM

케어셀라 벨벳 커버 비비크림

UVA/UVB PROTECTION
BROAD SPECTRUM



SPF 50+
PA +++

ALL IN ONE
MULTI ACTION
PROTECT•CORRECT•COVER

50mL (1.69 FL.OZ.)

[Product Name] CareCella Velvet Cover
BB Cream

Drug Facts

Activate Ingredients	Purpose
Octinoxate (7.5%)	----- Sunscreen
Titanium Dioxide (4.2%)	----- Sunscreen
Zinc Oxide (7%)	----- Sunscreen

Uses
• Helps prevent sunburn

Warning
For external use only
Skin Cancer/Skin Aging Alert :
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
Do not use when skin is red, inflamed, irritated, or painful

When using this product
• Do not apply on other parts of the body
• Do not use on damaged or broken skin
• Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water
• Do not apply directly to wound or open cut

Stop use and ask a doctor if
• Rash or irritation on skin develops and lasts

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
• Apply the adequate amount onto the entire face as the last step of your skin care routine.
• Apply liberally 15 minutes before sun exposure.
• Use a water-resistant sunscreen if swimming or sweating.
• Children under 6 months of age: ask a doctor
• Reapply at least every 2 hours. - Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including limit time in the sun, especially from 10 am to 2 pm, and wear long-sleeve shirts, pants, hats, and sunglasses.

Other Information
• Avoid storing product in direct sunlight.

Inactive Ingredients
Water, Cyclopentasiloxane, Butylene Glycol, Cetyl PEG/PPG-10 Dimethicone, Ethylhexyl Palmitate, Sorbitol Sebacoleate, Caprylic/Capric Triglyceride, Arbutin, Dimethicone, Dicaprylene Glycol, CI 77492, Sodium Chloride, 1,2-Hexanediol, Beeswax, Distalindinoneum Hectofite, Magnesium Aluminum Silicate, CI 77491, Hydroxyisopropylamine, Dimethicone/Vinyl Dimethicone Crosspolymer, CI 77489, PEG-10 Dimethicone Crosspolymer, Ozokerite, Aluminum Hydroxide, Triethoxy-caprylsilane, Lavandula Angustifolia (Lavender) Oil, Adenosine, Allantoin, Panthenol, Chamomilla Recutita (Matricaria) Flower Extract, Gentiana Lutea Root Extract, Artemisia Absinthium Extract, Portulaca Oleracea Extract, Acer Stachyum (Sugar Maple) Extract, Caprylyl Glycol.

[Contents] 50mL (1.69 FL.OZ.)
[Manufacturer] General Bio Co.,Ltd.,
254, Jongsan-ro, Songdong-myeon,
Namwon-si, Jeollabuk-do, Korea (55793)
[Distributed by] GCOOP USA CORP,
3483 Wilshire Blvd., Suite 2125,
Los Angeles, CA 90010
[Visit us at] us.gcoop.com
Made in Korea

벨벳비비 37/37/170

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/10/2019	

Labeler - General Bio Co., Ltd. (688299527)

Registrant - General Bio Co., Ltd. (688299527)

Establishment

Name	Address	ID/FEI	Business Operations
General Bio Co., Ltd.		688299527	manufacture(69422-1003)

Revised: 10/2019

General Bio Co., Ltd.