#### 4312 FIRST AID KIT- 4312 first aid kit Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### 4312 First Aid Kit (EW, alcohol wipe, sting relief- SF00004471)

#### Sting Relief Active ingredient

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

#### Sting Relief *Purpose*

Antiseptic Topical pain relief

### Sting Relief

Uses

• prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief *Warnings* 

#### For external use only

Flammable, keep away from open fire or flame

#### Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

#### Stop use and ask a doctor

• if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

#### Sting Relief

#### Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

### Inactive ingredients

benzalkonium chloride, menthol, and purified water

#### Sting relief *Questions or Comments*

1-800-430-5490

#### Eyewash *Active ingredient*

Sterile Water 99%

# Eyewash

Purpose

Eyewash

#### Eyewash

#### Uses

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

#### Eyewash *Warnings*

**For external use only**- Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

#### Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

#### Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

#### Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

#### Eyewash

#### Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

#### Eyewash Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

# Eyewash

Questions

1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

#### Alcohol Activo in gradi

Active ingredient

Isopropyl alcohol 70%

#### Alcohol Purpose

First aid antiseptic

# Alcohol

Uses

• first aid to help prevent infection in minor cuts, scrapes, and burns

# Stop use and consult a doctor if

• condition persists or gets worse

Alcohol Warnings

For external use only

### Flammable, keep away from fire and flame

### Do not use

- in or near eyes
- over large areas of the body

### Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

### When using this product

• do not use longer than 1 week unless directed by a doctor

### Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control center right away

# Alcohol Directions

clean the affected area

may be covered with a sterile bandage apply wipe to affeted are 1 to 3 times daily discard wipe after single use

### Alcohol

#### Other information

- store at room temperature  $15^{0}$  to  $25^{0}$  C (59  $^{0}$  to  $77^{0}$  F)
- do not use if packet is torn or opened

#### Alcohol

**Inactive ingredient** 

water

#### Alcohol *Questions*


1-800-430-5490

# 4312


### SF00004471 Kit Contents

1 TRIANGULAR BDG, NON-STERILE 1 INSTANT COLD PACK 4" X 6" 1 BUFFERED EYE WASH 1 OZ BTL 2 BANDAGE COMP, 4" OFFSET, 1 PER 1 ADHESIVE BDG,PLSTIC,1"X3"16PER 1 ADHESIVE BDG,PLSTIC,1"X3"16PER 1 FINGERTIP BANDAGE, 10 PER 1 ALCOHOL PREP PADS 10P 1 NITRILE GLOVES 2PR BBP LBL STOCK 6-3/8"X4" 1 LBL STOCK 6-3/8"X4" 1 LBL STOCK 3"x1-7/8" 2 WATER JEL BURN DRESSING 4 X 16 1 KIT STL 16 UN (VERTICAL) 1 LABL INSTR FA REV A 4 GAUZE PADS 3"X3" 12PLY 1 STING Relief WIPES 10

Sting Relief Principal Display Panel




Eyewash Principal Display Panel



Ingrediente Activo	
Agua estéril 99%	Propósito Lavaojos
Usos para el lavado de ojo para quitar las particulas sur los contaminantes aeros, o agua de cloruro	eltas y extrañas,
Advertencias Para el uso externo sólo - Obtenga tratamient inmediato para todas las heridas abiertas en o c Para evitar la contaminación, no toque la punta o ninguna superficie. No vuelva a usar. Vez abierto	erca de los ojos. lel envase con
No se use • si la solución se enturbia o cambi • si tiene heridas abiertas en o cerca del ojo, obte de inmediato	
Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visiór • rojez continuo o irritación del ojo • la condición empeora o persiste	
Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atenció a un Centro de control de envenenamiento inmer	in médica o llame diatamente.
Instrucciones • quitese los lentes de contacto antes de usar la • luerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión el la botella • si es necesario, sigue enjuagado con un lavaojos o d	a
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de	e sodio monobásico
¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, I	RI. 02917
Information	
Usages Pour le rinçage des yeux afin d'enlever un corps des polluants atmospheriques où de l'eau chloré	
Advertissements Pour usage externe seulement - Obtenir immé soins médicaux pour toutes les plaies ouvertes e yeux. Pour éviter toute contamination, ne pas to	diatement des dans ou près des ucher la pointe du
récipient à n'importe quelle surface. Ne pas réut ouvert, jetez-les.	iliser. Une fois
ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est • si vous avez des plaies ouverles aux yeux ou à	brouillée
ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est • si vous avez des plaïes ouvertes aux yeux ou à consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un n	brouillée proximité,
ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est • si vous avez des plaies ouvertes aux yeux ou à consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un n • vous ressentez une douleur oculaire • si vot • rouquer ou infration persistante des yeux	brouillée proximité, nédecin re vision change
ouvert, jetez-tes. Ne pas utiliser • si la solution a changé de couleur ou si elle est • si vous avez des plaies ouvertes aux yeux ou à consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un n • vous ressentez une douleur oculaire • si vol • rougeur ou initiation persistante des yeux • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatemen	brouillée proximité, nédecin re vision change tt avec un médecin • dévisser le és selon les solution en és sur le contenant
ouvert, jetez-les. Ne pas utiliser • si a solution a changé de couleur ou si elle est si vous avez des plaies ouvertes aux yeux ou à consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un n vous ressentez une douleur oculaire • soutine est de la portée des enfants. En cas d'ingestion, communiquer immédiatemer ou avec un centre antipoison. Mode d'emploi • enlever les verres de contact avant l'utilisation besoins - quister le débit d'écoulement de la augmentant ou refusional la porte des unession exerci- s in decessario yeutre d'écoulement de la augmentant ou refusional la pression exerci- s in decessario, continuer de rincer avec unesolo	brouillée proximité, nédecin re vision change t avec un médecin • dévisser le ée seltion les soltion les soltion de rincage n, phosphate

5


Alcohol Principal Display Panel



4312 Kit Label SF00004471







Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

# 4312 FIRST AID KIT

4312 first aid kit kit

Product Informa	tion			
Product T ype	HUMAN OTC DRUG	Item Code	(Source)	NDC:0498-4312
Packaging				
# Item Code	Package Description	n	Marketing Start Date	Marketing End Date
<b>1</b> NDC:0498-4312-01	1 in 1 KIT; Type 0: Not a Combination	n Product 1	0/18/2018	
Quantity of Parts				
Part #	Package Quantity		Total Product Qu	ıantity
Part 1 10 POUCH		4 mL		

# Part 1 of 3

# **STING RELIEF PAD**

ethyl alcohol, lidocaine swab

Product Information	
Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL			
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL			

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

### Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

# Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

# Part 2 of 3

### EYESALINE EMERGENCY EYEWASH

purified water liquid

### **Product Information**

		NDC 0 400 0 100				
Item Code (Source)		NDC:0498-0100				
Route of Administra	tion	OPHTHALMIC				
A	·// ·····	- <b>4</b>				
Active Ingredien		-			C	•
	Ingredie		Basis of S	-		trength in 100 mL
WATER (UNII: 059QF0	JKOUR) (WAIEF	(- UNII:059QF0KO0R)	WATER		98.6 mL	in 100 mL
Inactive Ingredie	nts					
		Ingredient Name				Strength
SODIUM CHLORIDE						
SO DIUM PHO SPHATI		II: GR686LBA74) <b>, MONOHYDRATE</b> (UNII: 593YOG76RN	<b>`</b>			
SO DIOM FIIO SFIIATI	E, MONOBASIC	, MONOILIDRALE (UNII. 55510070KN	)			
Packaging						
# Item Code		Package Description	Marketing	g Start Date	Marke	ting End Date
<b>1</b> NDC:0498-0100-01	30 mL in 1 BOT	TLE; Type 0: Not a Combination Product				
<b>_</b>						
Marketing Inf Marketing Categor	y Applicatio	on Number or Monograph Citation	-	Start Date	Marke	ting End Date
<b>U</b>		on Number or Monograph Citation	<b>Marketing</b> 10/18/2018	Start Date	Marke	ting End Date
Marketing Categor OTC monograph final Part 3 of 3 ALCOHOL W	y Application part349	on Number or Monograph Citation	-	Start Date	Marke	ting End Date
Marketing Category OTC monograph final Part 3 of 3 ALCOHOL W	y Application part349	on Number or Monograph Citation	-	Start Date	Marke	ting End Date
Marketing Categor OTC monograph final Part 3 of 3 ALCOHOL W	y Application part349	on Number or Monograph Citation	-	Start Date	Marke	ting End Date
Marketing Category OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sy	y Application part349	on Number or Monograph Citation	-	Start Date	Marke	ting End Date
Marketing Category OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sy Product Informa	y Application part349	on Number or Monograph Citation	-	Start Date	Marke	ting End Date
Marketing Categor; OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sv Product Informa Item Code (Source)	y Application part349		-	Start Date	Marke	ting End Date
Marketing Categor; OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sv Product Informa Item Code (Source)	y Application part349	NDC:0498-0143	-	Start Date	Marke	ting End Date
Marketing Category OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sy Product Informa Item Code (Source) Route of Administra	y Application part349	NDC:0498-0143 TOPICAL	-	Start Date	Marke	ting End Date
Marketing Category OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sy Product Informa Item Code (Source) Route of Administra	y Application part349	NDC:0498-0143 TOPICAL	-			
Marketing Category OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sy Product Informa Item Code (Source) Route of Administra Active Ingredien	y Application part349	NDC:0498-0143 TOPICAL ety gredient Name	10/18/2018	Basis of St		ting End Date
Marketing Category DTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sv Product Informa Item Code (Source) Route of Administra Active Ingrediem	y Application part349	NDC:0498-0143 TOPICAL	10/18/2018			Strength
Marketing Categor OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sv Product Informa Item Code (Source) Route of Administra Active Ingrediem ISOPROPYL ALCOH UNII:ND2M416302)	y Application part349	NDC:0498-0143 TOPICAL ety gredient Name	10/18/2018	Basis of St ISOPROPYL		Strength
Marketing Category OTC monograph final Part 3 of 3 ALCOHOL W isopropyl alcohol sy Product Informa Item Code (Source) Route of Administra Active Ingredien	y Application part349	NDC:0498-0143 TOPICAL ety gredient Name	10/18/2018	Basis of St ISOPROPYL		Strength 0.7 mL in 1 m

Packaging										
#	Item Code	Pac	kage Description	Marketing Start Date	Marketing End Date					
1 N	DC:0498-0143-04	0.4 mL in 1 POUCH;	Гуре 0: Not a Combination Product							
Ma	arketing Info	ormation			Marketing Information					
Μ	arketing Categor	y Application I	Number or Monograph Citation	Marketing Start Date	Marketing End Date					
	<b>arketing Categor</b> C monograph not fin		Number or Monograph Citation	<b>Marketing Start Date</b> 09/18/2018	Marketing End Date					
	0 0		Number or Monograph Citation	-	Marketing End Date					
	0 0		Number or Monograph Citation	-	Marketing End Date					
οτο	0 0	al part333A	Number or Monograph Citation	-	Marketing End Date					
ото Ма	C monograph not fin	al part333A	Number or Monograph Citation umber or Monograph Citation	-	Marketing End Date					

Labeler - Honeywell Safety Products USA, INC (079287321)

# Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Honeywell Safety Products USA, INC		079287321	pack(0498-4312)

# Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

# Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Changzhou Maokang Medical		421317073	manufacture(0498-0143)

# Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
Safetec of America Inc		874965262	manufacture(0498-0733)

Revised: 5/2019

Honeywell Safety Products USA, INC