

**EQUALINE NASAL DECONGESTANT NON DROWSY MAXIMUM STRENGTH-
pseudoephedrine hcl tablet, film coated
United Natural Foods, Inc. dba UNFI**

SuperValu Inc. Nasal Decongestant Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 tablets every 4 to 6 hours• do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	<ul style="list-style-type: none">• take 1 tablet every 4 to 6 hours• do not take more than 4 tablets in 24 hours
children under 6 years	do not use this product in children under 6 years of age

Other information

- **each tablet contains:** calcium 20 mg
- store at 20°-25° C (68°-77° F)
- **do not use if blister unit is broken or torn**

Inactive ingredients

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE®

compare to Sudafed® Congestion active ingredient

maximum strength

nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg (nasal decongestant)

congestion

non-drowsy

relieves:

- sinus pressure
- nasal congestion

actual size

48 tablets, 30mg each

EQUALINE®

nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg
(nasal decongestant)

EQUALINE®

NDC 41163-432-67

compare to
Sudafed® Congestion
active ingredient*

maximum strength nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg
(nasal decongestant)

congestion
non-drowsy

relieves:

- sinus pressure
- nasal congestion

48 tablets, 30mg each



actual size

43267 EL C8

Important: Read all product information before using. Keep this box for important information.

Drug Facts

Active ingredient (in each tablet)	Purpose
Pseudoephedrine HCl 30 mg	Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

- | | |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> ■ take 2 tablets every 4 to 6 hours ■ do not take more than 8 tablets in 24 hours |
| children ages 6 to 11 years | <ul style="list-style-type: none"> ■ take 1 tablet every 4 to 6 hours ■ do not take more than 4 tablets in 24 hours |
| children under 6 years | do not use this product in children under 6 years of age |

Other information

- each tablet contains: calcium 20 mg
- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

Inactive ingredients carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyorbate 80, silicon dioxide, titanium dioxide

Questions or comments? 1-855-423-2630

*This product is not manufactured or distributed by McNeil Consumer Health Care, distributor of Sudafed® Congestion. Distributed by UNFI, Providence, RI 02908 USA

Like it or let us make it right. That's our quality promise. 855-423-2630



GLUTEN FREE

43267 EL C8

Code Area

OPEN OTHER END

CONVENIENT RECYCLING TAB

EQUALINE®

nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg



(nasal decongestant)

0 41163-432 0

EQUALINE NASAL DECONGESTANT NON DROWSY MAXIMUM STRENGTH

pseudoephedrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-432
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color	RED	Score	no score
Shape	ROUND (convex)	Size	7mm
Flavor		Imprint Code	L432
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-432-67	8 in 1 CARTON	08/17/2004	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/17/2004	

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 9/2024

United Natural Foods, Inc. dba UNFI