# **ULTRA-GUARD BASE-** sodium chlorite solution IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

ULTRA-GUARD SANITIZING BARRIER TEAT DIP PROVIDES A PROTECTIVE BARRIER OVER THE TEAT END UNTIL THE NEXT MILKING ESPECIALLY FORMULATED FOR DAIRIES THAT PREFER A HIGHER VISCOSITY BARRIER TEAT DIP

### **ACTIVE INGREDIENT**

SODIUM CHLORITE......0.70%

#### INDICATIONS AND USAGE

MIXING DIRECTIONS: TO MAKE A READY-TO-USE SOLUTION OF PRO-SAN LV TEAT DIP, ADD EQUAL VOLUMES OF ULTRA-GUARD BASE AND ULTRA-GUARD ACTIVATOR INTO A CLEAN DIP CUP/CONTAINER AND MIX UNTIL THE COLOR IS UNIFORAM THROUGHOUT. DO NOT DILUET. DO NOT MIX WITH ANY OTHER PRODUCTS. DISCARD ANY UNUSED TEAT DIP. UNUSED TEAT DIP MAY BE DILUTED WITH WATER AND SAFELY FLUSHED DOWN THE DRAIN.

- 1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
- 2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
- 3. Do not use this product for cleaning or sanitizing equipment
- 4. Wash Teat Dip cups after each milking.

# RECOMMENDED PROCEDURES FOR TEAT SANITATION POST-MILKING (POST DIPPING)

Immediately after milking, dip all teats full length with **READY-TO-USE ULTRA-GUARD TEAT DIP. Ensure good coverage of all sides of the teats and teat orifices.** Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

#### WARNING

DO NOT DILUTE THIS PRODUCT

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

STORE AT ROOM TEPERATURE. ALWAYS STORE AWAY FROM DIRECT SUNLIGHT.

PROTECT THIS PRODUCT FROM FREEZING. HOWEVER, FREEZING WILL NOT AFFECT PRO-SAN LV PROVIDED THAT THE CONTENTS ARE THAWED COMPLETELY AND

AGITATED THOROUGHLY BEFORE MIXING BASE AND ACTIVATOR TOGETHER.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

#### FIRST AID PROCEDURES

**EYE CONTACT**: ARINSE CAUSTIOUSLY WITH FRESH, TEPID WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

**SKIN CONTACT:** FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

**INGESTION:** DO NOT INDUCE VOMITING.NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LAWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS. GET IMMEDIATE MEDICAL ADVISE/ATTENTION.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

### **ULTRA-GUARD BASE**



## **ULTRA-GUARD BASE**

sodium chlorite solution

D		I E	
Prod	uct	ıntorr	mation

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-0086
Floudet Type	OTC AMINAL DIVOC	itelli code (Source)	NDC.23303-0000

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Active mgreatent/Active Plotety		
Ingredient Name	<b>Basis of Strength</b>	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	0.70 g in 1 L

## **Product Characteristics**

Color	white (CLEAR)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

# Packaging

#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:29983-0086-4	18.9 L in 1 DRUM		
2	NDC:29983-0086-6	56.7 L in 1 DRUM		
3	NDC:29983-0086-8	207.9 L in 1 DRUM		
4	NDC:29983-0086-9	1039.5 L in 1 DRUM		

## **Marketing Information**

Category	Application Number or Monograph	Marketing Start	Marketing End
	Citation	Date	Date
unapproved drug other		01/05/2022	

## **Labeler -** IBA (019494160)

Revised: 1/2022 IBA