

**4331 FIRST AID KIT - 4331 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**4331 First Aid Kit (EW, Burn Jel, PVP wipes, alcohol wipes - Z019811)**

**Eyesaline**

***Active ingredient***

Sterile Water 99%

**Eyesaline**

***Purpose***

Eyewash

**Eyesaline**

***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

**Eyesaline**

***Warnings***

**For external use only-**

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

**Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

**Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Eyesaline**

***Directions***

- remove contacts before using
- twist top to remove

- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

## **Eyesaline**

### ***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

## **Eyesaline**

### ***Questions***

1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

## **Burn Jel**

### ***Active ingredient***

Lidocaine HCl 2.0%

## **Burn Jel**

### ***Purpose***

External analgesic

## **Burn Jel**

### ***Uses***

- temporarily relieves pain due to minor burns

## **Burn Jel**

### ***Warnings***

#### **For external use only**

#### **Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas

#### **When using this product**

- avoid contact with eyes

#### **Stop use and ask a doctor if**

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

#### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

## **Burn Jel**

### ***Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

## **Burn Jel**

### ***Other information***

- store at room temperature
- do not use if opened or torn

## **Burn Jel**

### ***Inactive ingredients***

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water ...

## **Burn Jel**

### ***Questions***

1-800-430-5490

## **Povidone Iodine Swab**

### ***Active ingredient***

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

## **Povidone Iodine Swab**

### ***Purpose***

First aid antiseptic

## **Povidone Iodine Swab**

### ***Uses***

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

## **Povidone Iodine Swab**

### ***Warnings***

### **For external use only**

### **Do not use**

- over large areas of the body
- on individuals who are allergic or sensitive to iodine

### **Ask a doctor before use if you have**

- deep or puncture wounds,
- animal bites
- serious burns

### **When using this product**

- do not use longer than one week unless directed by a doctor

**Stop use and ask a doctor if**

- conditions persists or gets worse
- irritation and redness develops

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

**Povidone Iodine Swab*****Directions***

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

**Povidone Iodine Swab*****Other information***

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

**Povidone Iodine Swab*****Inactive ingredients***

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

**Povidone Iodine Swab*****Questions and comments***

1-800-430-5490

**Alcohol Wipe*****Active ingredient***

Isopropyl alcohol 70%

**Alcohol Wipe*****Purpose***

First aid antiseptic

**Alcohol Wipe*****Uses***

- first aid to help prevent infection in minor cuts, scrapes, and burns

## **Alcohol Wipe**

### ***Warnings***

#### **For external use only**

#### **Do not use**

- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burn

#### **When using this product**

- do not use longer than one week unless directed by a doctor

#### **Stop use and consult a doctor**

- if condition persists or gets worse

#### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

## **Alcohol Wipe**

### ***Directions***

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

## **Alcohol Wipe**

### ***Other information***

store at room temperature 15<sup>0</sup> to 25<sup>0</sup> C (59<sup>0</sup> to 77<sup>0</sup>F)

## **Alcohol Wipe**

### ***Inactive ingredient***

water

## **Alcohol Wipe**

### ***Questions***

1-800-430-5490

**4331**

**Z019811 Kit Contents**

12 PVP IODINE WIPES 10 PER

1 ADHESIVE TAPE W/P 1" X 10YDS  
3 ADH BDG, CLOTH, 1"X3", 16 PER  
1 POR. CLOTH TAPE 3X10YD  
1 FIRST AID GUIDE ASHI  
1 EMERGENCY SURVIVAL BLANKET  
2 GAUZE CLEAN-WRAP BDGE N/S 4"  
1 GAUZE CLEAN-WRAP BDG N/S 6"  
2 BLOODSTOPPER  
3 ABD COMBINE PAD 5" X 9"  
2 ABD PADS 8"X10" STERILE  
1 MULTI-TRAUMA DRESSING 12"X30"  
1 ELASTIC BANDAGE 3" X 4.5YD  
2 CPR FILTERSHIELD 77-100  
1 WATER JEL BURN JEL 4OZ/BTL  
2 4OZ BFS EYEWASH TRILINGUAL BOTTLE  
1 SCISSOR UTILITY SHEARS 7-1/4"  
1 LBL STOCK 4"X2-7/8"  
1 LBL CONTS 6 3/4"X3 1/2" ID B  
1 LBL STOCK PLAIN 3.2"x7/8"  
1 SOFT PACK, CLOTH BAG- LARGE  
4 PR LRG NITRILE GLVES  
20 WIPE ALCOHOL PREP IPA 70% (DUKAL)  
1 BAG BIOHAZARD 24 X 24 RED  
4 TRI BNDG NON WOVEN 40"X40"X56"  
3 COLD PACK UNIT 4"X6" BULK  
4 EYE PADS STD OVAL STERILE  
3 GAUZE PADS 3"X3" 12PLY  
10 GAUZE PADS 4"X4" 12PLY  
4 ZIP LOCK BAG 8 X 10" 2 MIL

**Eyesaline**  
**Principal Display Panel**

Honeywell

TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS  
EYESALINE

EYESALINE  
EYEWASH

LAVAGE  
OCULAIRE  
EYESALINE

Solución  
Isotónico Estéril

Sterile  
Isotonic Solution

La Solution  
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528  
64809 1 45033 117

Drug Facts (for USA only)

**Active ingredient** Sterile water 99%  
**Purpose** Eyewash  
**Uses** for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.  
**Warnings**  
**For external use only** - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.  
**Do not use**  
• if solution changes color or becomes cloudy  
• if you have open wounds in or near the eyes, get medical help right away  
**Stop use and consult a doctor if:**  
• you experience eye pain • changes in vision  
• continued redness or irritation of the eye  
• condition worsens or persists  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
• remove contacts before using • twist top to remove  
• flush the affected area as needed  
• control rate of flow by pressure on the bottle  
• if necessary, continue flushing with emergency eyewash or shower  
**Inactive ingredients** sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic  
**Questions?** Call 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #32-0045/0 Rev. J REORDER / NUEVO PEDIDO / REAPPROVISIONNEMENT #32-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELEL

Datos de medicamento (Para EE.UU. solamente)

**Ingrediente Activo** Agua estéril 99%  
**Propósito** Lavaojos  
**Usos** para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aeros, o agua de cloruro  
**Advertencias**  
**Para el uso externo sólo** - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.  
**No se use** • si la solución se enturbia o cambia de color  
• si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato  
**Deje de usar y consulte a un médico si:**  
• experimenta dolor de ojo • cambio de visión  
• rojez continuo o irritación del ojo  
• la condición empeora o persiste  
**Manténgase fuera del alcance de los niños.**  
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.  
**Instrucciones**  
• quite los lentes de contacto antes de usar la solución  
• tuerza la tapa para quitar  
• enjuague el área afectada según se necesite  
• controle el chorro haciendo presión el la botella  
• si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia  
**Ingredientes inactivos** cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico  
**¿Preguntas?** Llame al 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

**Usages** Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.  
**Advertissements**  
**Pour usage externe seulement** - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jeter.  
**Ne pas utiliser**  
• si la solution a changé de couleur ou si elle est brouillée  
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin  
**Cesser d'utiliser la solution et consulter un médecin**  
• vous ressentez une douleur oculaire • si votre vision change  
• rougeur ou irritation persistante des yeux  
• condition empire ou persiste  
**Garder hors de la portée des enfants.**  
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.  
**Mode d'emploi**  
• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant  
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche  
**Ingédients** eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium  
**Des questions?** Faites le 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Burn Jel  
Principal Display Panel

**WATERJEL®**  
**BURNJEL®**  
 EXTERNAL ANALGESIC

 **CONTAINS  
 PAIN RELIEVING  
 LIDOCAINE 2%**

**FOR FAST RELIEF  
 OF MINOR BURNS**

- Fast Pain Relief
- Cools & Soothes

4 fl. oz. (118mL)

**Drug Facts**

Active ingredient	Purpose
Lidocaine HCl 2%	External analgesic

**Uses** for the temporary relief of pain associated with minor burns

**Warnings** For external use only

**Do not use**

- on large areas of the body
- on broken, blistered or oozing skin

**When using this product** avoid contact with the eyes

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children 2 years of age and older: apply to affected area not more than 3-4 times daily ■ spread a thick even layer over affected skin ■ children under 2 years: consult a doctor

**Other information** ■ store at room temperature

■ do not use packet if opened or torn ■ you may report a serious adverse reaction to this product to 1-800-275-3433

**Inactive ingredients** Water, Triethanolamine, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Glycerin, Propylene Glycol, Diazolidinyl Urea, Methylparaben, Propylparaben, Carbomer, Octoxynol-9, Acrylates/C10-30 Alkyl Acrylate, Disodium EDTA


**Questions or comments?**

1-800-275-3433 • info@waterjel.com • www.waterjel.com  
 WATER-JEL Technologies, Carlstadt, NJ 07072 USA REV 06






# Principal Display Panel



# Alcohol Wipe Principal Display Panel

825362T Rev. A  
white printed  
Pms 072 blue, Pms 186 red,  
Pms 7459 blue and black



4331 Kit Label  
Z019811

46001403 Rev. C  
Prints 2 colors  
Black and Red (PMS 485)

## **Refill Information**

**US Poison Control 1-800-222-1222**

46001403 Rev. C

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4331 first aid kit kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4331
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4331-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BOTTLE	236 mL
Part 2	20 POUCH	8 mL
Part 3	120 POUCH	36 mL
Part 4	1 BOTTLE, PLASTIC	118 mL

### Part 1 of 4

#### EYESALINE EMERGENCY EYEWASH

purified water liquid

### Product Information

<b>Item Code (Source)</b>	NDC:0498-0100
<b>Route of Administration</b>	OPHTHALMIC

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

## Part 2 of 4

### ALCOHOL WIPE

isopropyl alcohol swab

## Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

## Part 3 of 4

### PVP IODINE WIPE

povidone-iodine 10% swab

## Product Information

<b>Item Code (Source)</b>	NDC:0498-0121
<b>Route of Administration</b>	TOPICAL

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>NONOXYNOL-9</b> (UNII: 48Q180SH9T)	
<b>WATER</b> (UNII: 059QF0K00R)	

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved drug other		09/18/2018		

**Part 4 of 4**

**BURN JEL**  
lidocaine hydrochloride gel

<b>Product Information</b>	
<b>Item Code (Source)</b>	NDC:59898-200
<b>Route of Administration</b>	TOPICAL

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 mL

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TEA TREE OIL (UNII: VIF565UC2G)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7H9T)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMO POLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMO POLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-200-12	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/17/2010	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

**Labeler** - Honeywell Safety Products USA, INC (079287321)

### Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4331)

### Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(59898-200)

### Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

### Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0143)

## Establishment

Name	Address	ID/FEI	Business Operations
Sion Biotext Medical		532775194	manufacture(0498-0121)

Revised: 5/2019

Honeywell Safety Products USA, INC