STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled United Natural Foods, Inc. dba UNFI

DRUG FACTS

Active ingredient (in each softgel)

Docusate Sodium USP, 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after using a laxative. These could be a sign of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-2222-1222) right away.

Directions

• take with a glass of water

years and over	take 1-3 softgels daily. This dose may be taken as a single daily dose or in divided doses
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 7 mg
- store at 25°C (77°F); excursion permitted between 15-30°C (59-86°F)

Inactive ingredients

citric acid, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

Questions or comments?

Call toll free 1-855-423-2630

Principal Display Panel

compare to Dulcolax® Stool Softener active ingredient†

stool softener

docusate sodium 100 mg

stool softener laxative

- comfortable relief of painful, hard, dry stools
- stimulant-free
- Relief of occasional constipation

softgels

†This product is not manufactured or distributed by Chattem, Inc., distributor of Dulcolax ® Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY UNFI

EQUALINE Stool Softener Lax	ativa
EQUALINE SLOUI SUILEIIEI LA	variae

	EQUALINE"	compare to Duicolax ^a Stool Softener active ingredient ¹ NDC 41163-107-25	e it right. promise. 30
PLD-H790A F0008393	stool softener docusate sodium 100mg stool softener laxative • comfortable relief of painful, hard, dry sto • stimulant-free • Relief of occasional constipation 25 softgels	er	DISTRIBUTED BY UNFI PROVIDENCE, RI 02908 USA PROVIDENCE, RI 02908 USA RIOTUG QUALITY Like it or let us make it right. There our quality promise. BSS-422-2630
	ctured or distributed by Chattern, Inc., distributor of Dulcolax®	Questions or com Call tol free 1-855-423-2	
	: sodium 7 mg xoursions permitted between 15-30°C (59-86°F) tts cibic acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin,	nəibərpni əvitəsnl	
	(pen	niinoo) zitoe7 gunü	
	A		
6	ask a doctor	years of age years of age	
	se navia ed navia de navia right. Kina de se navia e de se ringle da in divided deses. A single da in divided de se cr in divided de se con e de se con	12 years and over dhildren 2 to under 12	
		Directions = take w birections	
	eding, ask a heath professional before use. Idrem. In case of overdose, get medical help or contact a Polson 2-1223) right away.		
	g or no bowel movement after using a laxative. These could be tion.	Stop uses and sak a doct signs of a serious condi signs of a serious condi signs of a serious condi signs of a serious signs	
	ese my spinor meet and spinor mee		
	notoob y a doctor, unless directed by a doctor.		
	roduces bowel moyellarity roduces bowel movement in 12 to 72 hours	Uses to relief of occasional of this product generally p	
	evitsusi renefice lood?	Active ingredient 01 92U muios sterusou	
		stoe7 gund	
	N		

Product Label

PRODUCT OF CHINA

0

Lot No.: Eqn. Date:

Product Info	rmation	ı						
Product Type		HUM	AN OTC DRUG	ltem Code (Source)	NDC:41163	3-107(NDC:	53345-008)
Route of Admir	nistration	n ORAL	-					
Active Ingred	lient/Ac ⁻	tive Moie	ety					
		Ingredier	nt Name		I	Basis of S	trength	Strength
DOCUSATE SODI	UM (UNII: F	=05Q2T2JA0)	(DOCUSATE -	UNII:M7P27195A	G) D	OCUSATE SO	DIUM	100 mg
Inactive Ingr	edients							
		In	gredient Na	ame			S	strength
FD&C RED NO. 4								
FD&C YELLOW N			8)					
GELATIN (UNII: 2G	-							
				SDW1A)				
PROPYLENE GLY(WATER (UNII: 059)		6DC9Q16/V	(3)					
WATER (UNII: 039								
SORBITOL (UNII)		R)						
	506T60A25							
GLYCERIN (UNII: P	506T60A25 2DC6A3C0C)X)	68PHW8QP)					
GLYCERIN (UNII: P CITRIC ACID MON	506T60A25 PDC6A3C0C)) FE (UNII: 29	68PHW8QP)					
GLYCERIN (UNII: P CITRIC ACID MON	506T60A25 PDC6A3C0C)) FE (UNII: 29	68PHW8QP)					
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: 6	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R)X) FE (UNII: 29 U)	68PHW8QP)					
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: 6 Product Char	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R)X) FE (UNII: 29 U) tics						
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R	DX) FE (UNII: 29 U) tics red	S	icore			no score	
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R)X) FE (UNII: 29 U) tics	S	ize			13mm	
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R	DX) FE (UNII: 29 U) tics red	S					
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R	DX) FE (UNII: 29 U) tics red	S	ize			13mm	
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R	DX) FE (UNII: 29 U) tics red	S	ize			13mm	
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor Contains	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R	DX) FE (UNII: 29 U) tics red	S	ize			13mm	
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor Contains Packaging	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R	DX) FE (UNII: 29) U) tics red CAPSULE	S	ize mprint Code		ing Start	13mm PC1 Marko	eting End Date
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor Contains Packaging # Item Code	506T60A25 PDC6A3C0C NOHYDRA 5092ICV9R	DX) FE (UNII: 29) U) tics red CAPSULE Packag	S S	ize mprint Code		ate	13mm PC1 Marko	eting End Date
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor Contains Packaging # Item Code 1 NDC:41163-	DC6A3COC NOHYDRAT 5092ICV9R Cacterist)X) FE (UNII: 29) U) tics red CAPSULE Packag	ge Descripti	iize mprint Code	D	ate	13mm PC1 Marko	
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor Contains Packaging # Item Code 1 NDC:41163- 107-25	DC6A3COC NOHYDRAT 5092ICV9R Cacterist)X) FE (UNII: 29) U) tics red CAPSULE Packag X OTTLE, PLAS	ge Descripti	iize mprint Code	D	ate	13mm PC1 Marko	
GLYCERIN (UNII: P CITRIC ACID MON SORBITAN (UNII: (Product Char Color Shape Flavor Contains Packaging # Item Code 1 NDC:41163- 107-25	506T60A25 PDC6A3C0C NOHYDRAT 5092ICV9R Combinat	DX) FE (UNII: 29) U) tics red CAPSULE Packag X OTTLE, PLAS cion Product	ge Descripti	iize mprint Code	D	ate	13mm PC1 Marko	
1 NDC:41163- 107-25	1 in 1 BO 25 in 1 BO Combinat	DX) FE (UNII: 29 U) tics red CAPSULE Packag X OTTLE, PLAS cion Product	ge Descripti	size mprint Code ion ot a	D 12/30/202 Market	ate	13mm PC1	

Revised: 6/2024

United Natural Foods, Inc. dba UNFI