

**GUAIFENESIN AND CODEINE PHOSPHATE- guaifenesin and codeine phosphate solution**  
**PAI Holdings, LLC**

-----  
**Guaifenesin and Codeine Phosphate**

**Drug Facts**

<b>Active ingredients in each 5 mL (teaspoonful)</b>	<b>Purposes</b>
Codeine Phosphate, USP 10 mg	Cough Suppressant
Guaifenesin, USP 100 mg	Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritations as may occur with the common cold or inhaled irritants
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive

**Warnings**

**Do not use**

- in adults and children who have a chronic pulmonary disease or shortness of breath, or children who are taking other drugs, unless directed by a doctor.

**Ask a doctor before use if you have**

- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use if you are** taking sedatives, tranquilizers and drugs used for depression, especially monoamine oxidase inhibitors (MAOIs). These combinations may cause greater sedation (drowsiness) than is caused by the product used alone.

**Stop use and ask a doctor if**

- cough lasts for more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These can be signs of a serious condition.
- may cause or aggravate constipation

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

- Use of codeine-containing preparation is not recommended for children under 2

years of age.

### Directions

- take every 4 hours
- do not exceed 6 doses in 24 hours
- a special measuring device should be used to give an accurate dose of this product to children under 6 years of age
- giving a higher dose than recommended by a doctor can result in serious side effects for a child

adults and children 12 years and over	10 mL (2 teaspoonfuls)
children 6 to under 12 years of age	5 mL (1 teaspoonful)
children under 6 years of age	Consult a doctor

### Other information

- *Sodium Content:* 5 mg/5 mL
- Tamper evident: Do not use if seal under cap is broken or missing
- Keep container closed and store away from heat
- Store at 20°- 25°C (68°-77°F)

### Inactive ingredients

Citric acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, FD&C Yellow No. 6, flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin and sorbitol.

### Questions or comments?

Call 1-800-845-8210 or visit [paipharma.com](http://paipharma.com)

Serious side effects associated with use of this product may be reported to this number.

### PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label

NDC 0121-0775-16

**Guaifenesin and Codeine  
Phosphate Oral Solution USP  
CV**

**100 mg/10 mg per 5 mL**

Expectorant / Cough Suppressant

**Alcohol Free / Sugar Free**

Each teaspoonful (5 mL) contains:  
Guaifenesin, USP 100 mg

Codeine Phosphate, USP 10 mg

Dispense in a tight, light-resistant container with a child-resistant closure.

DO NOT ACCEPT IF SEAL AROUND CAP IS BROKEN OR MISSING

16 fl oz (473 mL)

**pai**  
**Pharmaceutical**  
**Associates, Inc.**  
Greenville, SC 29605

NDC 0121-0775-16

<p><b>Drug Facts</b></p> <p><b>Active ingredients in each 5 mL (teaspoonful)</b></p> <table><tr><td>Codeine Phosphate, USP 10 mg</td><td>Cough Suppressant</td></tr><tr><td>Guaifenesin, USP 100 mg</td><td>Expectorant</td></tr></table> <p><b>Uses</b></p> <ul style="list-style-type: none"><li>temporarily relieves cough due to minor throat and bronchial irritations as may occur with the common cold or inhaled irritants</li><li>helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive</li></ul> <p><b>Warnings</b></p> <p>Do not use in adults and children who have a chronic pulmonary disease or shortness of breath, or children who are taking other drugs, unless directed by a doctor.</p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"><li>a cough with too much phlegm (mucus)</li><li>a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema</li></ul> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers and drugs used for depression, especially monoamine oxidase inhibitors (MAOIs). These combinations may cause greater sedation (drowsiness) than is caused by the product used alone.</b></p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"><li>cough lasts for more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These can be signs of a serious condition.</li></ul>	Codeine Phosphate, USP 10 mg	Cough Suppressant	Guaifenesin, USP 100 mg	Expectorant	<p><b>Guaifenesin and Codeine Phosphate Oral Solution USP</b></p> <p><b>100 mg/10 mg per 5 mL</b></p> <p>Expectorant / Cough Suppressant</p> <p><b>Alcohol Free / Sugar Free</b></p> <p>Each teaspoonful (5 mL) contains: Guaifenesin, USP ..... 100 mg Codeine Phosphate, USP ..... 10 mg</p> <p><i>Dispense in a tight, light-resistant container with a child-resistant closure.</i></p> <p><b>DO NOT ACCEPT IF SEAL AROUND CAP IS BROKEN OR MISSING</b></p> <p>16 fl oz (473 mL)</p> <p><b>pai Pharmaceutical Associates, Inc.</b> Greenville, SC 29605</p>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"><li>may cause or aggravate constipation</li></ul> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.</p> <ul style="list-style-type: none"><li>Use of codeine-containing preparation is not recommended for children under 2 years of age.</li></ul> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>take every 4 hours</li><li>do not exceed 6 doses in 24 hours</li><li>a special measuring device should be used to give an accurate dose of this product to children under 6 years of age</li><li>giving a higher dose than recommended by a doctor can result in serious side effects for a child</li></ul> <table border="1"><tr><td>adults and children 12 years and over</td><td>10 mL (2 teaspoonfuls)</td></tr><tr><td>children 6 to under 12 years of age</td><td>5 mL (1 teaspoonful)</td></tr><tr><td>children under 6 years of age</td><td>Consult a doctor</td></tr></table> <p><b>Other information</b></p> <ul style="list-style-type: none"><li>Sodium Content: 5 mg/5 mL</li><li>Tamper evident: Do not use if seal under cap is broken or missing</li><li>Keep container closed and store away from heat</li><li>Store at 20°- 25°C (68°- 77°F)</li></ul> <p><b>Inactive ingredients:</b> Citric acid, edetate disodium, FD&amp;C Blue No. 1, FD&amp;C Red No. 40, FD&amp;C Yellow No. 6, flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin and sorbitol.</p> <p><b>Questions or comments?</b> Call 1-800-845-8210 or visit <a href="http://pai-pharma.com">pai-pharma.com</a> Serious side effects associated with use of this product may be reported to this number.</p>	adults and children 12 years and over	10 mL (2 teaspoonfuls)	children 6 to under 12 years of age	5 mL (1 teaspoonful)	children under 6 years of age	Consult a doctor
Codeine Phosphate, USP 10 mg	Cough Suppressant											
Guaifenesin, USP 100 mg	Expectorant											
adults and children 12 years and over	10 mL (2 teaspoonfuls)											
children 6 to under 12 years of age	5 mL (1 teaspoonful)											
children under 6 years of age	Consult a doctor											

X07751600 R10/15

**PRINCIPAL DISPLAY PANEL - 5 mL Unit Dose Cup Label**

Delivers **5 mL**

**NDC 0121-1775-05**

**G UAIFENESIN AND CODEINE PHOSPHATE**

**ORAL SOLUTION USP CV**

**100 mg/10 mg per 5 mL**

Expectorant / Cough Suppressant

Alcohol Free / Sugar Free

**Package Not Child-Resistant**

PHARMACEUTICAL ASSOCIATES, INC.

GREENVILLE, SC 29605

**SEE INSERT**



**PRINCIPAL DISPLAY PANEL - 10 mL Unit Dose Cup Label**

Delivers 10 mL

**NDC 0121-1550-10**

**G UAIFENESIN AND C ODEINEP HOSPHATE**

**O RALS OLUTION USP CV**

**200 mg/20 mg per 10 mL**

**Expectorant / Cough Suppressant**  
**Alcohol Free / Sugar Free**

**Package Not Child-Resistant**

PHARMACEUTICAL ASSOCIATES, INC.  
GREENVILLE, SC 29605

**SEE INSERT**



## **GUAIFENESIN AND CODEINE PHOSPHATE**

guaifenesin and codeine phosphate solution

### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0121-0775
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	CV

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
<b>CODEINE PHOSPHATE</b> (UNII: GSL05Y1MN6) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J)	CODEINE PHOSPHATE	10 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0121-0775-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2006	
2	NDC:0121-0775-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2006	08/02/2023
3	NDC:0121-0775-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2006	

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M012	10/01/2006	

## GUAIFENESIN AND CODEINE PHOSPHATE

guaifenesin and codeine phosphate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0121-1775
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	CV

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
<b>CODEINE PHOSPHATE</b> (UNII: GSL05Y1MN6) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J)	CODEINE PHOSPHATE	10 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0121			

1	NDC:0121-1775-00	10 in 1 CASE	10/01/2006	
1		10 in 1 TRAY		
1	NDC:0121-1775-05	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:0121-1775-10	10 in 1 CASE	10/01/2006	
2		10 in 1 TRAY		
2		10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
3	NDC:0121-1775-40	4 in 1 CASE	01/10/2024	
3		10 in 1 TRAY		
3	NDC:0121-1775-05	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/01/2006	

## GUAIFENESIN AND CODEINE PHOSPHATE

guaifenesin and codeine phosphate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0121-1550
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	CV

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL
<b>CODEINE PHOSPHATE</b> (UNII: GSL05Y1MN6) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J)	CODEINE PHOSPHATE	20 mg in 10 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	



<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

Product Characteristics			
<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0121-1550-00	10 in 1 CASE	10/01/2006	
1		10 in 1 TRAY		
1	NDC:0121-1550-10	10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:0121-1550-40	4 in 1 CASE	01/10/2024	
2		10 in 1 TRAY		
2	NDC:0121-1550-10	10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/01/2006	

**Labeler** - PAI Holdings, LLC (044940096)

Establishment			
Name	Address	ID/FEI	Business Operations
PAI Holdings, LLC dba Pharmaceutical Associates, Inc. and dba PAI Pharma		097630693	manufacture(0121-0775, 0121-1775, 0121-1550)

Revised: 9/2024

PAI Holdings, LLC