

IRIS- hydrogen peroxide liquid
AMERIFOODS TRADING COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENT

Hydrogen Peroxide 3%

PURPOSE

first aid antiseptic/oral debriding agent

USES

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth

Warnings

For external use only.

- flammable, keep away from fire and flame
- will produce serious gastric disturbances if ingested

Do not use

- in the eyes or apply over large areas of the body
- longer than one week
- on deep or puncture wounds, animal bites, or on serious burns

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

Keep this and all drugs out of the reach of children. If swallowed, seek professional or contact a Poison Control Center immediately.

DIRECTIONS

first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage
- if bandage, let dry first

oral debriding agent (oral rinse):

- adults and children 2 years of age or over:
- mix with an equal amount of water
- swish around in the mouth over affected area for atleast 1 minute then spit out
- use up to 4x daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years should be supervised in the use of this product
- children under 2 years of age; consult a dentist or doctor

Other information

- keep tightly closed and in a dark place at a controlled temperature
- do not shake bottle
- hold away from face when opening

INACTIVE INGREDIENT

purified water, also contains 0.001% phosphoric acid as a stabilizer



**Solution of
Hydrogen Peroxide**
3% H₂O₂ U.S.P.

TOPICAL ANTISEPTIC
For Treatment of Minor Cuts and Abrasions
For use as a Gargle or Rinse

DO NOT USE IF IMPRINTED SEAL ON CAP IS BROKEN OR REMOVED

NET 128 FL OZ (1 GAL) 3.79 L

Drug Facts

Active ingredient (by volume)	Purpose
Hydrogen peroxide 3%.....	first aid antiseptic/oral debriding agent

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth

Warnings
For external use only.

Do not use ■ in the eyes or apply over large areas of the body ■ longer than one week ■ on deep or puncture wounds, animal bites, or on serious burns.

Ask a doctor before use if you have ■ deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops

Keep this and all drugs out of the reach of children. If swallowed, seek professional or contact a Poison Control Center immediately.

<p>Directions first aid antiseptic:</p> <ul style="list-style-type: none"> ■ clean affected area ■ apply small amount of product on affected area 1 - 3 times a day ■ may be covered with a sterile bandage ■ if bandage, let dry first 	<p>oral debriding agent (oral rinse):</p> <ul style="list-style-type: none"> ■ adults and children 2 years of age or over: ■ mix with an equal amount of water ■ swish around in the mouth over affected area for at least 1 minute and then spit out ■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
--	--

■ children under 12 years should be supervised in the use of this product
■ children under 2 years of age; consult a dentist or doctor

Other Information ■ Keep tightly closed and in a dark place at a controlled room temperature ■ Do not shake bottle ■ Hold away from face when opening.

Inactive ingredient purified water, also contains 0.001% Phosphoric acid as a stabilizer

**Quality Guaranteed or
Your Money Back**

DISTRIBUTED BY:
AMERIFOODS TRADING CO.
P.O. BOX 512377,
LOS ANGELES, CA 90051-0377
MADE IN CHINA

FS1408 NDC 59860-033-12



0 41512 12942 1

Iris

Solution of
Hydrogen Peroxide

3% H₂O₂ U.S.P.

TOPICAL ANTISEPTIC
For Treatment of Minor Cuts and Abrasions
For use as a Gargle or Rinse

**DO NOT USE IF IMPRINTED SEAL
ON CAP IS BROKEN OR REMOVED**

NET 16 FL OZ (473 mL)

Quality Guaranteed or Your Money Back

DISTRIBUTED BY: AMERIFOODS TRADING CO.
P.O. BOX 512377, LOS ANGELES, CA 90051-0377
MADE IN CHINA

NDC 59860-033-16



FS1408

Drug Facts

Active ingredient (by volume)
Hydrogen peroxide 3%.....first aid antiseptic/oral debriding agent

Purpose
Hydrogen peroxide 3%.....first aid antiseptic/oral debriding agent

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use ■ in the eyes or apply over large areas of the body ■ longer than one week ■ on deep or puncture wounds, animal bites, or on serious burns.

Ask a doctor before use if you have ■ deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops

Keep this and all drugs out of the reach of children. If swallowed, seek professional or contact a Poison Control Center immediately.

Directions

first aid antiseptic:
■ clean affected area
■ apply small amount of product on affected area 1 - 3 times a day
■ may be covered with a sterile bandage
■ if bandage, let dry first

oral debriding agent (oral rinse):
■ adults and children 2 years of age or over:
■ mix with an equal amount of water
■ swish around in the mouth over affected area for at least 1 minute and then spit out
■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

■ children under 12 years should be supervised in the use of this product
■ children under 2 years of age; consult a dentist or doctor

Other Information ■ Keep tightly closed and in a dark place at a controlled room temperature ■ Do not shake bottle ■ Hold away from face when opening.

Inactive ingredient purified water, also contains 0.001% Phosphoric acid as a stabilizer

Drug Facts

Active ingredient (by volume)
Hydrogen peroxide 3%.....first aid antiseptic/oral debriding agent

Purpose
Hydrogen peroxide 3%.....first aid antiseptic/oral debriding agent

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth

Warnings
For external use only.
Do not use ■ in the eyes or apply over large areas of the body ■ longer than one week ■ on deep or puncture wounds, animal bites, or on serious burns.
Ask a doctor before use if you have ■ deep or puncture wounds, animal bites or serious burns.
Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops
Keep this and all drugs out of the reach of children. If swallowed, seek professional or contact a Poison Control Center immediately.

Directions
First aid antiseptic:
■ clean affected area
■ apply small amount of product on affected area 1 - 3 times a day
■ may be covered with a sterile bandage
■ if bandage, let dry first

oral debriding agent (oral rinse):
■ adults and children 2 years of age or over:
■ mix with an equal amount of water
■ swish around in the mouth over affected area for at least 1 minute and then spit out
■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

■ children under 12 years should be supervised in the use of this product
■ children under 2 years of age; consult a dentist or doctor

Other Information ■ Keep tightly closed and in a dark place at a controlled room temperature ■ Do not shake bottle ■ Hold away from face when opening.

Inactive ingredient purified water, also contains 0.001% Phosphoric acid as a stabilizer

Quality Guaranteed or Your Money Back
DISTRIBUTED BY: AMERIFOODS TRADING CO.
P.O. BOX 512377, LOS ANGELES, CA 90051-0377
MADE IN CHINA
FS 1408 NDC 59860-033-10

Iris
Solution of
Hydrogen Peroxide

3% H₂O₂ U.S.P.

TOPICAL ANTISEPTIC
For Treatment of Minor Cuts and Abrasions
For use as a Gargle or Rinse

DO NOT USE IF IMPRINTED SEAL ON CAP IS BROKEN OR REMOVED

NET 10 FL OZ (295 mL)

IRIS

hydrogen peroxide liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:61504-033

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	97 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61504-033-16	473 g in 1 BOTTLE, PLASTIC		
2	NDC:61504-033-10	296 g in 1 BOTTLE, SPRAY		
3	NDC:61504-033-12	3785 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/01/2014	

Labeler - AMERIFOODS TRADING COMPANY (626388680)**Establishment**

Name	Address	ID/FEI	Business Operations
NINGBO LIYUAN DAILY CHEMICAL PRODUCTS CO LTD		530766098	manufacture(61504-033)

Revised: 10/2014

AMERIFOODS TRADING COMPANY