

**GOOD NEIGHBOR STOOL SOFTENER- docusate sodium capsule, liquid filled
AmerisourceBergen Drug Corp**

DOCUSATE SODIUM 100mg Two-Tone, Capsule, liquid filled

Drug Facts

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool softener

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1 to 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: **sodium 5 mg**
- **VERY LOW SODIUM**
- store at room temperature 15°-30°C (59°-86°F) and avoid excessive heat

Inactive Ingredients

D&C Red No. 33, FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerol, Polyethylene glycol, purified water, sorbitol, titanium dioxide



Compare to Colace® active ingredient*
 NDC 46122-692-85

GOOD NEIGHBOR PHARMACY

Stool Softener
 Docusate Sodium, 100 mg

Laxative

Gentle & Dependable

250 Softgels actual size

STIMULANT-FREE

CAUTION: EVIDENCE DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each softgel) Purpose
 Docusate Sodium 100 mg..... Stool Softener

Uses ■ relieves occasional constipation
 ■ generally produces bowel movement within 12 to 72 hours

Warnings
 Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts for a period of 2 weeks
 Stop use and ask doctor if ■ you are presently taking mineral oil ■ you have noticed a sudden change in bowel habits that lasts over a period of 2 weeks
 Ask a doctor before use if ■ you are presently using mineral oil ■ you are presently taking mineral oil

Directions This drug may be taken as a single daily dose or in divided doses.
 Adults and children 12 years and over: Take 1-3 softgels by mouth daily
 Children 2 to under 12 years: Take 1 softgel by mouth daily
 Children under 2 years: Consult a doctor

Other information
 ■ store at room temperature 15° to 30°C (59° to 86°F)

Inactive ingredients D&C RED NO. 33, FD&C RED NO. 40, FD&C YELLOW NO. 10, GELATIN, GLYCEROL, POLYETHYLENE GLYCOL, PURIFIED WATER, SORBITOL, TITANIUM DIOXIDE

Questions? 1-800-357-1778

Distributed by AmeriSourceBergen
 1 West First Avenue, Conshohocken, PA 19428
 Subsidiaries of Concentus® www.mgmp.com
 Made in Romania

This product is not to be used by anyone other than the registered owner of the registered trademark Colace®

LECEP 1025256

0 87701 43403 7

Compare to Colace® active ingredient*
 NDC 46122-692-78

GOOD NEIGHBOR PHARMACY

Stool Softener
 Docusate Sodium, 100 mg

Laxative

Gentle & Dependable

100 Softgels actual size

STIMULANT-FREE

CAUTION: EVIDENCE DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each softgel) Purpose
 Docusate Sodium 100 mg..... Stool Softener

Uses ■ relieves occasional constipation
 ■ generally produces bowel movement within 12 to 72 hours

Warnings
 Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks
 Stop use and ask doctor if ■ you are presently taking mineral oil ■ you have noticed a sudden change in bowel habits that lasts over a period of 2 weeks
 Ask a doctor before use if ■ you are presently using mineral oil ■ you are presently taking mineral oil

Directions This drug may be taken as a single daily dose or in divided doses.
 Adults and children 12 years and over: Take 1-3 softgels by mouth daily
 Children 2 to under 12 years: Take 1 softgel by mouth daily
 Children under 2 years: Consult a doctor

Other information
 ■ store at room temperature 15° to 30°C (59° to 86°F)

Inactive ingredients D&C RED NO. 33, FD&C RED NO. 40, FD&C YELLOW NO. 10, GELATIN, GLYCEROL, POLYETHYLENE GLYCOL, PURIFIED WATER, SORBITOL, TITANIUM DIOXIDE

Questions? 1-800-357-1778

Distributed by AmeriSourceBergen
 1 West First Avenue, Conshohocken, PA 19428
 Subsidiaries of Concentus® www.mgmp.com
 Made in Romania

This product is not to be used by anyone other than the registered owner of the registered trademark Colace®

LECEP 1025257

0 87701 43402 0

5.625

Compare to Colace® active ingredient*
 NDC 46122-692-72

GOOD NEIGHBOR PHARMACY

Stool Softener
 Docusate Sodium, 100 mg

Laxative

Gentle & Dependable

60 Softgels

STIMULANT-FREE

CAUTION: EVIDENCE DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING. KEEP FOR IMPORTANT INFORMATION.

Drug Facts

Active ingredient (in each softgel) Purpose
 Docusate Sodium 100 mg..... Stool Softener

Uses ■ relieves occasional constipation
 ■ generally produces bowel movement within 12 to 72 hours

Warnings
 Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks
 Stop use and ask doctor if ■ you are presently taking mineral oil ■ you have noticed a sudden change in bowel habits that lasts over a period of 2 weeks
 Ask a doctor before use if ■ you are presently using mineral oil ■ you are presently taking mineral oil

Directions This drug may be taken as a single daily dose or in divided doses.
 Adults and children 12 years and over: Take 1-3 softgels by mouth daily
 Children 2 to under 12 years: Take 1 softgel by mouth daily
 Children under 2 years: Consult a doctor

Questions? 1-800-357-1778

Distributed by AmeriSourceBergen
 1 West First Avenue, Conshohocken, PA 19428
 Subsidiaries of Concentus® www.mgmp.com
 Made in Romania

This product is not to be used by anyone other than the registered owner of the registered trademark Colace®

LECEP 1025258

GOOD NEIGHBOR STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-692
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red, white (Two-Tone)	Score	no score
Shape	CAPSULE (OVAL)	Size	10mm
Flavor		Imprint Code	SCU2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-692-72	1 in 1 CARTON	08/18/2021	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46122-692-78	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2021	
3	NDC:46122-692-85	250 in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/28/2021	

Labeler - AmerisourceBergen Drug Corp (007914906)

Registrant - Reese Pharmaceutical (004172052)

Revised: 12/2024

AmerisourceBergen Drug Corp