

**GOOD NEIGHBOR STOOL SOFTENER- docusate sodium capsule, liquid filled
AmerisourceBergen Drug Corp**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DOCUSATE SODIUM 100mg Two-Tone, Capsule, liquid filled

Drug Facts

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool softener

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1 to 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: **sodium 5 mg**
- **VERY LOW SODIUM**
- store at room temperature 15°-30°C (59°-86°F) and avoid excessive heat

Inactive Ingredients

D&C Red No. 33, FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerol, Polyethylene glycol, purified water, sorbitol, titanium dioxide



REV. 4/21 DST10606N



Compare to Celace® active ingredient*
 NDC 48122-692-85

GOOD NEIGHBOR PHARMACY

Stool Softener STIMULANT-FREE
 Docusate Sodium, 100 mg

Laxative

Gentle & Dependable

250 Softgels actual size

TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each softgel)
 Docusate Sodium 100 mg

Uses ■ relieves occasional constipation

Warnings
 Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts for a period of 2 weeks ■ you are presently taking mineral oil

Stop use and ask doctor if ■ you have rectal bleeding or fishy or bloody stool ■ you notice a sudden change in bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center. (1-800-222-1222) right away.

Directions
 This dose may be taken as a single daily dose or in divided doses.

Adults and children 12 years and over ■ Take 1-3 softgels by mouth daily.

Children 2 to under 12 years ■ Take 1 softgel by mouth daily.

Children under 2 years ■ Consult a doctor.

Other information ■ **antiseptics**: sodium 7 mg ■ store at room temperature 15° to 30°C (59° to 86°F)

Inactive ingredients D&C RED NO. 33, FD&C RED NO. 40, FD&C YELLOW NO. 5, LACTULOSE, LACTULOSE MONOHYDRATE, POLYETHYLENE GLYCOL, POLYETHYLENE TEREPHTHALATE, SODIUM BENZOATE, SODIUM LAURYL SULFATE, TITANIUM DIOXIDE

Questions? 1-800-321-7178

Distributed by AmeriSourceBergen
 1 West First Avenue, Cranston, PA 19428
 Questions or Concerns? www.mgpl.com

Made in Panama

*This product is not a generic equivalent of Celace® as defined by the FDA. Celace® is a registered trademark of Celace®.

REG. 421 D8122698
 A624 1025765

0 87701 43403 7

Compare to Celace® active ingredient*
 NDC 48122-692-70

GOOD NEIGHBOR PHARMACY

Stool Softener STIMULANT-FREE
 Docusate Sodium, 100 mg

Laxative

Gentle & Dependable actual size

100 Softgels

TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each softgel)
 Docusate Sodium 100 mg

Uses ■ relieves occasional constipation ■ generally produces bowel movement within 12 to 12 hours

Warnings
 Ask a doctor before use if you have ■ you have rectal bleeding or fishy or bloody stool ■ you notice a sudden change in bowel habits that lasts over a period of 2 weeks ■ you are presently taking mineral oil

Ask a doctor before use if ■ you have medical conditions that may affect the use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week

If pregnant or breastfeeding, ask a health professional before use.

Distributed by AmeriSourceBergen
 1 West First Avenue, Cranston, PA 19428
 Questions or Concerns? www.mgpl.com

Made in Panama

*This product is not a generic equivalent of Celace® as defined by the FDA. Celace® is a registered trademark of Celace®.

REG. 421 D8122698
 A624 1025767

0 87701 43402 0

Drug Facts (continued)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center. (1-800-222-1222) right away.

Directions
 This dose may be taken as a single daily dose or in divided doses.

Adults and children 12 years and over ■ Take 1-3 softgels by mouth daily.

Children 2 to under 12 years ■ Take 1 softgel by mouth daily.

Children under 2 years ■ Consult a doctor.

Other information ■ **antiseptics**: sodium 7 mg ■ store at room temperature 15° to 30°C (59° to 86°F)

Inactive ingredients D&C RED NO. 33, FD&C RED NO. 40, FD&C YELLOW NO. 5, LACTULOSE, LACTULOSE MONOHYDRATE, POLYETHYLENE GLYCOL, POLYETHYLENE TEREPHTHALATE, SODIUM BENZOATE, SODIUM LAURYL SULFATE, TITANIUM DIOXIDE

Questions? 1-800-321-7178

Compare to Celace® active ingredient*
 NDC 48122-692-72

GOOD NEIGHBOR PHARMACY

Stool Softener STIMULANT-FREE
 Docusate Sodium, 100 mg

Laxative

Gentle & Dependable

60 Softgels

TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING. KEEP OUT OF REACH OF CHILDREN.

Drug Facts

Active ingredient (in each softgel)
 Purpose: Docusate Sodium 100 mg

Uses ■ relieves occasional constipation ■ generally produces bowel movement within 12 to 12 hours

Warnings
 Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks ■ you are presently taking mineral oil

Stop use and ask doctor if ■ you have rectal bleeding or fishy or bloody stool ■ you notice a sudden change in bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center. (1-800-222-1222) right away.

Directions This dose may be taken as a single daily dose or in divided doses.

Adults and children 12 years and over ■ Take 1-3 softgels by mouth daily.

Children 2 to under 12 years ■ Take 1 softgel by mouth daily.

Children under 2 years ■ Consult a doctor.

Questions? 1-800-321-7178

Distributed by AmeriSourceBergen
 1 West First Avenue, Cranston, PA 19428
 Questions or Concerns? www.mgpl.com

Made in Panama

*This product is not a generic equivalent of Celace® as defined by the FDA. Celace® is a registered trademark of Celace®.

REG. 421 D8122698



GOOD NEIGHBOR STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-692
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red, white (Two-Tone)	Score	no score
Shape	CAPSULE (OVAL)	Size	10mm
Flavor		Imprint Code	SCU2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-692-72	1 in 1 CARTON	08/18/2021	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:46122-692-	100 in 1 BOTTLE; Type 0: Not a Combination	07/28/2021	

4	78	Product	07/28/2021	
3	NDC:46122-692-85	250 in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2021	
Marketing Information				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	OTC monograph not final	part334	07/28/2021	

Labeler - AmerisourceBergen Drug Corp (007914906)

Registrant - Reese Pharmaceutical (004172052)

Revised: 7/2023

AmerisourceBergen Drug Corp