# PAIN AND SINUS- acetaminophen and phenylephrine tablet JHK Inc dba American Safety & First Aid

-----

#### Pain & Sinus

### **Drug Facts**

Active ingredient (In Each Tablet)	Purpose
Acetaminophen 500 mg	pain reliever/fever reducer
Phenylephrine 5 mg	nasal decongestant

#### Use

temporarily relieves:

- headache
- sinus pain
- nasal and sinus congestion
- minor aches and pains
- fever

## Warnings

## **Liver Warning**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets or 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen (prescription or nonprescription)
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before using this product
- for more than 3 days for fever unless directed by a doctor
- with any other product containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or a

pharmacist

for more than 10 days for pain unless directed by a doctor

**Ask a doctor before use if you have** liver disease, heart disease, high blood pressure, thyroid disease, diabetes or difficulty in urination due to enlargement of the prostate gland.

Ask a doctor before use if you are taking the blood thinning drug warfarin.

#### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

Keep out of reach of children.

#### Overdose warning

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

## Adults and children 12 years of age and older:

- Take 2 tablets every 6 hours
- do not exceed 8 tablets in 24 hours

Children under 12 years of age: Ask a doctor

#### Other information

- store at room temperature between 20-25 °C (68-77° F)
- do not use if packet is opened or torn

## Inactive ingredients

corn starch, crospovidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

## **Questions?**

1-866-651-3660 Monday-Friday 8:00am-5:00pm EST

#### PRINCIPAL DISPLAY PANEL - 100 Tablet Packet Box

Product #1192

Pain & Sinus Reliever

Active ingredient: Acetaminophen Phenylephrine


Pain Reliever/Nasal Decongestant


- Formulated for relief from sinus pressure and nasal congestion
- Aspirin free non-drowsy formula

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308.1-2021 standards.

They are sealed in tamper evident packets for safety and convenience.

100 Tablets • 2 Tablets Per Packet





### **PAIN AND SINUS**

acetaminophen and phenylephrine tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73598-1192	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	
PHENYLEPHRINE (UNII: 1WS297W6MV) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg	

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: 08232NY3SJ)			
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	ROUND	Size	20mm
Flavor		Imprint Code	AZ 261
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73598- 1192-1	50 in 1 BOX	05/09/2024		
1		2 in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
OTC MONOGRAPH DRUG	M012	05/09/2024		

## Labeler - JHK Inc dba American Safety & First Aid (867236309)

## Registrant - ALLEGIANT HEALTH (079501930)

Establishment			
Name	Address	ID/FEI	Business Operations
ALLEGIANT HEALTH		079501930	MANUFACTURE(73598-1192)

Revised: 12/2025 JHK Inc dba American Safety & First Aid