

BEST CHOICE LICE TREATMENT- piperonyl butoxide, pyrethrum extract
Value Merchandisers

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Best Choice Lice Kit

Active ingredient

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

Uses

treats head, pubic (crab), and body lice

Purpose

Lice treatment

Warnings

For external use only

Do not use

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years:** ask a doctor

Other information

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Package Insert

Consumer Information - Package Insert

Principal Display Panel

Best Choice

Complete Lice Treatment Kit

THE ALL IN ONE SOLUTION FOR YOUR FAMILY

Compare to the Active Ingredients in RID® Shampoo†

MAXIMUM STRENGTH

3-Step Lice Solution Kit

1 TREAT SHAMPOO

2 REMOVE COMB/GEL

3 CONTROL SPRAY

CAUTION: KEEP OUT OF REACH OF CHILDREN

Instrucciones en español incluidas

SHAMPOO 4 FL OZ (118 mL)

COMBING SPRAY 2 FL OZ (59mL)

LICE SPRAY NET WT 5 OZ (142g)

1 NIT REMOVAL COMB

LICE KILLING SHAMPOO

Drug Facts (continued)

- Wash small amount of hair with remaining lather.
- If hair dries during combing, shampoo lightly with water for moisture, just for this section. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- If it is 1 to 2 inches wide strands of hair, place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- Do back combing of hair after combing.
- Clean comb/other. Wipe dry with tissue and discard in a plastic bag, seal bag and dispose to prevent lice from coming back.
- After combing, thoroughly check for lice/nits. Repeat combing if necessary.
- Check daily for any lice/nits that you missed.
- A second treatment must be done 7 to 10 days to kill any newly hatched lice.
- If infection continues, see a doctor for other treatments.
- **Children under 2 years:** ask a doctor.

Other information:

- Do not freeze.
- Store at controlled room temperature, 20 °C to 25 °C (68 °F to 77 °F).
- Use package insert for additional information.

Inactive ingredients: ammonium lauryl sulfate, perfumed water, PEG-15 hydrogenated castor oil, polyethylene glycol, purified water (D-15) alcohol.

LICE BEDBUG AND MITE SPRAY

ACTIVE INGREDIENT: Permethrin 1.1% (11.35%)

OTHER INGREDIENTS: 100.00%

TOTAL: 100.00% (100.00%)

Contains petroleum distillates.

First Aid:

- If swallowed: Drink water.
- If inhaled: Move to fresh air.
- If on skin: Wash with soap and water.

Keep out of reach of children.

Caution: Avoid contact with eyes, nose, mouth, and skin.

Directions: See package insert for full directions.

Best Choice®

Complete Lice Treatment Kit

THE ALL IN ONE SOLUTION FOR YOUR FAMILY

COMPARE TO THE ACTIVE INGREDIENTS IN RID® SHAMPOO*

Best Choice®

Complete Lice Treatment Kit

THE ALL IN ONE SOLUTION FOR YOUR FAMILY

STEP 1 TREAT LICE KILLING SHAMPOO
• Kills Head Lice, Body Lice And Pubic (Crab) Lice

STEP 2 REMOVE LICE AND EGG COMBING GEL (INCLUDES COMB)
• Makes Combing Easier • Helps Remove Lice Eggs

STEP 3 CONTROL LICE, BEDBUG AND MITE SPRAY
• Kills Lice and Bedbugs • For Use on Bedding, Etc. • Not For Use on Humans or Animals

CAUTION: KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautions.

4 FL OZ (118mL) Shampoo
2 FL OZ (59mL) Lice and Egg Combing Gel
Net Wt. 5 OZ (142g) Bedding Spray
1 Special Nit Comb

BEST CHOICE LICE TREATMENT

piperonyl butoxide, pyrethrum extract kit

| Product Information | | | |
|---------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63941-522 |

| Packaging | | | | |
|-----------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:63941-522-01 | 1 in 1 CARTON; Type 0: Not a Combination Product | 01/03/2014 | |

| Quantity of Parts | | | |
|-------------------|------------------|------------------------|--|
| Part # | Package Quantity | Total Product Quantity | |
| Part 1 | 1 BOTTLE | 118 mL | |

Part 1 of 1

LICE KILLING

piperonyl butoxide, pyrethrum extract shampoo

| Product Information | |
|---------------------|--|
|---------------------|--|

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------|----------------|
| PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH) | PIPERONYL BUTOXIDE | 40 mg in 1 mL |
| PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV) | PYRETHRUM EXTRACT | 3.3 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| POLYQUATERNIUM-10 (400 MPAS AT 2%) (UNII: HB1401PQFS) | |
| AMMONIUM LAURETH-2 SULFATE (UNII: 698O4Z48G6) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| WATER (UNII: 059QF0K00R) | |
| PEG-25 HYDROGENATED CASTOR OIL (UNII: 0ZNO9PJJ9J) | |

Product Characteristics

| | | | |
|----------|--|--------------|--|
| Color | yellow (cloudy to transparent, cream to straw) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---|----------------------|--------------------|
| 1 | | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part358G | 02/01/2014 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part358 | 10/28/2010 | |

Labeler - Value Merchandisers (868703513)

Registrant - Weeks & Leo Co., Inc. (005290028)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------|----------------|---------------|----------------------------|
| Weeks & Leo Co., Inc. | | 005290028 | manufacture(63941-522) |

Revised: 5/2019

Value Merchandisers