

**GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled
Fred's Inc**

Drug Facts

Active ingredient (in each softgel)

Simethicone 125 mg

Purpose

Antigas

Uses

- for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours unless directed by a doctor

Other information

- store between 15-30°C (59-86°F)
- do not refrigerate
- protect from light, heat, and moisture

Inactive ingredients

D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

SMALL, EASY TO SWALLOW

Extra Strength Gas Relief

Simethicone 125 mg

Antigas

Fast Relief of:

- Pressure
- Bloating
- Discomfort

*†Compare to Active Ingredient in **Gas-X® Extra Strength***

SOFTGELS

†This product is not manufactured or distributed by GSK, distributor of Gas-X® Extra Strength

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: fred's, Inc.

4300 NEW GETWELL RD, MEMPHIS, TN 38118

www.fredsinc.com

Product Label

NDC 55315-487-30



Extra Strength

Gas Relief

Simethicone 125 mg
Antigas

Fast relief of:

- Pressure
- Bloating
- Discomfort

30 SOFTGELS

¹Compare To Active Ingredient In
Gas-X®
Extra Strength

| | |
|--|---------------------------|
| Drug Facts | |
| Active ingredient (in each softgel) Simethicone 125 mg..... | Purpose Antigas |
| Uses For the relief of pressure, bloating, and fullness commonly referred to as gas. | |
| Warnings If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. | |
| Directions ■ adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime ■ do not exceed 4 softgels in 24 hours unless directed by a doctor | |
| Other information ■ store between 15-30°C (59-86°F) ■ do not refrigerate ■ protect from light, heat, and moisture | |
| Inactive ingredients D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, peppermint oil, purified water*, sorbitan*, sorbitol*, titanium dioxide *contains one or more of these ingredients | |
| Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST | |

*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

100% satisfaction guaranteed

Questions or comments:
1-855-331-FRED (3733)

PLD-A47J FC004585



DISTRIBUTED BY: fred's, Inc.
4300 NEW GETWELL RD,
MEMPHIS, TN 38118
www.fredsinc.com



Extra Strength
Gas Relief
Simethicone 125 mg
Antigas

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

FRED'S PHARMACY Extra Strength Gas Relief

GAS RELIEF EXTRA STRENGTH

simethicone capsule, liquid filled

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55315-487 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE | 125 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------|----------|
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) | |

| | |
|---|--|
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PEPPERMINT OIL (UNII: AV092KU4JH) | |
| WATER (UNII: 059QF0KO0R) | |
| SORBITAN (UNII: 6O92ICV9RU) | |
| SORBITOL (UNII: 506T60A25R) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|-------------|
| Color | green | Score | no score |
| Shape | OVAL | Size | 9mm |
| Flavor | | Imprint Code | PO;SCU;L125 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:55315-487-30 | 30 in 1 CARTON | 03/31/2016 | 06/30/2024 |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016 | 03/31/2016 | 06/30/2024 |

Labeler - Freds Inc (005866116)

Revised: 11/2023

Freds Inc