

**WOMENS MINOGROW HAIR REGROWTH TREATMENT MINOXIDIL-
minoxidil solution
Minogro Products, LLC**

Women's MinoGrow Hair Regrowth Treatment 2% Minoxidil Solution

Drug Facts

Active ingredient

Minoxidil 2% w/v

Purpose

Hair regrowth treatment

Use

to regrow hair on the scalp

Warnings

For external use only.

Flammable:Keep away from fire or flame

Do not use if

- your amount of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, and infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have

heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- It takes time to regrow hair. You may need to use this product 2 times a day at least 4 months before you see results
- The amount of hair regrowth is different for each person. This product will not work for all women

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- **apply one mL with dropper 2 times a day** directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton • before use, read information on carton and enclosed leaflet • keep the carton. It contains important information. • In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported. 19% of women reported moderate hair regrowth, after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth, 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth, 33% had minimal regrowth).
- **store at controlled room temperature 20° to 25°C (68° to 77°F)**

Inactive ingredients

Alcohol, Propylene Glycol, Purified Water

Questions or comments?

Call toll-free 1-813- 238-1123

Visit Website at www.minogrow.com

Package Labeling:

NDC #XXXXXX-XX-XX

WOMEN'S

MinoGrow

2% MINOXIDIL
SOLUTION, USP

HAIR REGROWTH TREATMENT

Reactivates Hair
Follicles to Stimulate
Regrowth

Clinically Proven to
Help Regrow Hair

One Month Supply
One 60mL (2 fl. oz.) Bottle



WOMEN'S MinoGrow

2% MINOXIDIL
SOLUTION, USP
HAIR REGROWTH
TREATMENT

This Package Contains



One 60 mL (2 fl oz) Bottle of
Women's MinoGrow
(one-month supply).

With child-resistant dropper
applicator

Instruction leaflet with complete
directions on how to use and
obtain best results

(Read enclosed leaflet before use)

Made in USA

Distributed By:
MinoGro Products, LLC
3120 E Hillsborough Ave
Tampa, FL 33610
Email: Team@MinoGrow.com
Phone: (813) 238-1123
Label Part #: MG-MINO2-BX-001
Rev. Date: 02/2025

Drug Facts

Active ingredient
Minoxidil 2% w/v
treatment

Purpose
Hair regrowth

Use to regrow hair on the scalp

Warnings

For external use only.

Flammable. Keep away from fire or flame.

Do not use if: • your amount of hair loss is different than that shown on the side of this carton, because this product may not work for you • you have no family history of hair loss • your hair loss is sudden and/or patchy • your hair loss is associated with childbirth • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children • your scalp is red, inflamed, infected, irritated, or painful • you use other medicines on the scalp.

Ask a doctor before use if you have heart disease.

When using this product • do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water • some people have experienced changes in hair color and/or texture • it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results • The amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help, or contact a Poison Control Center right away.

Directions • apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other Information see hair loss pictures on side of this carton before use, results may vary on certain types of hair loss. Keep the product out of reach of children. • in clinical studies of mostly white women aged 18 to 45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth; 40% had minimal regrowth. This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).

• store at controlled room temperature 20° to 29°C (68° to 77°F).

Inactive ingredients Alcohol, Propylene Glycol, Purified Water

Questions or comments? Call toll-free 1-813-238-1123

Visit Website at: www.minoGrow.com

WOMEN'S MinoGrow

2% MINOXIDIL
SOLUTION, USP
HAIR REGROWTH
TREATMENT

Minoxidil Topical Solution 2% is for women who have a general thinning of hair on the top of the scalp as shown. Minoxidil Topical Solution 2% has been shown to regrow hair in women with the following degrees of thinning hair or hair loss




If women have more hair loss than shown above, Minoxidil Topical Solution 2% may not work.



Do not use if you have patchy hair loss as shown above

**For Best Results:
Apply Directly to Scalp.
Use Twice Daily**



Directions

- Apply one mL 2 times a day directly onto the scalp in the hair loss area
- see carton and enclosed leaflet for complete directions
- using more or more often will not improve results
- continued use is necessary, or hair loss will begin again

Other Information
Store at Controlled Room
Temperature 20°
to 25°C (68° to 77°F)

Inactive Ingredients
alcohol, propylene glycol, purified water

WOMEN'S
MinoGrow
2% minoxidil
solution, usp

Do not use if

- You have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- You do not know the reason for your hair loss
- You are under 18 years of age.

Do not use

- on babies and children.
- your scalp is red, inflamed, and infected, irritated, or painful

• You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

Questions or comments?
Call toll-free 1-813-238-1123
Visit Website at www.minogrow.com

For Best Results:
Apply Directly to Scalp Twice Daily

Hair Regrowth Treatment

Unscented

**Clinically Proven to Help
Regrow Hair**

Reactivates Hair Follicles to
Stimulate Regrowth

Topical Solution

One Month Supply
One 60mL (2 fl. oz.) Bottle

Made in USA
Distributed By:
Minogro Products, LLC
3120 E Hillsborough Ave
Tampa, FL 33610
Email: Team@MinoGrow.com
Phone: (813) 238-1123

Label Part #: MG-MINO2-BX-001
Rev. Date: 02/2025

- do not apply to other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair colour and/or texture
- Stop use and ask a doctor if
- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

**May be harmful if used when pregnant
or breastfeeding.**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Centre right away.

Warnings
For external use only.



Directions
• Apply one mL 2 times a day directly onto the scalp in the hair loss area
• see carton and enclosed leaflet for complete directions
• using more or more often will not improve results
• continued use is necessary, or hair loss will begin again

Other Information
Store at Controlled Room Temperature 20° to 25°C (68° to 77°F)

Inactive Ingredients
alcohol, propylene glycol, purified water

Questions or comments?
Call toll-free 1-813-238-1123
Visit Website at www.minogrow.com

For Best Results:
Apply Directly to Scalp Twice Daily

WOMEN'S

MinoGrow

2% minoxidil solution, usp

Hair Regrowth Treatment

Unscented

**Clinically Proven to Help
Regrow Hair**

Reactivates Hair Follicles to
Stimulate Regrowth

Topical Solution

One Month Supply
One 60mL (2 fl. oz.) Bottle

Made in USA
Distributed By:
Minogro Products, LLC
3120 E Hillsborough Ave
Tampa, FL 33610
Email: Team@MinoGrow.com
Phone: (813) 238-1123

Label Part #: MG-MINO2-BX-001
Rev. Date: 02/2025

Do not use if

- You have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- You do not know the reason for your hair loss
- You are under 18 years of age.

Do not use

on babies and children.

- your scalp is red, inflamed, and infected, irritated, or painful
- You use other medicines on the scalp

**Ask a doctor before use if you
have heart disease**

When using this product

- do not apply to other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair colour and/or texture
- Stop use and ask a doctor if
- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

**May be harmful if used when pregnant
or breastfeeding.**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Centre right away.

Warnings
For external use only.

WOMEN'S
MinoGrow
2% minoxidil
solution, usp

Hair Regrowth Treatment

Unscented

Save this leaflet for future reference.

- Hair regrowth treatment
- Previously available only by prescription

Over 30 million American women experience hair thinning or hair loss, so you're not alone. Women's MinoGrow contains the only ingredient that is medically proven effective to help regrow hair in women.

Please read this leaflet carefully. It will help you understand how to use MinoGrow and what to expect from it. If you have any questions after reading this leaflet, or anytime while using Women's MinoGrow, you should ask your health care professional or call toll-free (813) 238-1123. You can also visit our website at www.minoGrow.com

What is Women's MinoGrow?

MinoGrow is a colourless liquid medication for use only on the scalp to help regrow hair.

Who may use Women's MinoGrow?

Women's MinoGrow may be appropriate for you if you are an adult who is at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of the head. The common hereditary thinning or hair loss process begins slowly and may not become noticeable until years of gradual loss.

Women's MinoGrow is for general thinning of hair on the scalp, as shown in the illustration below.

MinoGrow has been shown to regrow hair in women with the degrees of hair loss shown. If women have more hair loss than shown, the MinoGrow may not work.



Who should NOT use Women's MinoGrow?

MinoGrow will not prevent or improve hair loss related to pregnancy, the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; excessive vitamin A intake), the recently discontinued use of birth control pills, low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp.

Also, the MinoGrow will not improve hair loss due to:

- Damage from the use of hair care products, which cause scarring or deep burns of the scalp.
- Hair-grooming methods such as cornrows or ponytails require pulling the hair tightly back from the scalp.
- Do not use the MinoGrow if hair loss is patchy, as shown below




You should ask your doctor if you are unsure of the cause of your hair loss

Will Women's MinoGrow work for me?

The amount of hair regrowth varies from person to person. Not everyone will respond to MinoGrow. The response to the MinoGrow cannot be predicted. No one will be able to grow back all their hair.

- In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to Minoxidil Topical Solution 2% was reported:



- 19% of women reported moderate hair regrowth after using Minoxidil Topical Solution 2% for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo
- (the liquid without minoxidil) for 8 months (7% had moderate regrowth; 33% had minimal regrowth).

What Minimal, Moderate and Dense Hair Regrowth Mean for You

	Number of Hairs	Hair Density
Minimal	Some new hairs are seen, but not enough to cover thinning areas.	Hairs in thinning areas do not grow as closely together as hairs on the rest of the head.
Moderate	New hairs cover some or all of thinning areas.	Hairs in the thinning areas grow more closely together, but are not as close together as hairs on the rest of the head.
Dense	New hairs cover, or almost completely cover, thinning areas.	Hairs in thinning areas grow as closely together as hairs on the rest of the head.

Can Women's MinoGrow be used to prevent hair loss?

We do not know if MinoGrow will prevent hair loss

How soon can I expect results from using Women's MinoGrow?

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with MinoGrow also takes time. Generally, new hair growth is slow for a MinoGrow user. Continued use of 2 times a day for at least 4 months is usually needed before you notice hair regrowth. If you do not see hair regrowth in 4 months, stop using MinoGrow and see your doctor. When you first start using MinoGrow, your hair loss may persist for up to 2 weeks. This hair loss is temporary. If you continue to lose hair after two weeks, see your doctor. If the Women's MinoGrow is working, what will the hair look like?

If the Women's MinoGrow is working, what will the hair look like?

At first, hair growth may be soft, downy, colourless hairs. After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

How long do I need to use the Women's MinoGrow?

If you respond to MinoGrow, use it 2 times a day to maintain hair regrowth. Up to 8 months of usage may be needed to see your best results from the MinoGrow.

What happens if I completely stop using Women's MinoGrow? Will I keep the new hair?

Continued use of the MinoGrow is needed to maintain hair regrowth. If you stop using the MinoGrow, the normal hair loss process will start again. You will probably lose your newly regrown hair within 3 to 4 months.

What is the dosage of Women's MinoGrow?

You should apply a dose (1 mL) of MinoGrow directly onto the scalp in the hair loss area TWO TIMES A DAY; for example, once in the morning and once at night. Each bottle should last about one month if used as directed. Please refer to the "Directions for Use" section of the leaflet.

What if I miss a dose or forget to use Women's MinoGrow?

If you miss one or two daily doses of MinoGrow, just continue with your next dose. You should not make up for missed doses.

Can I use Women's MinoGrow more than two times a day? Will it work faster, better?

No. MinoGrow will not work faster or better if used more than two times a day. Studies have been carefully conducted to determine the correct amount of Minoxidil Topical Solution 2% needed to get the best results. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chance of side effects.

What kind of shampoo should I use with Women's MinoGrow?

If you wash your scalp before applying MinoGrow, use a mild shampoo.

What are the most common side effects with Women's Minogrow?

The most common side effects are itching and other skin irritations of the treated area of the scalp. Minogrow contains alcohol, which would cause burning or irritation of the eyes or sensitive skin areas. If Minogrow accidentally gets into these areas, rinse with large amounts of cool tap water. Contact your doctor if irritation persists.

Can I use hair sprays, mousses, conditioners, gels, etc.?

Yes. There is no reason to change your usual hair care routine when using Minogrow. However, you should apply Minogrow first and wait for it to dry before applying your styling aids.

Can I have my hair colored or permed, or use hair relaxers while using Women's Minogrow?

Yes. We have no information that these treatments change the effect of Minogrow. However, to avoid scalp irritation, make sure all Minogrow has been washed off the hair and scalp before using these chemicals.

Can I apply for Women's Minogrow and wash my hair an hour later?

No. For Minogrow to work best, you should leave it on the scalp for about 4 hours before washing.

Can I go swimming or out in the rain?

Yes. Avoid washing off the Minogrow. If possible, apply Minogrow to a dry scalp after swimming, or wait about 4 hours after application before going swimming. Do not let your scalp get wet from the rain after applying Minogrow.

Can Women's Minogrow produce unwanted hair?

Although unwanted hair growth has been reported on the face and on other parts of the body, such reports have been infrequent. The unwanted hair growth may be caused by the transfer of Minogrow to areas other than the scalp, or by absorption into the circulatory system of low levels of the active ingredient, or by a medical condition not related to the use of Minogrow.

If you experience unwanted hair, discontinue using Minogrow and see your doctor for recommendations about appropriate treatment.

After stopping use of Minogrow, the unwanted hair, if caused by the use of Minogrow, should go away over time.

You can take steps to decrease the chances for unwanted hair growth:

1. Limit Minogrow use to the scalp only.
2. If you use your hands to apply Minogrow, wash your hands thoroughly afterwards, and
3. Allow sufficient drying time (usually 2 to 4 hours before going to bed) after your nighttime application of Minogrow

Can I use Women's Minogrow for baldness or hair loss in babies and children?

No. Minogrow must not be used to treat baldness or hair loss in babies or children.

Are there any special warnings about the use of Women's Minogrow?

For external use only

Flammable: Keep away from fire or flame

Do not use if

- Your degree of hair loss is more than that shown in the illustration on page 1 of this leaflet, because this product may not work for you.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- Your hair loss is associated with childbirth
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

When using this product

- do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact,
- Rinse eyes thoroughly with cool tap water.
- Some people have experienced changes in hair colour and/or texture
- It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- The amount of hair regrowth varies from person to person.
- This product will not work for everyone.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs your hands or feet swell
- Scalp irritation or redness occurs unwanted facial hair growth occurs
- You do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Centre right away.

What factors may increase the risk of serious side effects with Women's Minogrow?

Minogrow should be applied only to the scalp. The risk of side effects may be greater when Minogrow is applied to other parts of the body.

Directions for Use

1. Remove the inner cap.
To remove, push down and turn in the direction of the arrows on the cap.

2. Part your hair in the area of hair thinning/loss. Follow the instructions below for using the dropper applicator, and apply 1 mL 2 times a day directly onto the scalp in the hair loss area. Do not use more. Spread the liquid evenly over the area of hair loss. If you use your fingers, wash your hands with soap and water immediately. Each bottle should last about one month if used as directed. Use a mild shampoo if you wash your scalp before applying Minogrow.

Using the Dropper Applicator



1. Squeeze the rubber bulb and insert the dropper into the bottle. Release the bulb, allowing the dropper to fill to the 1 mL line. If the level of the solution is above the 1 mL line, squeeze the extra amount back into the bottle.
2. Next, place the tip of the dropper near the part of the scalp you want to treat and gently squeeze the bulb to gradually release the solution. To prevent the solution from running off the scalp, apply a small amount at a time.
3. After each use attach the dropper to the bottle to make it child-resistant by turning it clockwise until tightly closed.

For Best Results:

Apply Directly to Scalp Twice Daily Questions or comments?

Call toll-free 1-813-238-1123
Visit Website at www.minogrow.com

Store at Controlled Room Temperature 20° to 25° C (68° to 77° F).

Save this leaflet for future reference.

Made in USA
Distributed By:
Minogro Products, LLC
3120 E Hillsborough Ave
Tampa, FL 33610
Email: Team@MinoGrow.com
Phone: (813) 238-1123

Label Part #: MG-MINO2-BX-001
Rev. Date: 02/2025

WOMENS MINOGROW HAIR REGROWTH TREATMENT MINOXIDIL

minoxidil solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87387-980
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87387-980-00	1 in 1 BOX	11/14/2025	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078176	11/14/2025	

Labeler - Minogro Products, LLC (140370746)**Registrant** - Pure Source, LLC (080354456)

Revised: 2/2026

Minogro Products, LLC