

**24HR ALLERGY RELIEF- fexofenadine hydrochloride tablet  
LEADER/ Cardinal Health 110, Inc.**

-----  
**Fexofenadine HCl Tablets USP**

**Active ingredient (in each tablet)**

Fexofenadine HCl USP, 180 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

## Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- this product meets the requirements of USP Dissolution Test 4

## Inactive ingredients

colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide

## Questions?

call **1-888-375-3784**

## Package Label - 30 Count Carton

NDC 70000-0361-2 LEADER

NON-DROWSY

Original Prescription Strength

### **24HR Allergy Relief**

**Fexofenadine Hydrochloride**

**Tablets USP, 180 mg | Antihistamine**

Indoor and Outdoor Allergies

24 Hour

Relief of

Sneezing, Runny Nose, Itchy Nose or Throat

and Itchy, Watery Eyes

COMPARE TO ALLEGRA®

ALLERGY 24HR

active ingredient\*

100% Money

Back Guarantee

30 TABLETS

<b>Drug Facts</b>	
<p><b>Directions</b></p> <p>Take 1 tablet 2 times a day with water. Do not take more than 2 tablets in 24 hours.</p> <p><b>Warnings</b></p> <p>Do not take if you have ever had a seizure or are taking medicine for a seizure. Do not take if you are taking other medicine for allergies. Do not take if you are taking other medicine for high blood pressure. Do not take if you are taking other medicine for heart disease. Do not take if you are taking other medicine for diabetes. Do not take if you are taking other medicine for thyroid disease. Do not take if you are taking other medicine for kidney disease. Do not take if you are taking other medicine for liver disease. Do not take if you are taking other medicine for stomach or intestinal disease. Do not take if you are taking other medicine for urinary tract infection. Do not take if you are taking other medicine for fungal infection. Do not take if you are taking other medicine for bacterial infection. Do not take if you are taking other medicine for viral infection. Do not take if you are taking other medicine for parasitic infection. Do not take if you are taking other medicine for HIV infection. Do not take if you are taking other medicine for hepatitis. Do not take if you are taking other medicine for AIDS. Do not take if you are taking other medicine for tuberculosis. Do not take if you are taking other medicine for malaria. Do not take if you are taking other medicine for sickle cell disease. Do not take if you are taking other medicine for sickle cell trait. Do not take if you are taking other medicine for sickle cell anemia. Do not take if you are taking other medicine for sickle cell crisis. Do not take if you are taking other medicine for sickle cell hypovolemia. Do not take if you are taking other medicine for sickle cell dehydration. Do not take if you are taking other medicine for sickle cell acidosis. Do not take if you are taking other medicine for sickle cell priapism. Do not take if you are taking other medicine for sickle cell leg ulcers. Do not take if you are taking other medicine for sickle cell dactylitis. Do not take if you are taking other medicine for sickle cell splenic sequestration. Do not take if you are taking other medicine for sickle cell stroke. Do not take if you are taking other medicine for sickle cell priapism. Do not take if you are taking other medicine for sickle cell leg ulcers. Do not take if you are taking other medicine for sickle cell dactylitis. Do not take if you are taking other medicine for sickle cell splenic sequestration. Do not take if you are taking other medicine for sickle cell stroke.</p>	
<p><b>Other information</b></p> <p>Keep this and all other medicines out of the reach of children. This medicine should be kept in its original container. Do not use if the seal is broken. Do not use if the tablets are discolored or broken. Do not use if the tablets are past their expiration date. Do not use if you are allergic to any of the ingredients. Do not use if you are pregnant or breastfeeding. Do not use if you are taking other medicine for allergies. Do not use if you are taking other medicine for high blood pressure. Do not use if you are taking other medicine for heart disease. Do not use if you are taking other medicine for diabetes. Do not use if you are taking other medicine for thyroid disease. Do not use if you are taking other medicine for kidney disease. Do not use if you are taking other medicine for liver disease. Do not use if you are taking other medicine for stomach or intestinal disease. Do not use if you are taking other medicine for urinary tract infection. Do not use if you are taking other medicine for fungal infection. Do not use if you are taking other medicine for bacterial infection. Do not use if you are taking other medicine for viral infection. Do not use if you are taking other medicine for parasitic infection. Do not use if you are taking other medicine for HIV infection. Do not use if you are taking other medicine for hepatitis. Do not use if you are taking other medicine for AIDS. Do not use if you are taking other medicine for tuberculosis. Do not use if you are taking other medicine for malaria. Do not use if you are taking other medicine for sickle cell disease. Do not use if you are taking other medicine for sickle cell trait. Do not use if you are taking other medicine for sickle cell anemia. Do not use if you are taking other medicine for sickle cell crisis. Do not use if you are taking other medicine for sickle cell hypovolemia. Do not use if you are taking other medicine for sickle cell dehydration. Do not use if you are taking other medicine for sickle cell acidosis. Do not use if you are taking other medicine for sickle cell priapism. Do not use if you are taking other medicine for sickle cell leg ulcers. Do not use if you are taking other medicine for sickle cell dactylitis. Do not use if you are taking other medicine for sickle cell splenic sequestration. Do not use if you are taking other medicine for sickle cell stroke.</p>	

150073764

150073764

**WARNING: DO NOT USE IF YOU, YOUR CHILD OR PET ARE SENSITIVE TO ANY OF THE INGREDIENTS OR IF YOU ARE PREGNANT OR BREASTFEEDING. IMPORTANT: Read the directions and warnings before use. Keep the cap on. It contains important information.**

This product is a prescription drug and is distributed by **Cardinal Health**, Inc. part of the **Dalco Group**, distributor of **Allegra Allergy 24 Hour Tablets**. Allegra<sup>®</sup> is a registered trademark of **Novartis LLC**. © 2010 for the United States. All rights reserved. **LEADER<sup>®</sup> 24HR** is the brand name for this product. **150073764** is the product code. **150073764** is the product code. **150073764** is the product code. **150073764** is the product code.

**Cardinal Health**  
**150073764**  
**www.allegra.com 1-800-326-4325**  
**Cardinal Health**  
**150073764**

**✓ ALLEGRA<sup>®</sup> Brand Products Have A 100% Money Back Guarantee**  
 Return to place of purchase if not satisfied.

LOT  
 EXP

0 96295 15410 0

**LEADER<sup>®</sup>**

**NON-OROWSY**

Original Prescription Strength

# 24HR Allergy Relief

Fexofenadine Hydrochloride Tablets USP, 180 mg | Antihistamine

Indoor and Outdoor Allergies

**24 Hour Relief of**  
 Sneezing, Runny Nose, Itchy Nose or Throat and Itchy, Watery Eyes

**30 TABLETS**

**COMPARE TO ALLEGRA<sup>®</sup> ALLERGY 24HR**  
 active ingredient

**100% Money Back Guarantee**




**LEADER<sup>®</sup>**

**NON-OROWSY**

Original Prescription Strength

# 24HR Allergy Relief

Fexofenadine Hydrochloride Tablets USP, 180 mg Antihistamine

Indoor and Outdoor Allergies

Package Label - 30 Count Bottle

NDC 70000-0361-2 LEADER

NON-DROWSY


Original Prescription Strength

# 24HR Allergy Relief Fexofenadine Hydrochloride Tablets USP, 180 mg | Antihistamine

Indoor and Outdoor Allergies

24 Hour

30 TABLETS



## 24HR ALLERGY RELIEF

fexofenadine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0361(NDC:55111-784)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Fexofenadine Hydrochloride (UNII: 2S068B75ZU) (FEXOFENADINE -	Fexofenadine	180 mg

UNII:E6582LOH6V)

Hydrochloride

100 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>magnesium stearate</b> (UNII: 70097M6I30)	
<b>mannitol</b> (UNII: 3OWL53L36A)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSE 2910 (6 MPA.S)</b> (UNII: 0WZ8WG20P6)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>polyethylene glycol 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

**Product Characteristics**

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	194;R
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0361-2	1 in 1 CARTON	04/27/2018	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:70000-0361-1	3 in 1 CARTON	04/27/2018	
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:70000-0361-3	1 in 1 CARTON	04/27/2018	
3		70 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:70000-0361-4	1 in 1 CARTON	04/27/2018	
4		90 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:70000-0361-5	1 in 1 CARTON	04/23/2020	
5		180 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
ANDA	ANDA076502	04/27/2018	

**Labeler** - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 6/2021

LEADER/ Cardinal Health 110, Inc.