

FIVE PHOTO BRAND FIRST AID ANTISEPTIC- alcohol liquid
LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FTY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active Ingredients
Alcohol 70%

Purpose
First Aid Antiseptic

Uses
First aid to help prevent the risk of skin infection in:
minor cuts
scrapes
burns

Warning
For external use only
Flammable, keep away from fire or flame.

Do not use
in the eyes
over large areas of the body

Ask doctor before you use if you have
deep or punter wounds
animal bites
serious burns

Stop use and ask doctor if
condition worsens
condition persists for more than 7 days
redness, irritation, swelling, or pain persists or increases
nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other Information

keep container tightly closed

Inactive Ingredients

Cattail (pu huang) pollen extract, Chinese peony (chi shao) root extract, costus (mu xiang) root extract, dong quai (dang gui) root extract, dragon's blood palm (xue jie) fruit extract, frankincense (ru xiang) resin extract, myrrh (mo yao) resin extract, peppermint oil, safflower (hong hua) flower extract, Tienchi ginseng (san qi) root extract, and water.

Questions or comments? (888) 221-3496 M-F 9am to 5pm

you may also report serious side effects to this phone number

FIVE PHOTO BRAND FIRST AID ANTISEPTIC

NDC 61358-040-04

7.44 FL OZ (220 ML)



NDC 61358-040-03

外擦用劑
梁財信五像牌
急救抗菌劑

梁財信真像



跌打專科聖藥
散瘀 止痛
跌打田七藥酒
貳佰余年老號
祛風 活絡

藥正方古

DrugFacts
藥品資料

Active Ingredients: Purpose:
有效成份: 用途:
Alcohol 70% First Aid Antiseptic
酒精 70% 急救抗菌

Uses 作用:
First aid to help prevent the risk of skin infection in:
防止下列症狀引起皮膚感染的急救抗菌劑:
■ minor cuts 輕微割/裂傷
■ scrapes 刮傷/擦傷
■ blisters 水疱/灼傷/凍瘡

Warnings: 告誡:
For external use only
本品僅供外用。

Flammable. Keep away from fire or flame. 本品易燃。請使之遠離火源。

Do not use: 不要用於:
■ in the eyes 眼睛
■ over large areas of the body 身體上的大面積

Ask a doctor before you use if you have:
如有下列症狀，使用前先請醫顧問:
■ deep or puncture wounds 深度或穿刺傷口
■ animal bites 動物咬傷
■ serious burns 嚴重燒/灼/傷/凍瘡

Stop use and ask a doctor if:
如有下列症狀，停止使用並請醫顧問:
■ condition worsens. 症狀變重
■ infection occurs. 感染
■ condition persists for more than 7 days. 症狀持續七天以上
■ redness, irritation, swelling, or pain persists or increases. 紅腫、發炎或疼痛持續增加
■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs. 噁心、嘔吐、腹瀉或皮膚疹。

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

香港製法

NDC 61358-040-03

EXTERNAL USE ONLY
FIVE PHOTO BRAND
FIRST AID ANTISEPTIC

梁財信真像



跌打專科聖藥
散瘀 止痛
跌打田七藥酒
貳佰余年老號
祛風 活絡

藥正方古

Drug Facts (Continued)
藥品資料 (續)

將本藥放在於兒童不可接近處以避免受外中毒。如不慎吞服，應立即尋求醫務護理，或與毒物控制中心 (Poison Control Center) 聯絡。

Directions: 用法:
Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
洗淨傷處，用少量於患處。每日一至三次。可用消毒膠帶覆蓋。如使用膠帶，先讓傷口乾透。

Other information: 其它注意事項:
■ Keep container tightly closed 蓋緊瓶口。

Inactive Ingredients: 輔助成份:
Cattail (pu huang) pollen extract, Chinese peony (chi shao) root extract, dong quai (dang gui) root extract, dragon's blood palm (xue jie) fruit extract, frankincense (ru xiang) resin extract, myrrh (mo yao) resin extract, peppermint oil, safflower (hong hua) flower extract, Tienchi ginseng (san qi) root extract, and water.
蒲黃、赤芍、當歸、血竭、乳香、沒藥、澤瀉油、紅花精、三七和水。

Questions or Comments 問題或建議? (888) 221-3496
M-F, 9 am to 5 pm
■ you may also report serious side effects to this phone number. 週一至週五，上午9時至下午5時
■ 您還可以透過這個電話號碼向嚴重的副作用

製造商:
MANUFACTURED BY:
梁財信五像牌藥酒廠
LUNG CHOY SHUNG MEDICINE FACTORY
Teng Yi Island 香港島· Hong Kong 香港
美國總代理:
U.S. Distributor:
SOLATICE MEDICINE COMPANY
美國蘇氏藥業有限公司
215 W. Ann Street
Los Angeles, CA 90012
Tel Fax: 1-888-221-3496
www.solatice.com
MADE IN HONG KONG

有效期 Exp: 02-2020
生產批號 Lot: FPB0115



FIVE PHOTO BRAND FIRST AID ANTISEPTIC

alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61358-040
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	70 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TYPHA LATIFOLIA POLLEN (UNII: 341PDX5PLM)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)	
DAEMONOROPS DRACO RESIN (UNII: 787Z7N9UCU)	
FRANKINCENSE (UNII: R9XLF1R1WM)	
MYRRH (UNII: JC71GJ1F3L)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
SAFFLOWER (UNII: 4VBL71TY4Y)	
PANAX NOTOGINSENG ROOT (UNII: GQX1C1175U)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61358-040-03	220 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/04/2008	
2	NDC:61358-040-04	130 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/04/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/04/2008	

Labeler - LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FT Y (667407808)

Establishment

Name	Address	ID/FEI	Business Operations
LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FT Y		667407808	manufacture(61358-040)

Revised: 11/2019

LUNG CHOY SHUNG FIVE PHOTOS BRAND MEDICINE FTY