

**BISOLVINE CHILDREN- guaifenesin, dextromethorphan liquid
MENPER DISTRIBUTORS INC.**

Bisolvine Children

Active Ingredients (in each 15 mL)

Guaifenesin 100 mg Expectorant
Dextromethorphan..... Cough Suppressant

Purpose

Expectorant
Cough Suppressant

Uses

temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold and helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings:

Do not exceed recommended dosage.

A persistent cough may be a sign of a serious condition. If cough persists for more than one week, tends to recur, or is accompanied by fever, rash, or persistent headache, consult a doctor.

Do not:

- give this product for persistent or chronic cough, such as occurs with asthma, or emphysema or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor.
- use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Keep out of reach of children

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions

Age

Children 6 to under 12 years of age
 Children 2 to under 6 years of age
 Children under 2 years of age

Dose

1 teaspoonful (15 mL) every 4 hours
 1/2 teaspoonful (7.5 mL) every 4 hours
 Consult your doctor

store this product between 15° to 30° C (59°-86° F)

artificial strawberry-banana flavor, citric acid, fd&c red #40, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sucrose.

Questions?

1-800-560-5223 M-F 9 AM to 4 PM Eastern.

JARABE

INFANTIL Bisolvine™
 DEXTROMETORFAN HBR, GUAIFENESINA

Sabor Fresa Banano

Calma La Tos / Expectorante

Para el Alivio Temporal de la Tos y Congestión Causada por el Catarro Común

Contenido: 4 Oz FL (120 mL)

Factores Farmacológicos

Ingredientes activos (en cada 15 mL) Propósitos
 Dextrometorfan HBR 10 mg..... Alivio de la tos
 Guaifenesina 100 mg..... Expectorante

Usos
 ■ alivio temporal de la tos debido a irritación de la garganta y bronquios, asociada al resfriado común o gripa y ayuda a aliviar la flema (mucosa) y secreciones bronquiales para hacer la tos más productiva.

Advertencias
 No exceder la dosis recomendada.
 Una tos persistente puede ser señal de una condición seria. Si la tos perdura por más de una semana, regresa o está acompañada por fiebre, dolor de cabeza o erupciones en la piel, consulte a su médico.
 No:
 ■ administre este producto para tos persistente o crónica como asma o una tos que se acompaña de flema excesiva (mucosidad), a menos que lo indique un médico.
 ■ uses en un niño que está tomando un inhibidor de la monoamino oxidasa prescripción (IMAO) (ciertos medicamentos para la depresión, trastornos psiquiátricos o emocionales, o la enfermedad de Parkinson), o durante 2 semanas después de dejar de tomar el IMAO. Si usted no está seguro que el medicamento de su niño contiene un IMAO, consulte a un doctor o farmacéutico antes de tomar este producto.

Mantener fuera del alcance de los niños
 En caso de sobredosis accidental, busque asistencia profesional o contacte un Centro de Control de Envenenamientos inmediatamente.

Instrucciones ■ No exceda más de 6 dosis en 24 horas.

edad	dosis
niños de 6 a menores de 12 años de edad	1 cucharada (15 mL) cada 4 horas
niños de 2 a menores de 6 años de edad	1/2 cucharada (7.5 mL) cada 4 horas
niños menores de 2 años de edad	consulte a su médico

Otra información
 ■ conserve este producto entre 15° a 30°C (59° a 86°F)

Ingredientes inactivos sabor artificial de fresa-banano, ácido cítrico, FD&C rojo #40, glicerina, metilparaben, propileno glicol, propilparaben, agua purificada, sucrosa.

Preguntas? 1-800-560-5223 L-V 9 am a 4 pm Este.

SOLUTION

CHILDREN Bisolvine™
 DEXTROMETORFAN HBR, GUAIFENESINA

Strawberry Banana Flavor

Cough Suppressant / Expectorant

For the Temporary Relief of Cough and Congestion due to the Common Cold

Contents: 4 FL OZ (120 mL)

Drug Facts

Active ingredients (in each 15 mL) Purposes
 Dextromethorphan HBR 10 mg.....Cough suppressant
 Guaifenesin 100 mg.....Expectorant

Uses
 ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold and helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings
 Do not exceed recommended dosage.
 A persistent cough may be a sign of a serious condition. If cough persists for more than one week, tends to recur, or is accompanied by fever, rash or persistent headache, consult a doctor.
 Do not:
 ■ give this product for persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor.
 ■ use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Keep out of reach of children
 In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions ■ Do not exceed 6 doses in 24 hours.

age	dose
children 6 to under 12 years of age	1 tablespoonful (15 mL) every 4 hours
children 2 to under 6 years of age	1/2 tablespoonful (7.5 mL) every 4 hours
children under 2 years of age	consult your doctor

Other information
 ■ store this product between 15° to 30°C (59° to 86°F)

Inactive ingredients artificial strawberry-banana flavor, citric acid, FD&C red #40, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sucrose.

Questions? 1-800-560-5223 M-F 9 am to 4 pm Eastern.

TAMPER-EVIDENT: DO NOT USE THIS PRODUCT IF IMPRINTED CELLO-BAND OVER CAP IS TORN, BROKEN OR MISSING.

Distribuido por:
 Menper Distributors, Inc.
 11421 N.W. 107 Street, Suite #24
 Miami, FL 33178
 www.menperdistributors.com



BISOLVINE CHILDREN
 guaifenesin, dextromethorphan liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-322
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 15 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SUCROSE (UNII: C151H8M554)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	STRAWBERRY (STRAWBERRY-BANANA)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-322-04	1 in 1 CARTON	01/18/2010	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/18/2010	

Labeler - MENPER DISTRIBUTORS INC. (101947166)

Establishment

Name	Address	ID/FEI	Business Operations
RNV, LLC		118917568	manufacture(53145-322)

Revised: 7/2025

MENPER DISTRIBUTORS INC.