

**ADULT TUSSIN- guaifenesin solution**  
**Camber Consumer Care**

-----  
**Adult Tussin Expectorant**

**Drug Facts**

**Active ingredients (in each 10 mL)**

Guaifenesin, USP 200 mg

**Purpose** Expectorant

**Uses**

Helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions**

- do not take more than 6 doses in any 24-hour period
- this adult strength product is not intended for use in children under 12 years of age
- ml = milliliter
- measure only with dosing cup provided
- keep dosing cup with product

Age	Dose
Adults and Children 12 years and over	10-20 mL every 4 hours
Children under 12 years	Do not use

**Other information**

- **each 10 mL contains:** sodium 6 mg
- store between 20-25°C (68-77°F)

- do not refrigerate
- **Keep carton for full directions for use.**

## Inactive ingredients

Caramel, citric acid anhydrous, dextrose, FD&C red # 40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions or comment?** Call weekdays **1-888-588-1418**

## Package label: Adult Tussin Expectorant

### Adult Tussin Expectorant

### Guaifenesin Oral Solution, USP

8 FL OZ (237 mL)

**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**  
**KEEP OUTER CARTON FOR COMPLETE WARNINGS & PRODUCT INFORMATION**

Distributed by:

**LOT:**

Camber Consumer Care Inc.  
 Piscataway, NJ 08854, U5A

**EXP:**

**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**  
**KEEP OUTER CARTON FOR COMPLETE WARNINGS & PRODUCT INFORMATION**

**Drug Facts**

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, USP 200 mg	Expectorant

**Uses**  
 USS helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

**Warnings**  
 Ask a doctor before use if you have:  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product**  
 ■ do not use more than directed

**Stop use and ask a doctor if**  
 ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**Directions**  
 ■ do not take more than 6 doses in any 24-hour period.  
 ■ this adult strength product is not intended for use in children under 12 years of age  
 ■ mL = milliliter  
 ■ measure only with dosing cup provided  
 ■ keep dosing cup with product

Age	Dose
Adults and children 12 years and over	10 – 20 mL every 4 hours
Children under 12 years	do not use

**Other information**  
 ■ each 10 mL contains: sodium 6 mg  
 ■ store between 20-25°C (68-77°F)  
 ■ do not refrigerate  
 ■ Keep carton for full directions for use

**Inactive ingredients**  
 Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions or comments?**  
 Call weekdays 1-888-588-1418



NDC 69230-332-23      NDC 69230-332-23      NDC 69230-332-23

**CAMBER**  
CONSUMER CARE

Compare to the active ingredient in Robitussin® Mucus + Chest Congestion\*

**For Ages 12 & Over**

**CAMBER**  
CONSUMER CARE

Compare to the active ingredient in Robitussin® Mucus + Chest Congestion\*

**For Ages 12 & Over**

**CAMBER**  
CONSUMER CARE

Compare to the active ingredient in Robitussin® Mucus + Chest Congestion\*

**For Ages 12 & Over**

**Adult Tussin**  
Guaifenesin Oral Solution, USP  
Expectorant  
Mucus + Chest Congestion  
Non-Drowsy  
Relieves:  
• Mucus  
• Chest Congestion

**Adult Tussin**  
Guaifenesin Oral Solution, USP  
Expectorant  
Mucus + Chest Congestion  
Non-Drowsy  
Relieves:  
• Mucus  
• Chest Congestion

**Adult Tussin**  
Guaifenesin Oral Solution, USP  
Expectorant  
Mucus + Chest Congestion  
Non-Drowsy  
Relieves:  
• Mucus  
• Chest Congestion

\*This product is not manufactured or distributed by Pfizer, the distributor of Robitussin® Mucus plus Chest Congestion.

**CAMBER**  
Distributed by:  
Camber Consumer Care, Inc.  
Piscataway, NJ 08854, USA



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING	
KEEP OUTER CARTON FOR COMPLETE WARNINGS & PRODUCT INFORMATION	
<b>Drug Facts</b>	
<b>Active ingredient (in each 10 mL)</b>	<b>Purpose</b>
Guaifenesin, USP 200 mg	Expectorant
<b>Use</b> helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive	
<b>Warnings</b>	
Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema	
When using this product ■ do not use more than directed	
Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
<b>Directions</b> ■ do not take more than 6 doses in any 24-hour period. ■ this adult strength product is not intended for use in children under 12 years of age. ■ mL = milliliter ■ measure only with dosing cup provided ■ keep dosing cup with product	
<b>Age</b>	<b>Dose</b>
Adults and children 12 years and over	10 – 20 mL every 4 hours
Children under 12 years	do not use
<b>Other information</b>	
■ each 10 mL contains: sodium 6 mg ■ store between 20-25°C (68-77°F) ■ do not refrigerate ■ Keep carton for full directions for use	
<b>Inactive ingredients</b> Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate	
<b>Questions or comments?</b> Call weekdays 1-888-588-1418	

Distributed by:  
Camber Consumer Care, Inc.  
Piscataway, NJ 08854, USA

LOT:

LR-221

EXP:

res

## ADULT TUSSIN

guaifenesin solution

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:69230-332

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	200 mg in 10 mL	
Inactive Ingredients				
Ingredient Name		Strength		
CAMEL (UNII: T9D99G2B1R)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
DEXTROSE (UNII: IY9XDZ35W2)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)				
MENTHOL (UNII: L7T10EIP3A)				
WATER (UNII: 059QF0KO0R)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
Product Characteristics				
Color	red	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69230-332-23	1 in 1 CARTON	05/20/2025	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		05/19/2025	

**Labeler** - Camber Consumer Care (079539968)

**Registrant** - Camber Consumer Care (079539968)

Establishment			
Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(69230-332)

Revised: 5/2025

Camber Consumer Care