

**RE-NUTRIV ULTRA RADIANCE MAKEUP BROAD SPECTRUM SPF 20- octinoxate and titanium dioxide liquid**  
**ESTEE LAUDER INC**

-----  
**RE-NUTRIV ULTRA RADIANCE LIQUID MAKEUP BROAD SPECTRUM SPF 20**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Octinoxate 2.2%	Sunscreen
Titanium Dioxide 1.4%	Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

**Inactive ingredients**

water/aqua/eau • phenyl trimethicone • methyl trimethicone • dimethicone • butylene glycol • isocetyl alcohol • peg/ppg-18/18 dimethicone • rhodochrosite extract • caprylic/capric triglyceride • isohexadecane • sorbitan sesquioleate • magnesium sulfate

• wheat germ glycerides • tribehenin • olivine extract • laminaria digitata extract • sodium hyaluronate • trifluoroacetyl tripeptide-2 • palmitoyl tripeptide-1 • pearl powder • gold • ruby powder • sapphire powder • nephrite powder • citrullus vulgaris (watermelon) fruit extract • pyrus malus (apple) fruit extract • lens esculenta (lentil) fruit extract • algae extract • oryza sativa (rice) bran extract • gentiana lutea (gentian) root extract • ascorbyl palmitate • ergothioneine • simmondsia chinensis (jojoba) seed oil • tocopheryl acetate • hydrolyzed wheat protein • linoleic acid • laureth-7 • triethyl citrate • stearic acid • ethylhexylglycerin • polymethylsilsesquioxane • cholesterol • hydrogenated lecithin • glycerin • ethylhexyl palmitate • propylene carbonate • polyphenylsilsesquioxane • polysilicone-11 • sodium lactate • triethoxycaprylylsilane • tocopherol • sodium pca • sorbitan isostearate • sorbitan stearate • magnesium ascorbyl phosphate • aluminum hydroxide • methicone • xanthan gum • cetyl peg/ppg-10/1 dimethicone • lauryl peg-9 polydimethylsiloxyethyl dimethicone • disteardimonium hectorite • dextran • boron nitride • sodium metabisulfite • fragrance (parfum) • bht • pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate • sorbic acid • sodium benzoate • potassium sorbate • chloroxylenol • phenoxyethanol • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77492) • iron oxides (ci 77491) • iron oxides (ci 77499)] <iln46282>

## **Other information**

protect the product in this container from excessive heat and direct sun

## **PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton**

Re-Nutriv

ESTÉE LAUDER

Ultra Radiance

Liquid Makeup

Broad Spectrum

SPF 20

1 FL. OZ. LIQ.

30 ml e

92592  
TP 230

1

**Ultra Radiance Liquid Makeup  
Broad Spectrum  
SPF 20**

For All Skintypes

Re-Nutriv combines the world's most precious ingredients with science's most powerful advances. The ultimate in luxury makeup and skincare for a life of extraordinary beauty.

This luxurious skin-perfecting foundation is infused with deeply revitalizing power stones. Each bottle contains the radiant power of 2 Peridot stones\* for energized, glowing skin plus Rhodochroite, known for moisturizing and creating a healthy, dewy look. Millions of micro-fine gems add brilliance for a radiant, flawless finish. Long-wearing and color true. Medium to full coverage.

Instantly, skin looks more even-toned. Minimizes the appearance of imperfections. Re-Nutriv's advanced skincare technology delivers long-lasting moisture and leaves skin soft, supple and smooth. Protects against environmental damage to support skin's elasticity and density and help prevent lines and wrinkles. Humidity resistant. Non-acnegenic. Dermatologist-tested. Shake well before use.

\*Based on the average weight of our peridot stones.



*Estée Lauder*

© ESTÉE LAUDER, DIST., NEW YORK, N.Y. 10022  
W.B. LIT. Q.32 S.D. UK - W.B. N. DEV. G.B. 2260  
NEW YORK • LONDON • PARIS  
MADE IN BELGIUM. PCOS: estee@luder.com



**Drug Facts**

**Active Ingredients** Purpose  
Octinoxate 2.2% Sunscreen  
Titanium Dioxide 1.4% Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use on damaged or broken skin**

**When using this product keep out of eyes. Rinse with water to remove.**

**Stop use and ask a doctor if rash occurs**

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: ask a doctor

**Inactive ingredients**

water/aqua/eau • phenyl trimethicone • methyl trimethicone • dimethicone • butylene glycol • hexyldecylol • rhodochroite extract • caprylic/capric triglyceride • peg-18/18 dimethicone • isohexadecane • sorbitan sesquileate • magnesium sulfate • wheat germ glycerides • tribehenin • olive extract • laminaria digitata extract ▶

Re-Nutriv  
ESTÉE LAUDER

Ultra Radiance  
Liquid Makeup  
Broad Spectrum  
SPF 20

1 FL. OZ. LIQ.  
30ml e

**Drug Facts (continued)**

sodium hyaluronate • palmitoyl tripeptide-1 • pearl powder • gold • ruby powder • sapphire powder • nephrite powder • citrullus lanatus (watermelon) fruit extract • pyrus malus (apple) fruit extract • lars esculenta (lentil) fruit extract • algae extract • oryza sativa (rice) bran extract • gentiana lutea (gentian) root extract • ascorbyl palmitate • ergothioneine • simmondsia chinensis (jojoba) seed oil • tocopheryl acetate • hydrolyzed wheat protein • linoleic acid • laurith-7 • triethyl citrate • stearic acid • ethylhexylglycerin • polymethylsiloxane • cholesterol • hydrogenated phosphatidylcholine • glycerin • ethylhexyl palmitate • propylene carbonate • polyphenylsiloxane • polysilicone-11 • sodium lactate • triethoxycaprylylsilane • sodium pae • sorbitan laurate • sorbitan stearate • magnesium ascorbyl phosphate • aluminum hydroxide • methicone • xanthan gum • cetyl peg-10/1 dimethicone • lauryl peg-8 polydimethylsiloxyethyl dimethicone • disteardium hectorite • boron nitride • sodium metabisulfite • fragrance (parfum) • bht • pentaerythryl tetra-di-1-butyl hydroxyhydrocinamate • sodium benzoate • sorbic acid • potassium sorbate • chloroxylenol • phenoxethanol • +/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499) • <ln52500>

**Other Information**

protect the product in this container from excessive heat and direct sun



PCOS-01-11E

**RE-NUTRIV ULTRA RADIANCE MAKEUP BROAD SPECTRUM SPF 20**

octinoxate and titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11559-057
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	22 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	14 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQIOGXM)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ISOCETYL ALCOHOL</b> (UNII: 1800H64066)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>WHEAT GERM OIL</b> (UNII: 14C97E680P)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>LAMINARIA DIGITATA</b> (UNII: 15E7C67EE8)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PEARL (HYRIOPSIS CUMINGII)</b> (UNII: A75L5FZ40U)	
<b>GOLD</b> (UNII: 79Y1949PYO)	
<b>WATERMELON</b> (UNII: 231473QB6R)	
<b>APPLE</b> (UNII: B423VGH5S9)	
<b>LENS CULINARIS FRUIT</b> (UNII: ZYZ076G9JH)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>GENTIANA LUTEA ROOT</b> (UNII: S72O3284MS)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>ERGOTHIONEINE</b> (UNII: BDZ3DQM98W)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYDROLYZED WHEAT PROTEIN (ENZYMATIC; 3000 MW)</b> (UNII: J2S07SB0YL)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>LAURETH-7</b> (UNII: Z95S6G8201)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	

<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>CHLOROXYLENOL</b> (UNII: 0F32U78V2Q)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>MICA</b> (UNII: V8A1AW0880)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11559-057-01	1 in 1 CARTON	07/15/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	

**Labeler** - ESTEE LAUDER INC (005914387)

**Registrant** - Estee Lauder Companies Inc. (790802086)

## Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(11559-057) , pack(11559-057) , label(11559-057)

Revised: 12/2025

ESTEE LAUDER INC