

**SUN AND SHINE MINERAL SUNSCREEN- zinc oxide cream**  
**Peer Pharm Ltd.**

-----  
**Sun and Shine Mineral Sunscreen Lotion SPF 50. Intensive Protection for face & neck**

***Drug Facts***

***Active Ingredients***

Zinc Oxide 24.5%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

- **For external use only**
- **Do not use** on damaged or broken skin.
- **When using this product**, Keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash or irritation develops and lasts.

**Keep out of reach of children.**

If swallowed, call a poison control center or get medical help right away.

***Directions***

Apply liberally 15 minutes before sun exposure

- Reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 am to 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: ask a doctor

***Other information***

protect this product from excessive heat and sun

***Inactive Ingredients***

aqua, coco-caprylate, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, cetearyl olivate, sorbitan olivate, caprylyl glycol, glycerin, polyhydroxystearic acid, aloe barbadensis leaf juice, panthenol, triethoxycaprylylsilane, cetearyl alcohol, tocopherol, butyrospermum parkii (shea) butter, silica, silica dimethyl silylate, xanthan gum, caprylhydroxamic acid, propanediol, sodium phytate, dipotassium glycyrrhizate, chamomilla recutita (matricaria) flower extract, calendula officinalis flower extract, citric acid

***Questions or Comments***

Call 951-297-7976 or visit [www.kcare.co.il](http://www.kcare.co.il)

***Product label***

### Drug Facts

Active ingredient	Purpose
Zinc Oxide, 24.5%	Sunscreen

**Uses** • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if a rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

#### Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months: ask a doctor

#### Other information

- Protect this product from excessive heat and sun

#### Inactive ingredients

aqua, coco-caprylate, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, cetearyl olivate, sorbitan olivate, caprylyl glycol, glycerin, polyhydroxystearic acid, aloe barbadensis leaf juice, panthenol, triethoxycaprylylsilane, cetearyl alcohol, tocopherol, butyrospermum parkii (shea) butter, silica, silica dimethylsilylate, xanthan gum, capryhydroxamic acid, propanediol, sodium phytate, dipotassium glycyrrhizate, chamomile recutita (matricaria) flower extract, calendula officinalis flower extract, citric acid

#### Questions or comments

Call 951-297-7976 or visit [www.kcare.co.il](http://www.kcare.co.il)

Cumulative exposure to the sun is one of the major causes of skin aging. Sun & Shine Sunscreen Lotion contains Zinc Oxide, a natural mineral sunscreen, to provide your skin with broad-spectrum protection against harmful UVA and UVB rays. Enriched with a blend of botanicals & moisturizers, Sun & Shine Sunscreen Lotion is hypoallergenic and dermatologically tested, and does not contain any perfume, SLS, parabens or harmful petrochemicals.

#### Enriched with:

- Aloe Vera to moisturize without leaving a greasy feel
- Shea Butter to provide skin with essential fatty acids & nutrients
- Chamomile, a natural anti-inflammatory, calms the skin & restores skin's natural moisture content
- Calendula to help protect skin from external aggressors & increase hydration

# SUN & SHINE

SPF  
**50<sup>+</sup>**

BROAD  
SPECTRUM

Water resistant  
(80 minutes)

Mineral  
Sunscreen Lotion

Intensive  
protection for face  
& neck

- No perfume
- No SLS
- No parabens
- No nano



1.7 FL. OZ. e 50 ml

#### How to use

Gently massage onto cleansed face and neck prior to sun exposure. Using your fingertips, smooth in until completely absorbed. Ideal for use every day under your makeup.

MANUFACTURED FOR  
DISTRIBUTION BY: K & Care  
Organics Ltd.  
[www.kcare.co.il](http://www.kcare.co.il)  
Manufactured in Israel  
by Peer Pharm Ltd., 17 Amal  
St., Afek Ind. Zone,  
Rosh-Ha'Ayin



# SUN & SHINE

7290018830697

<b>Drug Facts</b>	
<b>Active ingredient</b> Zinc Oxide, 24.5%	<b>Purpose</b> Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b>	
<ul style="list-style-type: none"> <li>• For external use only</li> <li>• Do not use on damaged or broken skin</li> <li>• When using this product keep out of eyes. Rinse with water to remove.</li> <li>• Stop use and ask a doctor if rash occurs</li> <li>• Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away</li> </ul>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• Apply liberally 15 minutes before sun exposure</li> <li>• Reapply: <ul style="list-style-type: none"> <li>• after 40 minutes of swimming or sweating</li> <li>• immediately after towel drying</li> <li>• at least every 2 hours</li> </ul> </li> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. to 2 p.m.</li> <li>• wear long-sleeve shirts, pants, hats, and sunglasses</li> <li>• Children under 6 months: ask a doctor</li> </ul> </li> </ul>	
<b>Other information</b>	
• Protect this product from excessive heat and sun	
<b>Inactive ingredients</b>	
aqua, coco-caprylate, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, cetearyl olivate, sorbitan olivate, caprylyl glycol, glycerin, polyhydroxystearic acid, aloe barbadensis leaf juice, panthenol, triethoxycaprylylsilane, cetearyl alcohol, tocopherol, butyrospermum parkii (shea) butter, silica, silica dimethyl silylate, xanthan gum, caprylhydroxamic acid, propanediol, sodium phytate, dipotassium glycyrrhizate, chamomilla recutita (matricaria) flower extract, calendula officinalis flower extract, citric acid	
<b>Questions or comments</b>	
Call 951-297-7976 or visit <a href="http://www.kcare.co.il">www.kcare.co.il</a>	

MANUFACTURED FOR DISTRIBUTION BY: K & Care Organics Ltd. Manufactured in Israel by Peer Pharm Ltd., 17 Amal St., Afek Ind. Zone, Rosh-Ha'Ayin

SUN & SHINE

SPF  
50<sup>+</sup>  
BROAD  
SPECTRUM

Water resistant  
(80 minutes)

Mineral  
Sunscreen Lotion

Intensive protection  
for face & neck



1.7 FL OZ. e 50 ml

## SUN AND SHINE MINERAL SUNSCREEN

zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69435-1505
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24.5 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
TOCOPHEROL (UNII: R0ZB2556P8)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	

<b>HEXASODIUM PHYTATE</b> (UNII: ZBX50UG81V)
<b>CALENDULA OFFICINALIS SEED OIL</b> (UNII: 9JS8DS42SV)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)
<b>DIPOTASSIUM GLUCOSE-6-PHOSPHATE</b> (UNII: ZZW95F4360)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)
<b>SODIUM ACRYLATE/STYRENE SULFONATE COPOLYMER (11000 MW)</b> (UNII: N30934870L)
<b>ISOBUTANE</b> (UNII: BXR49TP611)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>1-(ETHYLTRISULFANYL)PROPANE</b> (UNII: 4SOS6O9G2X)
<b>TRIOCTYLDODECYL CITRATE</b> (UNII: 35X8CT063R)
<b>ACRYLATES CROSSPOLYMER-4</b> (UNII: GEV2EL4D9G)
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)
<b>CASTOR OIL</b> (UNII: D5340Y219G)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>PROPANEDIOL 1-PHOSPHATE</b> (UNII: 48G71659RB)
<b>CHAMOMILE</b> (UNII: FGL3685T2X)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>ALOE</b> (UNII: V5VD430YW9)
<b>1,4-BUTANEDITHIOL</b> (UNII: 7JD227IUMC)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69435-1505-1	1 in 1 CARTON	05/19/2022	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/19/2022	

**Labeler** - Peer Pharm Ltd. (514678390)

**Registrant** - Peer Pharm Ltd. (514678390)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Peer Pharm Ltd.		514678390	manufacture(69435-1505)

Revised: 1/2024

Peer Pharm Ltd.