

OXYGEN- oxygen gas
Westair Gases & Equipment, Inc.

oxygen

OXYGEN, COMPRESSED USP

UN1072


USP WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

Westair

(866) WestAir

2505 Congress Street, San Diego, CA 92110

www.westairgases.com



OXYGEN, Refrigerated Liquid, USP

UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING:

USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only be establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

CAS: 7782-44-7

Westair

(866) WestAir

2505 Congress Street, San Diego, CA 92110

www.westairgases.com

GRLC-OUSP-WA01-PK250 7-13-23

**OXYGEN,
Refrigerated
Liquid,
USP**

UN 1073

westair



† ALWAYS KEEP CONTAINER IN UPRIGHT POSITION †
WARNING:

USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **Produced by Air Liquide.** Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.
DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleared for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) in upright position. **DO NOT REMOVE THIS PRODUCT LABEL.**



FIRST AID
FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.



DO NOT REMOVE THIS PRODUCT LABEL.
CAS: 7782-44-7

(866) WestAir
2505 Congress Street, San Diego, CA 92110
www.westairgases.com

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53440-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	995 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53440-001-01	230 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2000	12/31/2022
2	NDC:53440-001-02	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2000	12/31/2022
3	NDC:53440-001-03	160 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2000	12/31/2022
4	NDC:53440-001-04	33984 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
5	NDC:53440-001-05	8496 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
6	NDC:53440-001-06	5664 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
7	NDC:53440-001-07	2832 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
8	NDC:53440-001-08	2266 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
9	NDC:53440-	1416 L in 1 CYLINDER; Type 0: Not a Combination	01/01/2000	12/31/2022

9	001-09	Product	01/01/2000	12/31/2022
10	NDC:53440-001-10	708 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
11	NDC:53440-001-11	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
12	NDC:53440-001-12	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
13	NDC:53440-001-13	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
14	NDC:53440-001-14	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
15	NDC:53440-001-15	57 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	12/31/2022
16	NDC:53440-001-16	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
17	NDC:53440-001-17	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
18	NDC:53440-001-18	552 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
19	NDC:53440-001-19	2165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
20	NDC:53440-001-20	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
21	NDC:53440-001-21	248.4 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
22	NDC:53440-001-22	4229 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
23	NDC:53440-001-23	5270 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
24	NDC:53440-001-24	5810 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
25	NDC:53440-001-25	31620 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/2000	

Labeler - Westair Gases & Equipment, Inc. (052834694)

Establishment

Name	Address	ID/FEI	Business Operations
Westair Gases & Equipment, Inc.		014076344	manufacture(53440-001)

Revised: 4/2025

Westair Gases & Equipment, Inc.