

TINACTIN- tolnaftate aerosol, powder
Bayer HealthCare LLC

Tinactin ®

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

butylated hydroxytoluene, isobutane, PPG-12-buteth-16, SD alcohol 40-B (11% v/v), talc

Questions?

1-866-360-3266

PRINCIPAL DISPLAY PANEL - 133g Can Label

NDC 11523-0072-5

TOUGH ACTIN' ®

Tinactin®

ANTIFUNGAL

tolnaftate

Cures most

jock itch

POWDER SPRAY

goes on dry

Relieves itching,

burning & chafing

NET WT 133g (4.6 oz)

TYPE LIMIT

Formulated to absorb perspiration in the groin area.

Drug Facts

Active Ingredient	Purpose
Tolnaftate 1%	Antifungal

Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with a pin

Other information store between 20° to 25°C (68° to 77°F)

Inactive Ingredients butylated hydroxytoluene, isobutane, PPG-12-buteth-16, SD alcohol 40-B (11% v/v), talc

Questions? 1-866-360-3226

Visit us at www.tinactin.com

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer.

© 2015 Bayer.

Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Product of Ireland.



Bayer

26829-08



3 11017-410-07 3



TYPE LIMIT

TINACTIN

tolnaftate aerosol, powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0072
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
ISOBUTANE (UNII: BXR49TP611)				
PPG-12-BUTETH-16 (UNII: 58CG7042J1)				
TALC (UNII: 7SEV7J4R1U)				
Product Characteristics				
Color	white (white to off-white)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0072-5	133 g in 1 CAN; Type 0: Not a Combination Product	09/23/1993	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	09/23/1993		

Labeler - Bayer HealthCare LLC (112117283)

Revised: 12/2024

Bayer HealthCare LLC