

**CAMO CC CREAM SPF30 RICH 640 W- octinoxate, titanium dioxide, zinc oxide cream**  
**e.l.f. Cosmetics, Inc**

-----  
**Camo CC Cream SPF30 Rich 640 W**

***Drug Facts***

***Active ingredients***

Octinoxate 7.5% Titanium Dioxide 4.45% Zinc Oxide 13.72%

***Purpose***

Sunscreen

***Use***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product:**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if:**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.
- Use water resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sun screen with a Broad Spectrum SPF value of 15

or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m. wear long- sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: ask a doctor. **Sun Protection Measures:**

### **Other Information**

- Protect the product in this container from excessive heat and direct sun.

### **Inactive Ingredients**

Water (Aqua), Dimethicone, Cyclopentasiloxane, Butylene Glycol, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butyloctyl Salicylate, POlyglyceryl-4 Isostearate, Methyl Methacrylate Crosspolymer, Cyclohexasiloxane, Acrylates/Polytrimethylsiloxymethacrylate Copolymer, Hexyl Laurate, Magnesium Sulfate, Phenoxyethanol, Triethoxycaprylylsilane, Disteardimonium Hectorite, Hydrated Silica, Aluminium Hydroxide, Propylene Carbonate, Dimethicone/Methicone Copolymer, Caprylyl Glycol, Ethylhexylglycerin, Disodium Edta, Tocopheryl Acetate, Sodium Hyaluronate, Niacinamide, Panthenol, Ascorbyl Palmitate, Soluble Collagen, Canola Oil, Glycerin, Daucu Carota Sativa (Carrot) See Oil, Carbomer, Daucus Carota Sativa (Carrot) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Beta-Carotene, Poly-sorbate 20, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, 1,2-Hexanediol Titanium Dioxide (CI 77891), Yellow Iron Oxide(CI 77492), Red Iron Oxide (CI77491), Black Iron Oxide (CI 77499)

### **May Contain:**

### **Questions or comments?**

**1-888-315-9814**

### **Package Labeling:**



**COLOR CORRECTING  
FULL-COVERAGE  
NATURAL FINISH**

**e.l.f.**

**CAMO  
CC CREAM**

**Skin-loving ingredients  
Collagen, Peptides  
& Niacinamide**

**Broad Spectrum  
SPF 30  
Sunscreen**

**CAMO CC CREAM**

NET WT 1.05 OZ (30 g)

84928



**-RICH 640 W-**  
with warm (W) neutral undertones

**COLOR CORRECTING  
FULL-COVERAGE  
NATURAL FINISH**

**Skin-loving ingredients  
Collagen, Peptides  
& Niacinamide**

CAMO CC CREAM

CAMO CC CREAM

Ditch your basic foundation! This color correcting cream is the only product you need to achieve a natural looking complexion but with full-coverage. A multitasking dream cream infused with collagen, peptides and niacinamide known to plump, hydrate and smooth the appearance of your skin while protecting with SPF 30.

**DIRECTIONS:** Apply 1-2 pumps of the CC Cream to clean skin using our e.l.f. Complexion Duo Brush to achieve an airbrushed finish. Wear as a moisturizer and full-coverage foundation depending on your needs.

elfcosmetics.com #eyeslipsface

**Drug Facts**

| Active ingredients          | Purpose   |
|-----------------------------|-----------|
| Octinoxate 7.5%.....        | Sunscreen |
| Titanium Dioxide 4.45%..... | Sunscreen |
| Zinc Oxide 13.72%.....      | Sunscreen |

**Use**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

**Warning**

For external use only. Do not use on damaged or broken skin. • When using this product: keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if: rash occurs. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. • Use water resistant sunscreen if swimming or sweating. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m., wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: ask a doctor.

**Other Information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

Water (Aqua), Dimethicone, Cyclopentasiloxane, Butylene Glycol, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Butylene

Glycol Dicaprylate/Dicaprate, Butyloctyl Salicylate, Polyglyceryl-4 Isostearate, Methyl Methacrylate Crosspolymer, Cyclohexasiloxane, Acrylates/Polytrimethylsilyoxymethacrylate Copolymer, Hexyl Laurate, Magnesium Sulfate, Phenoxethanol, Triethoxycaprylsilane, Disteardimonium Hectorite, Hydrated Silica, Aluminum Hydroxide, Propylene Carbonate, Dimethicone/Methicone Copolymer, Caprylyl Glycol, Ethylhexylglycerin, Disodium EDTA, Tocopheryl Acetate, Sodium Hyaluronate, Niacinamide, Panthenol, Ascorbyl Palmitate, Soluble Collagen, Carotol Oil, Glycerin, Daucus Carota Sativa (Carrot) Seed Oil, Carbomer, Daucus Carota Sativa (Carrot) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Beta-Carotene, Polysorbate 20, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, 1,2-Hexanediol **May Contain:** Titanium Dioxide (CI 77891), Yellow Iron Oxide (CI 77492), Red Iron Oxide (CI 77491), Black Iron Oxide (CI 77499)

**Questions or comments? 1-888-315-9814**

DIST. E.L.F. COSMETICS, INC. OAKLAND, CA 94607.  
MADE IN CHINA. DESIGNED IN THE U.S.A.



NET WT 1.05 OZ (30 g)



B84928-1

e.l.f.

**CAMO  
CC CREAM**

**COLOR CORRECTING  
FULL-COVERAGE  
NATURAL FINISH  
+  
Collagen, Peptides  
& Niacinamide**

Broad Spectrum



**DIRECTIONS:** Apply 1-2 pumps of the CC Cream to clean skin using our e.l.f. Complexion Duo Brush to achieve an airbrushed finish. Wear as a moisturizer and full-coverage foundation depending on your needs. Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.

**ACTIVE INGREDIENTS:** OCTINOXATE 7.5%, TITANIUM DIOXIDE 4.45%, ZINC OXIDE 13.72%

**FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT: KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.**

DIST. E.L.F. COSMETICS, INC. OAKLAND, CA 94607. MADE IN CHINA. DESIGNED IN THE U.S.A. NET WT 1.05 OZ (30 g)  
84928

**RICH 640 W**



## CAMO CC CREAM SPF30 RICH 640 W

octinoxate, titanium dioxide, zinc oxide cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:76354-928 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength        |
|---|-------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 75 mg in 1 g    |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 44.5 mg in 1 g  |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)            | ZINC CATION       | 137.2 mg in 1 g |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)                                 |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                           |          |
| <b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)                      |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                       |          |
| <b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)                   |          |
| <b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI) |          |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)                 |          |
| <b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)            |          |

|  |
|--|
| <b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)                       |
| <b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)                          |
| <b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)    |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                         |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)              |
| <b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)                        |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)                     |
| <b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)                    |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)                        |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)                     |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)             |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)             |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                     |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4)                            |
| <b>PANTHENOL</b> (UNII: WW9CM0067Z)                              |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)                     |
| <b>CANOLA OIL</b> (UNII: 331KBj17RK)                             |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                               |
| <b>CARROT SEED OIL</b> (UNII: 595AO13F11)                        |
| <b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC) |
| <b>CARROT</b> (UNII: L56Z1JK48B)                                 |
| <b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)                          |
| <b>BETA CAROTENE</b> (UNII: 01YAE03M7J)                          |
| <b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)                 |
| <b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)               |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)                         |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                    |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                       |
| <b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)                   |

### Packaging

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:76354-928-01 | 1 in 1 BOX  | 09/01/2020           |                    |
| 1 |                  | 30 g in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 09/01/2020           |                    |

**Labeler** - e.l.f. Cosmetics, Inc (093902816)

## Establishment

| Name                           | Address | ID/FEI    | Business Operations    |
|--------------------------------|---------|-----------|------------------------|
| Zhejiang Ayan Biotech Co.,Ltd. |         | 544377996 | manufacture(76354-928) |

Revised: 11/2023

e.l.f. Cosmetics, Inc