

# **STOOL SOFTENER LAXATIVE PLUS STIMULANT- docusate sodium and sennosides tablet**

**Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

-----  
**Drug Facts**

## **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

## **Purpose**

Stool softener

Stimulant laxative

## **Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

## **Warnings**

### **Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

## Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

## Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol\*, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

## Questions or comments?

Call **1-888-309-9030**

## Principal Display Panel

**Compare to the active ingredients of Colace® 2-IN-1\*\***

**Stool Softener Plus Stimulant Laxative**

Docusate Sodium 50 mg

Sennosides 8.6 mg

For Overnight Relief of Occasional Constipation

- Effective
- Reliable
- Comfortable

TABLETS

\*\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

**Product Label**

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

<b>Drug Facts</b>	<p><b>Active ingredients (in each tablet) Purpose</b>                      Docusate sodium 50 mg.....Stool softener                      Sennosides 8.6 mg.....Stimulant laxative</p> <p><b>Uses</b>                      ■ for overnight relief from occasional constipation (irregularity)                      ■ generally produces bowel movement in 6 to 12 hours</p> <p><b>Warnings</b>                      Do not use                      ■ laxative products for longer than 1 week unless directed by a doctor                      ■ if you are now taking mineral oil, unless directed by a doctor</p> <p><b>Ask a doctor before use if you have</b>                      ■ stomach pain ■ nausea ■ vomiting                      ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks</p>
-------------------	--

This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1. DISTRIBUTED BY DOLGENCORP, LLC 100 MISSION RIDGE GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed! (888) 309-9030

Lot No.: 3 59726 28604 6

Exp. Date:

PEEL HERE →

<b>Questions or comments?</b> Call 1-888-309-9030	*contains one or more of these ingredients Inactive ingredients: carnauba wax*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake*, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate*, stearic acid*, talc*, titanium dioxide
--	--

<b>Other information</b>	■ each tablet contains: calcium 30 mg ■ each tablet contains: sodium 6 mg VERY LOW SODIUM ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)
--------------------------	--

<b>Directions</b>	■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses. adults and children 12 years and older take 2-4 tablets daily children 6 to under 12 years of age take 1-2 tablets daily children 2 to under 6 years of age take up to 1 tablet daily children under 2 ask a doctor
-------------------	--

**Drug Facts (continued)**

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**DOLLAR GENERAL Stool Softener plus Stimulant Laxative**

**STOOL SOFTENER LAXATIVE PLUS STIMULANT**

docusate sodium and sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-829
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097;PSD21;S44
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-829-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/31/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/31/2018	

**Labeler** - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)