

**CLEANSING TOWELETTE- benzalkonium chloride swab**  
**Nantong Furuida Packaging Products Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**73118-005**

**Active Ingredients**

Benzalkonium Chloride 0.13%

**Purpose**

Antiseptic

**Use**

Cleansing of face, hands and body without soap and water. Air dries in seconds.

Non-sterile solution

Applicator is sterile if package is intact.

**Warnings**

For external use only

Flammable, keep away from fire or flame

Do not use:

- \* In large quantities
- \* over large areas of the body
- \* in eyes
- \* over raw or blistered areas

Stop use and ask a doctor if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If swallowed get medical help or contact Poison Control Center right away.

**Directions**

Adults and Children 2 years and older; Apply to cleaned affected area not more than 3 times daily.

Children under 2 years of age; Consult a doctor

**Inactive Ingredient**

5% v/v alcohol, Purified Water

**NDC:73118-005-01**

# **Cleansing Towelette**

**Benzalkonium Chloride**

**Cleanse wound to prevent infection**

**For External Use Only**

**Contents: 1 Towelette**

**For professional and hospital use**

## ***Drug Facts***

Active Ingredient .....Purpose  
Benzalkonium Chloride,0.13 % v/v .....Antiseptic

## ***Users***

First aid antiseptic to help prevent skin infection in Minor cuts  
Scrapes ■ Burns ■ Antiseptic Cleansing ■ Perineal and maternity  
care

***Warnings*** For External Use Only

***Do not use*** as an antiseptic for more than 1 week in the  
eyes over large areas of the body

***Ask a doctor*** before use if you have deep or puncture  
wounds ■ animal bites ■ serious burns

***Stop use*** if irritation and redness develop. If condition  
persists more than 72 hours , consult a physician

***Keep out of reach of children.*** If swallowed, get  
medical help or contact a Poison Control Center immediately

## ***Directions***

Tear at notch ■ Remove towelette ■ Use only once

***As a first aid antiseptic*** clean affected area. Apply  
1 to 3 times daily.Can be covered with a sterile bandage

***Other Information*** Store at room temperature.  
Non-sterile solution. Applicator is sterile if package is intact.

***Inactive Ingredients*** Alcohol 5% , purified water.

Nantong Furuida Packaging Products Co., Ltd  
No 1, Guoyuan Cun, Wenfeng Street, Nantong, Jiangsu, China. 226004

----- TEAR HERE -----

## **CLEANSING TOWELETTE**

benzalkonium chloride swab

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73118-005
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:73118-005-01	200 in 1 BOX	05/27/2019	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part333A	05/27/2019	

**Labeler** - Nantong Furuida Packaging Products Co., Ltd. (529953730)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Nantong Furuida Packaging Products Co., Ltd.		529953730	manufacture(73118-005)

Revised: 5/2021

Nantong Furuida Packaging Products Co., Ltd.